

===== Product Identification =====

Product ID:EP-N LASER TONER CARTRIDGE (NX)
MSDS Date:10/28/1994
FSC:6850
NIIN:01-398-2398
MSDS Number: CHHXC
=== Responsible Party ===
Company Name:VERBATIM CORPORATION
Address:1200 W.T. HARRIS BLVD
City:CHARLOTTE
State:NC
ZIP:28262
Country:US
Info Phone Num:704-547-6500
Emergency Phone Num:704-547-6500/800-424-9300(CHEMTREC)
CAGE:0E6G7
=== Contractor
Identification ===
Company Name:VERBATIM CORP
Address:1200 W. T. HARRIS BOULEVARD
Box:City:CHARLOTTE
State:NC
ZIP:28213
Country:US
Phone:704-547-6500
CAGE:0E6G7

===== Composition/Information on Ingredients =====

Ingred Name:STYRENE ACRYLATE COPOLYMER
CAS:25153-46-2
Fraction by Wt: 55-60%
Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE
CAS:1309-37-1
RTECS #:NO7400000
Fraction by Wt: NP
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG/M3 (FE)
ACGIH TLV:5MG(FE)/M3FUME

,B2;96

Ingred Name:METAL AZO DYE
CAS:84179-66-8
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYOLEFIN WAX
CAS:25322-69-4
RTECS #:TR5250000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA
CAS:112945-52-5
RTECS #:VV7310000
Fraction by Wt: NP
Other REC Limits:NONE RECOMMENDED
OSHA PEL:6 MG/M3
ACGIH TLV:10 MG/M3

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of
Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE
Effects of Overexposure:NONE
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER.INHAL:REMOVE FROM EXPOSURE.SKIN:WASH
W/SOAP/WATER.ORAL:DRINK SEVERAL GLASSES OF WATER.

===== Fire Fighting Measures =====

Flash Point:NA
Autoignition Temp:Autoignition Temp Text:NP
Lo

wer Limits:NA
Upper Limits:NA
Extinguishing Media:WATER, FOAM, DRY CHEMICAL.
Fire Fighting Procedures:AVOID BREATHING SMOKE.
Unusual Fire/Explosion Hazard:EXCESS DUST IN AIR CAN FORM EXPLOSIVE
MIXTURE:COMBUSTIBLE.

===== Accidental Release Measures =====

Spill Release Procedures:NONE
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE
Ventilation:NONE
Protective Gloves:NONE
Eye Protection:NONE
Other Protective Equipment:NONE
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:NA
Melt/Freeze Pt:M.P/F.P Text:>248F,>120C
Decomp Temp:Decomp Text:NP
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:1.1
pH:NP
Viscosity:NP
Evaporation Rate & Reference:NA
Solubility in Water:INSOLUBLE
Appearance and Odor:FNE BLACK POWDER/RESIN ODOR
Percent Volatiles by Volume:NA
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:PRODUCTS OF COMBUSTION ARE TOXIC.AVOID
SMOKE INHALATION.

===== D

isposal Considerations =====

Waste Disposal Methods:DO NOT INCINERATE.DISPOSE OF IN ACCORDANCE WITH
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing th

is

document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.