

LOCTITE CORPORATION

-- SUPER BONDER (R) 430 INSTANT ADHESIVE

=====

MSDS Safety Information

=====

FSC: 8040

NIIN: 01-024-6988

MSDS Date: 04/15/1997

MSDS Num: CHKHV

Product ID: SUPER BONDER (R) 430 INSTANT ADHESIVE

MFN: 04

Responsible Party

Cage: 05972

Name: LOCTITE CORPORATION

Address: 1001 TROUT BROOK CROSSING

City

: ROCKY HILL CT 06067-3910

Info Phone Number: 800-562-8483 FAX 860-571-5465

Emergency Phone Number: 860-571-5100

Preparer's Name: STEPHEN RIPETTO

Review Ind: Y

Published: Y

=====

Preparer Co. when other than Responsible Party Co.

=====

Cage: 05972

Name: LOCTITE CORPORATION

Address: 1001 TROUT BROOK CROSSING

City: ROCKY HILL CT 06067-3910

=====

Con

tractor Summary

=====

Cage: 05972

Name: LOCTITE CORPORATION

Address: 1001 TROUT BROOK CROSSING

City: ROCKY HILL CT 06067-3910

Phone: 860-571-5100

=====

Item Description Information

=====

Item Manager: GSA

Item Name: ADHESIVE

Unit of Issue: DZ

UI Container Qty: 0

=====

Ingredients

=====

=====

Cas: 7085-85-0
Name: ETHYL CYANOACRYLATE
% Wt: 85-90
Other REC Limits: 2 PPM TWA
OSHA PEL: 4 PPM
ACGIH TLV: 4 PPM

=====

Cas: 9011-14-7
RTECS #: TR0400000
Name: POLYMETHYLMETHACRYLATE
% Wt: 5-10
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

=====

Cas: 112945-52-5
Name: SILICA AMORPHOUS FUMED CRYSTALINE - FREE
% Wt: 5-10
Other REC Limits: 3 MG/M3 RDUST
OSHA PEL: 6 MG/
M3
ACGIH TLV: 10 MG/M3

=====

Cas: 123-31-9
RTECS #: MX3500000
Name: HYDROQUINONE (SARA 302/313) (CERCLA)
% Wt: 0.1-0.5
Other REC Limits: 2 MG/M3/STEL 4 MG/M3
OSHA PEL: 2 MG/M3
ACGIH TLV: 2 MG/M3
EPA Rpt Qty: 1 LB
DOT Rpt Qty: 1 LB

=====

RTECS #: 9999999VO
Name: VOC = 87.1% 914.55 G/L
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT RELEVANT
ACGIH TLV: NOT RELEVANT

=====

Health Hazards Data

=====

=====

LD50 LC50 Mixture: ORAL LD50 >5000MG/KG; DERMAL >2000

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: SKIN/EYE IRRITANT. MAY CAUSE BURNS TO SKIN. EYE:

IRRITATION, WEEPING, TEARING, DOUBLE VISION, LACHRYMATORY EFFECT

DISASSOCIATION NORMALLY OCCURS WITHIN HOURS. INHAL: IRRITATION, SYMPTOMS
NONALLERGIC A STHMA.

First Aid: SKIN/INGEST: SOAK IN WARM WATER. I

F LIPS ACCIDENTALLY STUCK TOGETHER

APPLY LOTS OF WARM WATER. PEEL OR ROLL LIPS APART. DO NOT PULL LIPS WITH
DIRECT APPPOSING ACTION. SOLIDIFIES/ADHERES IN MOUTH. SALIVA WILL LIFT
ADHESIVE IN 1-2 DAYS. INHAL: REMOVE TO FRESH AIR. EYE: FLUSH W/WATER.

=====

Handling and Disposal

=====

Spill Release Procedures: FLOOD W/WATER TO POLYMERIZE. SOAK UP W/INERT
ABSORBENT.

Waste Disposal Methods:

POLYMERIZE W/WATER. INCINERATE ACCORDING TO EPA/LOCAL
REGS. NOT AN RCRA HAZARDOUS WASTE.

Handling And Storage Precautions: STORE BELOW 75F.

Other Precautions: AVOID SKIN/EYE CONTACT. AVOID BREATHING VAPOR.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: TCC

Flash Point Text: 150 TO 200F

Lower Limits: NA

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting

Procedures: NA

Unusual Fire/Explosion Hazard: NONE

=====

Control Measures

=====

Ventilation: POSITIVE DOWN DRAFT EXHAUST TO KEEP VAPOR < TLV.

Protective Gloves: NITRILE, POLYETHYLENE, NO COTTON

Eye Protection: SAFETY GLASSES OR GOGGLES

Other Protective Equipment: APRON.

=====

Physical/Chemical Properties

=====

=====

B.P. Text: >300F,>149C

M.P/F.P Text: NA

Decomp Text: NA

Vapor Pres: <0.2 @ 75F

Vapor Density: 3.0

Spec Gravity: 1.09 @ 75F

PH: NA

Evaporation Rate & Reference: NA

Solubility in Water: POLYMERIZED BY WATER

Appearance and Odor: CLEAR LIQUID, SHARP IRRITATING ODOR

=====

Reactivity Data

=====

Stability Indicator: YES

Materials To Avoid: POLYMERIZED BY CONTACT W/WATER, AL

COHOLS, AMINES, ALKALIES.

Hazardous Decomposition Products: IRRITATING ORGANIC VAPORS.

Hazardous Polymerization Indicator: NO

=====

Toxicological Information

=====

Ecological Information

=====

MSDS Transport Information

=====

Regulatory Information

=====

Other Information

=====

Transportation Information

=====

Responsible Party Cage: 05972

Trans ID NO: 99799

Pro

duct ID: SUPER BONDER (R) 430 INSTANT ADHESIVE

MSDS Prepared Date: 04/15/1997

Review Date: 06/17/1998

MFN: 4

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: DZ

Container QTY: 0

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI

PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: SUPER BONDER (R) 430 INSTANT ADHESIVE

Cage: 05972

Company Name: LOCTITE CORPORATION

Street: 1001 TROUT BROOK CROSSING

City: ROCKY HILL CT

Zipcode: 06067-3910

Health Emergency Phone: 860-571-5100

Label Required IND: Y

Date Of Label Review: 10/12/1999

Status Code: A

Orignation

Code: G

Hazard And Precautions: SKIN/EYE IRRITANT. MAY CAUSE BURNS TO SKIN. EYE: IRRITATION, WEEPING, TEARING, DOUBLE VISION, LACHRYMATORY EFFECT DISASSOCIATION NORMALLY OCCURS WITHIN HOURS. INHAL: IRRITATION, SYMPTOMS NONALLERGIC A STHMA.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner

whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify

and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.