

MCGEAN-ROHCO INC -- CEE BEE A-491 -- 8010-01-040-1059

===== Product Identification =====

Product ID:CEE BEE A-491

MSDS Date:05/01/1997

FSC:8010

NIIN:01-040-1059

MSDS Number: CHKHW

=== Responsible Party ===

Company Name:MCGEAN-ROHCO INC

Address:1314 MURPHY AVENUE S.W.

City:ATLANTA

State:GA

ZIP:30310-4004

Country:US

Info Phone Num:404-441-4900

Emergency Phone Num:404-441-4900

CAGE:8U841

=== Contract

or Identification ===

Company Name:MCGEAN-ROHCO INC

Address:1314 MURPHY AVENUE S.W.

Box:City:ATLANTA

State:GA

ZIP:30310-4004

Country:US

Phone:216-441-4900

CAGE:8U841

===== Composition/Information on Ingredients =====

Ingred Name:ETHYLENE GLYCOL (SARA 313) (CERCLA)

CAS:107-21-1

RTECS #:KW2975000

Fraction by Wt: 50-60%

Other REC Limits:TWA 125 MG/CU METER

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:MONOETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000

Fraction by Wt: 1-5%

Other RE

C Limits:TWA: 8 MG/CU METER

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)

CAS:1310-58-3

RTECS #:TT2100000

Fraction by Wt: 1-5%

Other REC Limits:TWA: 8 MG/CU METER N

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:PETROLEUM DISTILLATE

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 10-15%

Other REC Limits:TWA 5 MG/CU METER

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO

OSHA:NO

Health Hazards Acute and Chronic:NONE

Effects of Overexposure:EYE: IRRITATING OR CORROSIVE TO EYES. SKIN:
IRRITATION. INHAL: POSSIBLE IRRITATION. INGEST: NAUSEA, VOMITING,
DIZZINESS, IRRITATION OF MOUTH/THROAT.

===== First Aid Measures =====

First Aid:EYE: FLUSH W/WATER 15 MINUTES, GET MED AID. SKIN: FLUSH
W/WATER, THEN WASH W/SOAP & WATER. IF IRRIT PERSISTS, GET MED AID.
INHAL: REMOVE TO FRESH AIR. INGEST: IF CONSCIOUS, GIVE SEVERA
L
GLASSES WATER, INDUCE VOMITING. GET MED AID.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:260F,127C

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:WATER, CARBON DIOXIDE, FOAM

Fire Fighting Procedures:SCBA AND FULL PROTECTIVE GEAR SHOULD BE WORN.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB ON SUITABLE ABSORBENT SUCH AS
VERMICULIT

E. PLACE IN CONTAINERS FOR DISPOSAL. FLUSH REMAINING TRACES W/WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE INDOORS AT ROOM TEMPERATURE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TWA EXCEEDED, USE NIOSH/MSHA APPROVED RESPIRATOR.

Ventilation:SUFFICIENT TO MAINTAIN BELOW TWA LIMIT.

Protective Gloves:RUBBER

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:EYE

WASH STATION AND SAFETY SHOWER.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:300F,149C

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NA

Vapor Pres:0.4

Vapor Density:>2.0 AIR=1

Spec Gravity:0.8 UPPER LAYER

VOC Pounds/Gallon:940

pH:NA

Evaporation Rate & Reference:BUAC

Solubility in Water:UPPER INSOLUBLE

Appearance and Odor:SLIGHT AMBER 2 PHASE LIQUID, MILD ODOR.

Percent Volatiles by Volume:85.0

Corrosion

Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:NA

Hazardous Decomposition Products:OXIDES OF CARBON

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR SEND TO EPA APPROVED DISPOSAL SITE. FOLLOW ALL LOCAL, STATE AND FEDERAL REGULATIONS.

===== Other Information =====

Discla

imer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.