

FLAMEMASTER CORP -- CS3202 CLASS B BLACK, PART A -- 8030-01-381-1821

===== Product Identification =====

Product ID:CS3202 CLASS B BLACK, PART A

MSDS Date:06/24/1996

FSC:8030

NIIN:01-381-1821

Kit Part:Y

MSDS Number: CHKKK

=== Responsible Party ===

Company Name:FLAMEMASTER CORP

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352

Country:US

Info Phone Num:800-424-9300 CHEMTREC

Emergency Phone Num:818-982-1650

Preparer's Name:HERBERT MOORE

CAGE:14439

===

Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

===== Composition/Information on Ingredients =====

Ingred Name:LIQUID POLYSULFIDE POLYMER

CAS:68611-50-7

Fraction by Wt: 68.0%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Repor

ts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NOT ESTABLISHED BUT POSSIBLE SKIN  
IRRITANT, DERMATITIS, BUT NOT CONSIDERED TO BE A PRIMARY SKIN  
IRRITANT.  
Effects of Overexposure:SKIN/EYE IRRITANT.  
Medical Cond Aggravated by Exposure:NONE

===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER, GET MED AID. SKIN: WASH W/SOAP & WATER.  
INGEST: INDUCE VOMITING, GET MED AID.

===== Fire Fighting  
Measures =====

Flash Point Method:TCC  
Flash Point:200F,93C  
Lower Limits:NONE  
Upper Limits:NONE  
Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER.  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP, TRANSFER TO CONTAINER FOR REACTION  
W/CURING AGENT. CLEAN W/AEROMATIC NAPHTHA/SAND/SWEEPING COMPOUND.  
WASH AREA W/SOAP & WATER.

===== Handling  
and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY AREA AWAY FROM  
STRONG ACIDS.  
Other Precautions:WASH HANDS BEFORE EATING, SMOKING, DRINKING AND AFTER  
HANDLING THIS PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.  
Ventilation:LOCAL EXHAUST AIR, (MECHANICAL) FAN.  
Protective Gloves:RUBBER  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:APPROPRIATE TO AVOID SKIN CONTACT.  
Work

Hygienic Practices:TRAIN PERSONNEL IN SAFE HANDLING PROCEDURES.  
Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA  
Melt/Freeze Pt:M.P/F.P Text:LIQUID @ RM  
Decomp Temp:Decomp Text:NA  
Vapor Pres:NIL  
Vapor Density:NIL  
Spec Gravity:1.45  
VOC Pounds/Gallon:4  
pH:8.5  
Viscosity:11000 POISES  
Evaporation Rate & Reference:1.0  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:BLACK PASTE, POLYSULFIDE ODOR.  
Percent Volatiles by  
Volume:0.6  
Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS, STRONG ACIDS.  
Stability Condition to Avoid:OPEN FLAME.  
Hazardous Decomposition Products:H2S, CO, CO2, SO2, SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:REACT W/CURING AGENT. DISPOSE AS A SOLID WASTE  
ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS. INCINERATE,  
LANDFIL  
L. IF MIXED W/PART B, DISPOSE OF AS HAZARDOUS WASTE.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent pr

ofessional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.