

DOW CORNING CORP -- DOW CORNING 200(R) FLUID, 5 CST. -- 9150-00-087-4046

===== Product Identification =====

Product ID:DOW CORNING 200(R) FLUID, 5 CST.

MSDS Date:09/28/1993

FSC:9150

NIIN:00-087-4046

MSDS Number: CHKWP

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-6000/6315/8577 (DISP  
/TRANS)

Emergency Phone Num:517-496-5900/800-424-9300(CHEMTREC)

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

===== Composition/Information on Ingredients =====

Ingred Name:NONE KNOWN

RTECS #:9

999999ZZ

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: DIRECT CONTACT MAY CAUSE

TEMPORARY DISCOMFORT. SKIN: NO KNOWN ADVERSE EFFECT. INHALATION:  
NO INJURY IS LIKELY FROM A RELATIVELY SHORT EXPOSURE OF LESS THAN 8  
HOURS. INGESTION: SWALLOWING LARGE AMOUNTS MAY CAUSE DIGESTIVE

DISCOMFORT.

Effects of Overexposure:EYES: DIRECT CONTACT MAY CAUSE TEMPORARY MILD  
REDNESS AND DRYNESS.

===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH WITH WATER. NO FIRST AID SHOULD BE  
NEEDED FOR OTHER ROUTES OF EXPOSURE.

===== Fire Fighting Measures =====

Flash Point:>214F,>101C

Extinguishing Media:CARBON DIOXIDE, WATER, WATER FOG (OR SPRAY), DRY  
CHEMICAL, FOAM.

Fire Fighting Procedures:SE

LF-CONTAINED BREATHING APPARATUS AND

PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING  
CHEMICALS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:MOP UP, OR WIPE UP, OR SOAK UP WITH ABSORBENT  
AND CONTAIN FOR SALVAGE OR DISPOSAL. FOR LARGE SPILLS, PROVIDE  
DIKING OR OTHER APPROPRIATE CONTAINMENT.

===== Handling and Storage =====

Handling and Storage Pr

Precautions:USE REASONABLE CARE. NO SPECIAL  
PRECAUTIONS.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO RESPIRATORY PROTECTION SHOULD BE NEEDED.

Ventilation:GENERAL VENTILATION RECOMMENDED.

Eye Protection:SAFETY GLASSES AS A MINIMUM.

Other Protective Equipment:NONE

Work Hygienic Practices:WASHING AT MEALTIME AND END OF SHIFT IS  
ADEQUATE.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.91

Viscosity:5 CST

Solubility in Water:NONE

Appearance and Odor:COLORLESS, ODORLESS, LIQUID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:SILICON DIOXIDE, CARBON OXIDES AND  
TRACES OF INCOMPLETELY BURNING CARBON COMPOUNDS. FORMALDEHYDE.

===== Disposal Considerations =====

Waste Disposal Methods:DIPOSAL OF COLLECTED PRODUCT, RESIDUES, AND  
CLEANUP MATERIALS MAY BE GOVERNMENTALLY REGULATED. OBSERVE ALL  
APPLICABLE LOCAL, STATE, AND FEDERAL WASTE MANAGEMENT REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
dis

claims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.