View NSN Online: https://aerobasegroup.es/nsn/9150-00-985-7245

Product ID:ROYCO (R) 27 MSDS Date:07/18/1995 FSC:9150 NIIN:00-985-7245 MSDS Number: CHQKY === Responsible Party === Company Name: INLAND PACKAGING Address:209 PETERSON DR Box:644 City:ELIZABETHTOWN State:KY ZIP:42701-9804 Country:US Info Phone Num:502-737-6758 Emergency Phone Num:502-737-6757(72)/FAX -6241 CAGE: 66172 === Contractor Identification === Company Name: INLAND PACKAGING INC Address:209 PETERSON DR Box:644 City:ELIZABETHTOWN State:KY ZIP:42701-9804 Country:US Phone:502-737-6757 CAGE:66172

Ingred Name:SYNTHETIC ESTER CAS:1330-86-5 Fraction by Wt: 75-85% Other REC Limits:NONE RECOMMENDED

Ingred Name:LITHIUM 12 HYDROXYSTEARATE CAS:7620-77-1 Fraction by Wt: 10-15% Other REC Limits:NONE RECOMMENDED

Ingred Name: ANTIMONY DIALKYL

DITHIOCARBAMATE CAS:15991-76-1 Fraction by Wt: 1-2% Other REC Limits:NONE RECOMMENDED OSHA PEL:0.5 MG SB/M3 ACGIH TLV:0.5 MG SB/M3

Ingred Name:BENZENAMINE, N-PHENYL-, CAS:68411-46-1 Fraction by Wt: 1-2% Other REC Limits:NONE RECOMMENDED

Ingred Name:MINOR ADDITIVE Fraction by Wt: < 4% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Rep

orts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION NOT EXPECTED TO BE A RELEVANT ROUTE OF ENTRY. UNDER HIGH TEMPERATURE CONDITIONS, VAPORS ARE IRRITATING TO NOSE, THROAT, UPPER RESPIRATORY TRACT. EYE CONTACT MAY BE IRRITATING. PROLONGED OR REPATED SKIN CONTACT MAY CAUSE DERMATITIS, FOLLICULITIS, OIL ACNE. HIGH PRESSURE INJECTION INTO SKIN MAY CAUSE NECROSIS.

Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT

CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:NOSE/THROAT/UPPER RESPIRATORY IRRITATION, EYE IRRITATION, SKIN IRRITATION, DEFATTING, DERMATITIS, FOLLICULITIS, OIL ACNE, LOCAL NECROSIS AS EVIDENCED BY DELAYED ONSET OF PAIN & TISSUE DAMAGE A FEW HOU RS FOLLOWING INJECTION.

Medical Cond Aggravated by Exposure:PRE EXISTING EYE AND SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO PRODUCT.

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSIST, GET MEDICAL ATTENTION. INH ALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IF OCCURS, KEEP HEAD BELOW HIPS. GET MEDICAL ATTENTION.

F

lash Point:NONFLAMMABLE Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, WATER FOG. DO NOT USE A DIRECT STREAM OF WATER. Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL TANKS AND CONTAINERS EXPOSED TO FIRE WITH WATER. Unusual Fire/Explosion Hazard: PRODUCT WILL FLOAT AND CAN BE REIGNITED ON SURFACE OF WATER. ======== Spill Release Procedures: SCOOP UP EXCESS GREASE. CLEAN AREA WITH APPROPRIATE CLEANER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES. MINIMIZE SKIN CONTACT. Other Precautions: LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ART ICLES, INCLUDING SHOES, THAT CANNOT BE DECONTAMINATED. Respiratory Protection:NOT ORDINARILY REQUIRED. Ventilation: EXHAUST VENTILATION SUFFICIENT TO KEEP AIRBORNE CONCENTRATIONS BELOW RESPECTIVE TLV'S.

Protective Gloves:OIL RESISTANT

Eye Protection:CHEMICAL GOGGLES, SAFETY GLASSES W/SIDES Other Protective Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHO ULD BE AVAILABLE. Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. Supplemental Safety and Health NOTE TO PHYSICIAN: IN GENERAL, EMESIS INDUCTION IS UNNECESSARY IN HIGH VISCOSITY, LOW VOLATILITY PRODUCTS, IE, MOST OILS AND GREASES.

HCC:V6 Boiling Pt:B.P. Text:NOT GIVEN Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:NOT GIVEN Vapor Dens ity:NOT GIVEN Spec Gravity:NOT GIVEN Viscosity:NOT GIVEN Evaporation Rate & amp; Reference:NOT GIVEN Solubility in Water:INSOLUBLE Appearance and Odor:TAN SMOOTH GREASE, SLIGHT ODOR

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:AVOID HEAT, OPEN FLAMES Hazardous Decomposition Products:A COMPLEX MIXTURE OF AIRBORNE SOLID, LIQUID, PARTICULATES AND GASES WILL EVOLVE INCLUDING CA RBON MONOXIDE, ORGANICS

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no ma

nner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.