

NILES CHEMICAL PAINT CO. -- N-6238B 2K HAZE GRAY T-IIIF#151 -- 8010-01-302-6838

===== Product Identification =====

Product ID:N-6238B 2K HAZE GRAY T-IIIF#151

MSDS Date:12/03/1997

FSC:8010

NIIN:01-302-6838

Kit Part:Y

MSDS Number: CHXSR

=== Responsible Party ===

Company Name:NILES CHEMICAL PAINT CO.

Address:225 FORT STREET

Box:307

City:NILES

State:MI

ZIP:49120

Country:US

Info Phone Num:616-683-3377

Emergency Phone Num:219-236-5856

Preparer's Name:MICHAEL LIC

HATOWICH

CAGE:02388

=== Contractor Identification ===

Company Name:NILES CHEMICAL PAINT

Address:225 FORT STREET

Box:307

City:NILES

State:MI

ZIP:49120

Country:US

Phone:616-683-3377/219-236-5856

CAGE:02388

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN

CAS:25068-38-6

RTECS #:KC2100000

Fraction by Wt: 53%

Other REC Limits:NONE RECOMMENDED

Ingred Name:TALC (CONTAINING ASBESTOS)

CAS:14807-96-6

RTECS #:MW2700000

Fraction by Wt: 26%

Other REC Limits:NONE

RECOMMENDED  
OSHA PEL:2MG/M3  
ACGIH TLV:2MG/M3

Ingred Name:#100 SOLVENT  
CAS:64742-95-6  
Fraction by Wt: 19%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:RHEOLOGICAL ADDITIVE  
Fraction by Wt: 1%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES: SEVERE IRRITATION, LACRIMATION,  
REDNESS, BLURRED  
VISION; SKIN: REDNESS/IRRITATION DEFATTING LEADING  
TO DERMOTITIS0 INHALE: NASAL/RESP IRRITATION, CNS DEPRESSION,  
NAUSEA, HEADACHE, VERTIGO, UNCON SCIOUSNESS, ASPHYXIATION;  
SWALLOWING: GI IRRITATION, ABDOMINAL PAIN, NAUSEA, VOMITING,  
DIARRHEA.  
Explanation of Carcinogenicity:NO  
Effects of Overexposure:LIVER/KIDNEY/CNS/LUNG HAZARD, NUSSANCE DUST,  
DRYNESS OF SKIN

===== First Aid Measures =====

First Aid:INHALE: REMOVE TO FRESH AIR IMMED; G  
IVE CPR; GET MED AID  
ASAP. SKIN: \*\* EYE: IMMED FLUSH WITH MUCH WATER AT LEAST 15 MINUTES  
LIFTING UPPER/LOWER LIDS; GET MED AID IMMED; DO NOT WEAR CONTACT  
LENSES WHI LE WORKING. INGEST: DRINK 1 OR 2 GLASSES OF WATER; DO  
NOT INDUCE VOMITING; GET MED AID IMMED; TREAT SYMPTOMATICALLY.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:107F,38C  
Lower Limits:1.9  
Upper Limits:12.0  
Extinguishing Media:DRY CHEMICAL, FOAM, CO2  
Fire Fig

Handling Procedures:WEAR SCUBA WITH FULL FACEPIECE IN POSITIVE PRESSURE MODE; FULL PROTECTIVE CLOTHING; WATER MAY BE USED TO COOL CONTAINERS TO PREVENT EXPLOSION.

Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED; ISOLATE FROM ALL IGNITABLES; CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT; EXPOSURE TO DECOMP PRODUCTS MAY CAUSE HAZARDS.\*

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL IGNITABLES; MINIMIZE ALL CONTACT

WITH PRODUCT;DIKE; AVOID RUNOFF INTO SOIL, SEWERS, OR WATERWAYS. ABSORB WITH INERT MATERIAL SUCH AS CLAY, SOIL, OR A COMMERCIALY AVAILABLE ABSORBENT; SHovel INTO SALVAGE DRUMS FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID STORAGE IN HIGH TEMPERATURE AREAS OR NEAR IGNITABLES; KEEP CONTAINERS CLOSED; AVOID ROUGH HANDLING.

Other Precautions:EMPTY CONTAINERS MAY BE HAZARDOUS; DO NOT WELD/FLAME CUT ON EMPTY DRUMS; SHOCK FROM DROPPING MAY SPLIT CONTAINER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR AN APPROPRIATE (TYPE TC-23C-75) PROPERLY FITTED HALF-MASK OR FULL FACEPIECE RESPIRATOR (NIOSH/MSHA).

Ventilation:SUFFICIENT VENTILATION REQUIRED; REMOVE DECOMP PRODUCTS FORMED DURING WELDING/FLAME CUTTING.

Protective Gloves:CHEMICAL RESISTANT NITRILE/VITON

Eye Protection:CHEMICAL SAFETY GOGGLES/FACE SHIELD.

Other Protective E

quipment:CHEMICAL RESISTANT CLOTHING.

Work Hygienic Practices:WASH IMMEDIATELY UPON CONTAMINATION; REMOVE ANY WET CLOTHING AND WASH BEFORE REUSE; WASH BEFORE EATING, SMOKING, USING TOILET

Supplemental Safety and Health

VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG GROUND TO AN IGNITION SOURCE \*\*SKIN: IMMEDIATELY FLUSH WITH MUCH WATER. IMMEDIATELY REMOVE CONTAMINATED CLOTHING. FLUSH SKIN WITH WATER. GET MEDICAL AID WASH CLOTHING AND DECONTAMINATE SHOES BEFORE REUSE

===== Physical/Chemical Properties =====

=====

Boiling Pt:B.P. Text:318F,100C  
Vapor Density:>AIR  
Spec Gravity:1.276  
VOC Grams/Liter:2.04  
Viscosity:80-88KU  
Evaporation Rate & Reference: