

Product ID:RTV SILICONE RUBBER T-200

MSDS Date:08/08/1990

FSC:6850

NIIN:01-159-4844 Status Code:A

MSDS Number: CJJZT

=== Responsible Party ===

Company Name: WACKER SILICONES CORP

Address:3301 SUTTON RD

City:ADRIAN

State:MI ZIP:49221

Country:US

Info Phone Num:517-263-5711

Emergency Phone Num:517-263-5711 Chemtrec Ind/Phone:(800)424-9300

CAGE:0DF77

=== Contra

ctor Identification ===

Company Name: GENERAL MOTORS CORP CHEVROLET MOTOR DIV

Address:30007 VAN DYKE

Box:City:WARREN

State:MI ZIP:48090 Country:US CAGE:11862

Company Name: SILVER SALES

Address:5115 DOUGLAS FIR RD SUITE C

Box:City:CALABASES

State:CA ZIP:91302 Country:US

Phone:818-591-0788 WAS IN TX

CAGE:0WG65

Company Name: WACKER SILICONES CORP

Address:3301 SUTTON RD

Box:City:ADRIAN

State:MI ZIP:49221 Country:US

Phone:517-264-8500

CAGE:0DF77

====== Composition/Information on Ingredients


========= Ingred Name: SILICON FLUID CAS:63148-62-9 Other REC Limits: NONE SPECIFIED Ingred Name: CYCLOHEXYLAMINE (SARA III) CAS:108-91-8 RTECS #:GX0700000 Other REC Limits: NONE SPECIFIED **OSHA PEL:10 PPM** ACGIH TLV:10 PPM: 9192 =========== Hazards Identification ========================== LD50 LC50 Mixture: DERMAL LD50 IN RABBIT IS >2000 MG/KG Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity: DATA P ER MGF MSDS. Effects of Overexposure: SEE HEALTH HAZARDS DATA. First Aid:EYES:FLUSH WITH WATER FOR 15 MINUTES;SEEK MEDICAL ATTENTION IF IRRITATION OCCURS.SKIN:REMOVE EXCESS WITH A WATERLESS SKIN CLEANER.WASH WITH SOAP & WATER.OBTAIN MEDICAL CARE IF IRRITATION PERSISTS.INHA LATION:REMOVE TO FRESH AIR;CALL A PHYSICIAN IF IRRITATION OCCURS OR BREATHING BECOMES DIFFICULT.INGESTION:DUE TO PHYSICAL STATE OF THIS MATERIAL, INGESTION IS UNLIKELY TO OCCUR. Flash Point:NONE

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, OR DRY CHEMICAL. Fire Fighting Procedures:WEAR FIRE FIGHTING IMPERVIOUS PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:TOXIC FUMES

======== Accidental Release Measures ==========

Spill R



Stability Indicator/Materials to Avoid:YES WATER, ACIDS, ALCOHOL, STRONG ALKALIES, STRONG OXIDIZING AGENTS Stability Condition to Avoid: HIGH TEMPERATURES A

ND ATMOSPHERIC MOISTURE Hazardous Decomposition Products:SIO2, CO, CO2 AND VARIOUS HYDROCARBON FRAGMENTS

====== Disposal Considerations ==========

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no mann er whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.