

===== Product Identification =====

Product ID:LPS CFC-FREE ELECTRO CONTACT CLEANER

MSDS Date:11/07/1996

FSC:6850

NIIN:01-412-0044

Status Code:A

MSDS Number: CJMHX

=== Responsible Party ===

Company Name:LPS LABORATORIES,INC.

Address:4647 HUGH HOWELL ROAD

City:TUCKER

State:GA

ZIP:30084-5096

Country:US

Info Phone Num:770-934-7800

Emergency Phone Num:770-934-7800

Resp. Party Other MS

DS Num.:P/N 03116,03101,03105,03155

Preparer's Name:JOHN ROUDEBUSH

Chemtrec Ind/Phone:(800)424-9300

CAGE:66724

=== Contractor Identification ===

Company Name:DIVER'S DEN

Address:4833 EAST BUSINESS HWY 98

Box:10606

City:PANAMA CITY

State:FL

ZIP:32404

Country:US

Phone:850-871-1011/800-272-4777

Contract Num:SP0450-99-M-NE62

CAGE:1CU83

Company Name:LPS LABORATORIES, INC.

Address:4647 HUGH HOWELL ROAD

Box:City:TUCKER

State:GA

ZIP:30085-5052

Country:US

Phone:404-934-7800

CAGE:66724

===== Com

position/Information on Ingredients =====

Ingred Name:ISOHEXANE

CAS:107-83-5

RTECS #:SA2985000

Minumum % Wt:70.

Maxumum % Wt:90.

Ingred Name:ISO-PROPANOL; ISOPROPYL ALCOHOL

CAS:67-63-0

RTECS #:NT8050000

Minumum % Wt:5.

Maxumum % Wt:20.

OSHA PEL:980 MG/M3;400 PPM

ACGIH TLV:983 MG/M3;400 PPM

ACGIH STEL:1230 MG/M3;500 PPM

Ingred Name:N-HEXANE

CAS:110-54-3

RTECS #:MN9275000

Minumum % Wt:2.

Maxumum % Wt:3.

OSHA PEL:1800 MG/M3;500 PPM

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====

= Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS: EYE, SKIN, CENTRAL

NERVOUS SYSTEM, RESPIRATORY TRACT. ACUTE- VAPOR AND LIQUID MAY CAUSE EYE IRRITATION. PROLONGED/REPEATED SKIN CONTACT MAY CAUSE DRYNESS. CAN BE ABSORBED THROUGH SKIN. INHALATION MAY CAUSE HEADACHE, LIGHT HEADEDN

ESS, CENTRAL NERVOUS SYSTEM DEPRESSION. MAY

IRRITATE MUCOSAL TISSUE AT HIGH CONCENTRATION. INGESTIOPN IS UNLIKELY ROUTE OF EXPOSURE. HOWEVER, MINUTE AMOUNTS ASPIRATED INTO LUNGS DURING INGESTION MAY CAUSE CHEMICAL PNEUMONIA. CHRONIC - UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, HEADACHE, NAUSEA, VOMITING, DIZZINESS, SKIN DEFATTING AND DRYNESS, BLURRED VISION, TEARING

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING RESPIR

ATORY DISORDERS.

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED: REMOVE TO FRESH AIR. PROVIDE OXYGEN IF NEEDED. EYES: FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. APPLY MEDICATED CREAM. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

===== Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point: