

NICE-PAK PRODUCTS INC -- ADHESIVE TAPE REMOVER, 4009, 4011 -- 6510-00-396-3431
===== Product Identification =====

Product ID:ADHESIVE TAPE REMOVER, 4009, 4011

MSDS Date:08/01/1997

FSC:6510

NIIN:00-396-3431

Status Code:A

MSDS Number: CJMJS

=== Responsible Party ===

Company Name:NICE-PAK PRODUCTS INC

Address:2 NICE-PAK PARK

City:ORANGEBURG

State:NY

ZIP:10962-1376

Country:US

Info Phone Num:914-365-17

00

Emergency Phone Num:914-365-1700

CAGE:4T844

=== Contractor Identification ===

Company Name:PDI-PROFESSIONAL DISPOSABLES INC DIV NICE-PAK PRODUCTS,
INC.

Address:2 NICE- PAK PARK

Box:City:ORANGEBURG

State:NY

ZIP:10962-1376

Country:US

Phone:914-365-1700

CAGE:4T844

===== Composition/Information on Ingredients =====

Ingred Name:HYDROTREATED HEAVY NAPHTHA (PETROLEUM); (ISOPARAFFIN)

CAS:64742-48-9

= Wt:75.

Other REC Limits:N/K

OSHA PEL:N/K

OSHA STEL:N/K

ACGIH TLV:300 PPM

A

CGIH STEL:N/K

Ingred Name:LIGHT ALIPHATIC SOLVENT NAPHTHA (PETROLEUM); (PETROLEUM NAPHTHA)

CAS:64742-89-8

= Wt:15.

Other REC Limits:N/K

OSHA PEL:N/K

OSHA STEL:N/K

ACGIH TLV:300 PPM

ACGIH STEL:N/K

Ingred Name:ISOPROPYL ALCOHOL

CAS:67-63-0

RTECS #:NT8050000

= Wt:5.

Other REC Limits:N/K

OSHA PEL:980 MG/M3;400 PPM

OSHA STEL:N/K

ACGIH TLV:983 MG/M3;400 PPM

ACGIH STEL:1230 MG/M3;500 PPM

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES

Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: SKIN: NON-IRRITATING. EYES:
NON-IRRITATING. INHALATION: MAY CAUSE DIZZINESS AND HEADACHE.
INGESTION: NOT A NORMAL ROUTE OF ENTRY. TARGET ORGANS: NOT
APPLICABLE.

Effects of Overexposure:SEE HEALTH HAZARDS.

=====
===== First Aid Measures =====
=====

First Aid:SKIN: DISCONTINUE USE IF RASH OR IRRITATION OCCURS. FLUSH
WITH COPIOUS AMOUNTS OF
WATER. SEE MD . EYES: FLUSH WITH COLD WATER
FOR AT LEAST 15 MINUTES. INHALATION: REMOVE TO FRESH AIR.
INGESTION: DO NOT INDUCE VOMITING. CALL PHYSICIAN.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:CC

Flash Point:=15.6C, 60.F

Extinguishing Media:DRY CHEMICAL, FOAM, CARBON DIOXIDE.

Fire Fighting Procedures:WEAR NIOSH APPROVED SCBA AND FULL PROTECTIVE
EQUIPMENT . HANDLE AS FLAMMABLE LIQUID CLASS 4.

Unusual Fire/Explosion Hazard:NOT APPLICAB

LE.

===== Accidental Release Measures =====

Spill Release Procedures: ABSORB LARGE SPILLS WITH VERMICULITE OR EQUIVALENT AND DISPOSE AS FLAMMABLE LIQUID.

===== Handling and Storage =====

Handling and Storage Precautions: STORE AWAY FROM HEAT AND SOURCES OF IGNITION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: USE NIOSH APPROVED RESPIRATOR IF PERMISSIBLE EXPOSURE LEVEL IS EXCEEDED.

Ventilation: RECOMMENDED.

Protective Gloves: YES. WEAR IMPERVIOUS GLOVES .

Eye Protection: ANSI APPROVED CHEMICAL WORKERS GOGGLES .

Other Protective Equipment: ANSI APPROVED EMERGENCY EYEWASH AND DELUGE SHOWER . APRON MAY BE WORN TO PROTECT CLOTHING.

Work Hygienic Practices: GOOD HOUSEKEEPING PRACTICES SHOULD BE FOLLOWED.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Spec Gravity: 0.765 @ 20C (H₂O=1)

Solubility in Water: NEGLIGIBLE

Appearance and Odor: FABRIC IMPREGNATED WITH COLORLESS LIQUID, WITH SOLVENT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZERS.

Stability Condition to Avoid: HEAT, SPARKS, FLAMES AND OTHER IGNITION SOURCES.

Hazardous Decomposition Products: NOT APPLICABLE.

===== Disposal Considerations =====

Waste Disposal Methods: FOLLOW LOCAL, STATE AND FEDERAL REGULATIONS.

=====

=====
MSDS Transport Information
=====

Transport Information: DOT SHIPPING NAME: CONSUMER COMMODITY. TECHNICAL SHIPPING NAME: NOT APPLICABLE. DOT SHIPPING CLASSIFICATION: "ORM-D". DOT ID NUMBER: NOT APPLICABLE. DOT LABEL REQUIREMENTS: NOT APPLICABLE. UN/NA NUMBER REGULATIONS: NOT APPLICABLE. REPORTABLE QUANTITY: NOT APPLICABLE.

=====
Other Information
=====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.