

HOLT INTL LLC -- E-Z GRIP,FULL DISCLOSURE FORM, F619 -- 6850-01-420-9041

===== Product Identification =====

Product ID:E-Z GRIP,FULL DISCLOSURE FORM, F619

MSDS Date:09/10/1998

FSC:6850

NIIN:01-420-9041

MSDS Number: CJMNM

=== Responsible Party ===

Company Name:HOLT INTL LLC

Address:1060 YAPLE RD

City:KINGSTON

State:OH

ZIP:45644

Country:US

Info Phone Num:800-650-6456

Emergency Phone Num:800-650-6456

CAGE:1EKS2

=== Contractor Identification ===

Company Name:GOURMET INQUE LTD

Address:191 STANLEY ST

Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-1555

Country:US

Phone:847-296-6192/FAX: 800-542-1042

Contract Num:SP0450-99-M-NG52

CAGE:0TNN7

Company Name:GOURMET INQUE LTD

Address:191 STANLEY ST

Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-1555

Country:US

Phone:847-296-6192/FAX: 800-542-1042

Contract Num:SP0450-99-M-NG69

CAGE:0TNN7

Company Name:GOURMET INQUE LTD

Address:191 STANLEY ST

Box:City:ELK

GROVE VILLAGE
State:IL
ZIP:60007-1555
Country:US
Phone:847-296-6192/FAX: 800-542-1042
Contract Num:SP0450-99-M-NG79
CAGE:0TNN7
Company Name:GOURMET INQUE LTD
Address:191 STANLEY ST
Box:City:ELK GROVE VILLAGE
State:IL
ZIP:60007-1555
Country:US
Phone:847-296-6192/FAX: 800-542-1042
Contract Num:SP0450-99-M-NG97
CAGE:0TNN7
Company Name:GOURMET INQUE LTD
Address:191 STANLEY ST
Box:City:ELK GROVE VILLAGE
State:IL
ZIP:60007-1555
Country:US
Phone:847-296-6192/FAX: 800-542-1042
Contract Num:SP0450-99-M-
NH21
CAGE:0TNN7
Company Name:HOLT INTL LLC
Address:1060 YAPLE RD
Box:City:KINGSTON
State:OH
ZIP:45644
Country:US
Phone:800-650-6456
Contract Num:SP0450-99-M-C146
CAGE:1EKS2
Company Name:HOLT INTL LLC
Address:1060 YAPLE RD
Box:City:KINGSTON
State:OH
ZIP:45644
Country:US
Phone:800-650-6456
Contract Num:SP0450-99-M-C600
CAGE:1EKS2
Company Name:HOLT INTL LLC
Address:1060 YAPLE RD
Box:City:KINGSTON
State:OH
ZIP:45644
Country:US
Phone:800-650-6456
Contract Num:SP0450-99-M-C701
CAGE:1EKS2
Company Name:

HOLT INTL LLC
Address:1060 YAPLE RD
Box:City:KINGSTON
State:OH
ZIP:45644
Country:US
Phone:800-650-6456
Contract Num:SP0450-99-M-NB47
CAGE:1EKS2

===== Composition/Information on Ingredients =====

Ingred Name:PROPYLENE GLYCOL
CAS:57-55-6
RTECS #:TY2000000
= Wt:40.22

Ingred Name:MOISTURE
CAS:7732-18-5
RTECS #:ZC0110000
= Wt:7.33

Ingred Name:ALUMINUM OXIDE
CAS:1344-28-1
RTECS #:BD1200000
= Wt:49.22
OSHA PEL:15 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:PROPYLENE COPOLYMER
CAS:25322-
69-4
RTECS #:OE5784360
= Wt:2.11

Ingred Name:BENZOATE, SODIUM
CAS:532-32-1
RTECS #:DH6650000
= Wt:1.1

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INGESTION MAY CAUSE NAUSEA AND VOMITING. EYE
CONTACT IS IRRITATING. SKIN CONTACT CAN DRY SKIN.

===== First Aid Measures =====

=====

First Aid:EYES: FLUSH WITH LARGE AMOUNT OF WATER FOR AT LEAST 15 MINUTES. OBTAIN PROMPT MEDICAL ATTENTION IF IRRITATION OCCURS. INHALATION: REMOVE TO FRESH AIR. SKIN: FLUSH AFFECTED AREAS WITH LARGE AMOUNT OF WATER. OBTAIN MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: GIVE LARGE QUANTITIES OF MILK OR WATER. INDUCE VOMITING AND REPEAT UNTIL CLEAR. OBTAIN MEDICAL ATTENTION. NOTES TO PHYSICIAN: INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE
Extinguishing Media:MATERIAL IS NONFLAMMABLE.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures:SPILLS SHOULD BE CONTAINED, COLLECTED AND DISPOSED OF IN A PROPER MANNER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID OUTDOOR STORAGE, EXPOSURE TO HEAT AND DIRECT SUNLIGHT. STORE IN CLOSED CONTAINERS. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.
Other Precautions:EMPTY CONTAINERS SHOULD BE WATER FLUSHED AND CLEANED PRIOR TO DISCARD PROCEDURES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE PROTECTION IF MISTING OF PRODUCT IS POSSIBLE.
Ventilation:USE IN WELL VENTILATED AREA.
Protective Gloves:PROVIDE RUBBER GLOVES
Eye Protection:USE SAFETY GOGGLES AND FULL FACE SHIELD.
Other Protective Equipment:WEAR BOOTS, APRONS, AND HARD HAT IF IN CONTACT.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:>100.C, 212.F
Spec Gravity:1.64988(H2O=2)
Evaporation Rate & Reference:NA
Solubility in Water:APPRECIABLE
Appearance and Odor:BROWN PASTE,NO ODOR

===== Stability and Reactivity Data =====

Stability

Indicator/Materials to Avoid: YES
OXIDIZER
Hazardous Decomposition Products: CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods: MUST BE DISPOSED OF IN ACCORDANCE WITH FEDERAL,
STATE AND LOCAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information: NOT REGULATED BY D.O.T.

===== Regulatory Information =====

Federal Regulatory Information: ALL COMPONENTS
OF THIS MATERIAL ARE ON
THE TSCA INVENTORY.

=====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.