

SPRAYWAY INC -- INK ANTI-SKIN SPRAY -- 6850-01-036-4953

=====
Product Identification
=====

Product ID:INK ANTI-SKIN SPRAY

MSDS Date:05/26/1995

FSC:6850

NIIN:01-036-4953

Status Code:A

MSDS Number: CJVKP

=== Responsible Party ===

Company Name:SPRAYWAY INC

Address:484 VISTA AVE

City:ADDISON

State:IL

ZIP:60101-4421

Country:US

Info Phone Num:708-628-3000

Emergency Phone Num:800-228-5635

Preparer's Name

:PHILLIP T. MILLER

CAGE:55772

=== Contractor Identification ===

Company Name:MARTIN DICK PRESS SERVICE

Address:8406 NEW ASHCAKE RD

City:MECHANICSVILLE

State:VA

ZIP:23116-3002

Country:US

Phone:804-746-0702

Contract Num:SPO450-00-M-D-175

CAGE:3S163

Company Name:SPRAYWAY INC

Address:484 VISTA AVE

Box:City:ADDISON

State:IL

ZIP:60101-4421

Country:US

Phone:708-628-3000

CAGE:55772

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOPARAFFINIC HYDROCARBON

CAS:64742-48-9

Code:F
Minumum % Wt:50.
Maxumum % Wt:60.

Ingred Name:BUTYLATED HYDROXY TOLUENE
CAS:128-37-0
RTECS #:GO7875000
Minumum % Wt:3.
Maxumum % Wt:5.
ACGIH TLV:10 MG/M3

Ingred Name:MINERAL OIL
CAS:8042-47-5
Code:F
RTECS #:PY8047000
Minumum % Wt:20.
Maxumum % Wt:25.
ACGIH TLV:5 MG/M3

Ingred Name:METHYL ETHYL KETOXIME
CAS:96-29-7
RTECS #:FL9275000
Minumum % Wt:2.
Maxumum % Wt:5.

Ingred Name:LIQUEFIED PETROLEUM GAS
CAS:68476-85-7
RTECS #:SE7545000
Minumum % Wt:15.
Maxumum % Wt:20.
OSHA PEL:1800 MG/M3;
1000 PPM
ACGIH TLV:1800 MG/M3;1000 PPM

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:HIGH VAPOR/AEROSOL CONCENTRATIONS CAN
BE IRRITATING TO THE EYES AND RESPIRATORY TRACT. MAY CAUSE CENTRAL
NERVOUS SYSTEM EFFECTS. IRRITATING TO SKIN & EYES. SMALL AMOUNTS
ASPIRATED INTO THE RESPIRATORY SYSTEM DURING INGESTION MAY CAUSE

MILD TO SEVERE PULMONARY INJURY.

Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.

Effects of Overexposure:INHALATION: HEADACHES, DIZZINESS, DROWSINESS,
OTHER CNS EFFECTS. EYES-IRRITATION. SKIN-IRRITATION.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN OR EYE DISORDERS
MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR 15 MINUTES WHILE HOLDING
EYELIDS

OPEN. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

SKIN:REMOVE CONTAMINATED CLOTHES. FLUSH SKIN WITH WATER FOLOWED BY
WASHING WIT H SOAP 7 WATER. IF IRRITATION OCCURS, GET MEDICAL
ATTENTION. DO NOT REUSE CLOTHES UNTIL CLEANED. INHALATION: REMOVE
VICTIM TO FRESH AIR & PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET
ARTIFICIAL RESPI RATION IF NOT BREATHING. GET MEDICAL ATTENTION.
INGESTION: GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Lower Limits:1.8

Upper Limits:9.2

Extinguishing Media:CARBON DIOXIDE, FOAM, AND/OR DRY CHEMICAL MAY BE
USED.

Fire Fighting Procedures:CONTAINERS SHOULD BE COOLED WITH WATER TO
PREVENT VAPOR PRESSURE BUILD UP. USE EQUIPMENT OR SHEILDING, AS
REQUIRED, TO PROTECT PERSONNEL FROM BURSTING, RUPTURING OR VENTING
CONTAINERS.

Unusual Fire/Explosion Hazard:AT ELEVATED TEMPERATURES (OVER 54C-130F)
CONTAINERS EXPOSED TO DIRECT FLAME OR HEAT CONTACT SHOULD BE COOLED
WITH W

ATER TO PREVENT WEAKENING OF CONTAINER STRUCTURE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION & VENTILATE
AREA. SOAK UP WITH INERT ABSORBENT & PLACE IN A DESIGNATED DISPOSAL
CONTAINER. CONSULT LOCAL REGULATORY AGENCY FROR PROPER DISPOSITION
OF MATERIAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precaution

s:AVOID BREATHING VAPOR. KEEP AWAY FROM HEAT & FLAME. USE WITH ADEQUATE VENTILATION. DO NOT PUNCTURE OR INCINERATE CONTAINERS. DO NOT EXPOSE TO DIRECT SUNLIGHT OR STORE AT TEMPERATURES ABOVE 130F(54C). STORE AS LEVEL 3 AEROSOL (NFPA 30B).
Other Precautions:PLEASE READ AND FOLLOW THE DIRECTIONS ON THE MANUFACTURER'S PRODUCT LABEL. THEY ARE YOUR BEST GUIDE TO USING THIS PRODUCT IN THE MOST EFFECTIVE WAY AND GIVE THE NECESSARY SAFETY PRECAUTIONS TO PROTECT YOUR HEALTH.

=
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED IF GOOD VENTILATION IS MAINTAINED. IF EXPOSURE EXCEEDS OCCUPATIONAL EXPOSURE LIMITS (SEC.II), USE A NIOSH APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE.
Ventilation:LOCAL EXHAUST IS ADEQUATE UNDER NORMAL CONDITIONS, MECHANICAL VENTILATION IS OPTIONAL.
Protective Gloves:CHEMICAL RESISTANT GLOVES.
Eye Protection:CHEMICAL SAFETY GLASSES ARE RECOMMENDED.
Other Protective Equipment:WEAR IMPERVIOUS CLOTHING TO PREVENT SKIN CONTACT.
Work Hygienic Practices:ENSURE STRICT SANITARY CONDITIONS ARE CONFORMED TO WHEN WORKING AROUND CHEMICALS.
Supplemental Safety and Health
PROTECTIVE CLOTHING AND EQUIPMENT SHOULD BE IN ACCORDANCE WITH 29 CFR 1910.132 AND CFR 1910.33.

===== Physical/Chemical Properties =====

HCC:V3
Vapor Pres:65-70@130F (PSIG)
Vapor Density:>1
Spec Gravity: