Product ID:MUSCOVITE MICA - CAS NO. 12001-26-2 MSDS Date:01/01/1998 FSC:4210 NIIN:00-165-4703 MSDS Number: CJWDD === Responsible Party === Company Name: BUCKEYE FIRE EQUIPMENT CO Address:110 KINGS RD Box:428 **City:KINGS MOUNTAIN** State:NC ZIP:28086 Country:US Info Phone Num:704-739-7415 Emergency Phone Num:800-424-9300 Preparer's Name:MSDS COORD **INATOR** Chemtrec Ind/Phone:(800)424-9300 CAGE:57658 === Contractor Identification === Company Name: BUCKEYE FIRE EQUIPMENT CO Address:110 KINGS RD Box:428 **City:KINGS MOUNTAIN** State:NC ZIP:28086 Country:US Phone:704-739-7415 Contract Num:SP0560-99-M-H047 CAGE:57658 Company Name: BUCKEYE FIRE EQUIPMENT CO Address:110 KINGS RD Box:428 **City:KINGS MOUNTAIN** State:NC ZIP:28086 Country:US Phone:704-739-7415 Contract Num:SP0560-99-M-H058 CAGE:57658

======= Composition/Information on Ingredients ===

Ingred Name:MUSCOVITE MICA CAS:12001-26-2 RTECS #:VV8760000 ACGIH TLV:3 MG/M3

Ingred Name:MONOAMMONIUM PHOSPHATE CAS:7722-76-1

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES AND SKIN - IRRITATES SLIGHTLY IF INHALED, IRRITIES RESPIRATORY PASSAGES. TREAT AS MINERAL DUST. IF INGESTED CAN CAUSE SORE THROAT, AB DOMINAL PAIN, NAUSEA, AND VOMITING. HARMFUL IF SWALLOWED. Effects of Overexposure:MILD IRRITATION TO EYES AND THROAT. Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid:FLUSH EYES WITH WATER FOR 15 MINUTES. WASH SKIN WITH SOAP AND WATER. IF INHALED, TRANSPORT TO FRESH AIR. IF INGESTED, RINSE MOUTH AND DRINK WATER. CONSULT A PHYSICIAN.

Ex

tinguishing Media:NONE. THIS MATERIAL IS AN EXTINGUISHING AGENT. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: CONTAIN SPILLS AND SWEEP UP.

Handling and Storage Precautions:STORE IN CLOSED MOISTURE-FREE CONTAINERS IN A COOL. DRY LOCATION. AVOID UNNECESSARY DUST. Other Precautions:DO NOT MIX THIS PRODUCT WITH OT HER EXTINGUISHING AGENTS.

Respiratory Protection: DUST RESPIRATOR REQUIRED WHEN TLV IS EXCEEDED. NUISANCE DUST (TOTAL) 15 MG/M3. DUST RESPIRATOR RECOMMENDED WHENEVER AIRBORNE DUST IS PRESENT. Ventilation:LOCAL EXHAUST: RECOMMENDED MECHANICAL: RECOMMENDED. Protective Gloves:YES Eye Protection:YES Other Protective Equipment:NONE REQUIRED. Work Hygienic Practices: USE GOOD HYGIENE AND GOOD HOUSEKEEPING PRACTICES. Su pplemental Safety and Health PER SPEC A-A-393A, A PROPELLANT WILL BE USED TO EXPEL THE EXTINGUISHING AGENT (DRY CHEMICALS). HCC:G3 Spec Gravity:0.82 Solubility in Water:WATER REPELLENT COATED. Appearance and Odor:YELLOW POWDER WITH NO CHARACTERISTIC ODOR. Stability Indicator/Materials to Avoid:YES Conditions to Avoid Polymerization: WILL NOT OCCUR. === Toxicological Information:NONE SPECIFIED BY MANUFACTURER. Ecological:NONE SPECIFIED BY MANUFACTURER. Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. 

Transport Information:NONE

## SPECIFIED BY MANUFACTURER.

SARA Title III Information:NONE SPECIFIED BY MANUFACTURER. Federal Regulatory Information:NONE SPECIFIED BY MANUFACTURER. State Regulatory Information:NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of De

fense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.