

ITW FLUID PRODUCTS GROUP -- HI-SPOT BLUE #107, 8716, 83107 -- 6850-01-172-8376

===== Product Identification =====

Product ID:HI-SPOT BLUE #107, 8716, 83107

MSDS Date:12/16/1997

FSC:6850

NIIN:01-172-8376

Status Code:A

MSDS Number: CKKLC

=== Responsible Party ===

Company Name:ITW FLUID PRODUCTS GROUP

Address:3624 WEST LAKE AVENUE

City:GLENVIEW

State:IL

ZIP:60025

Country:US

Info Phone Num:800-443-953

6

Emergency Phone Num:800-424-9300(CHEMTREC)

Preparer's Name:VILMA HOLMGREN

Chemtrec Ind/Phone:(800)424-9300

CAGE:TO249

=== Contractor Identification ===

Company Name:ILLINOIS TOOL WORKS INC

Address:3700 W LAKE AVE

Box:City:GLENVIEW

State:IL

ZIP:60025-1217

Country:US

Phone:847-724-7500

CAGE:30323

Company Name:ITW FLUID PRODUCTS GROUP

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL

ZIP:60025

Country:US

Phone:800-452-5823

CAGE:TO249

===== Composition/Information on Ingredients

=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

= Wt:100.

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYE CONTACT: SLIGHT IRRITATION.

SKIN CONTACT: SLIGHT IRRITATION. SKIN ABSORPTION: SLIGHT

IRRITATION. INHALATION: HIGH CONCENTRATI

ONS OF VAPORS MAY PRODUCE

IRRITATION OF THE RESPIRATORY TRACT, HEADACHE, DIZZINESS, AND

NAUSEA. INGESTION: NO DATA. CHRONIC: EFFECTS ARE NOT KNOWN.

Effects of Overexposure:IEYES: IRRITATION. SKIN: IRRITATION.

INHALATION: RESPIRATORY TRACT IRRITATION, HEADACHE, DIZZINESS,

NAUSEA.

Medical Cond Aggravated by Exposure:SKIN DISORDERS.

===== First Aid Measures =====

First Aid:EYES: FLUSH WELL WITH WATER. CONTACT A PHYSICIAN IF

IRRITATION PE

RSISTS. SKIN: WASH WITH SOAP AND WATER. INHALATION: NO

EMERGENCY CARE ANTICIPATED UNDER NORMAL CONDITIONS. INGESTION: DO

NOT INDUCE VOM ITING. CONTACT A PHYSICIAN. IF VOMITING OCCURS, KEEP

HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INTO LUNGS.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:~148.9C, 300.F

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM. DO NOT USE

WATER OR ALCOHOL FOAM.

Fire Fighting Procedure

s:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED

BREATHING APPARATUS IN CONFINED AREAS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:PREVENT SKIN AND EYE CONTACT. USE

NON-COMBUSTIBLE MATERIAL TO CONFINE AND/OR ABSORB. ELIMINATE

IGNITION SOURCES. VENTILATE AREA.

Neutralizing Agent:NOT PROVIDED

===== Handling and Storage =====

Handling and Storage Precautions:"EMPTY" CONT

AINERS RETAIN RESIDUE

(LIQUID AND/OR VAPOR) AND CAN BE DANGEROUS. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, SPARKS, FLAMES, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION.

Other Precautions:WARNING! MANY HOT ORGANIC CHEMICAL VAPORS OR MISTS ARE SUSCEPTIBLE TO SUDDEN SPONTANEOUS COMBUSTION WHEN MIXED WITH AIR. IGNITION MAY OCCUR AT TEMP. BELOW PUBLISHED "AUTOIGNITION" OR "IGNITION" TEMP. IGNITION TEMP. DECREASE WITH INCREASING VAPOR VOLUME AND VAPOR/AIR CONTACT TIME AND ARE INFLUENCED BY PRESSURE CHANGES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED AT NORMAL HANDLING TEMPERATURES.

Ventilation:LOCAL EXHAUST IS RECOMMENDED FOR CONFINED AREAS. GENERAL MECHANICAL VENTILATION IS ADEQUATE FOR NORMAL USE.

Protective Gloves:CHEMICAL RESISTANT RUBBER GLOVES, SUCH AS POLYVINYL CHLORIDE COATED.

Eye Protection:SAFETY GLASSES. SPLASH PROOF GOGGLES.

Other Protective Equipment:SAFETY SHOWER AND EYE WASH FOUNTAIN. OTHER PROTECTIVE GEAR AS REQUIRED TO MINIMIZE SKIN CONTACT.

Work Hygienic Practices:FOLLOW CURRENT H.M.I.S. REGULATIONS.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V5

NRC/State Lic Num:NOT RELEVANT

Vapor Density:>1

Spec Gravity:0.95

Viscosity:NOT RELEVANT

Evaporation Rate & Reference: