View NSN Online: https://aerobasegroup.es/nsn/6850-00-264-6568

MULTISORB TECHNOLOGIES, INC. (FORMLY MULTIFORM DESICCANTS,) -- NATRASORB M (CLAY) -- 6850-00-264-6568 ============= Product Identification ======================== Product ID:NATRASORB M (CLAY) MSDS Date:01/11/1999 FSC:6850 NIIN:00-264-6568 Status Code:A MSDS Number: CKNYT === Responsible Party === Company Name: MULTISORB TECHNOLOGIES, INC. (FORMLY MULTIFORM DESICCANTS, Address:325 HARLEM ROAD City:BUFFALO State:NY ZΙ P:14224 Country:US Info Phone Num:716-824-8900 Emergency Phone Num:716-824-8900 CAGE:22627 === Contractor Identification === Company Name: MULTISORB TECHNOLOGIES INC Address:325 HARLEM ROAD Box:City:BUFFALO State:NY ZIP:14224-1893 Country:US Phone:716-824-8900 Contract Num:SP0450-M-SD03 CAGE:22627 ======= Composition/Information on Ingredients ========

Ingred Name: MONTMORILLONITE CLAY

Minumum % Wt:94. Maxumum % Wt:96.

Ingred Name: CRYSTALLINE SILICA QUARTZ

Minumum % Wt:2. Maxumum %

Wt:6.
========= Hazards Identification ===========
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: MAY CAUSE EYE, SKIN AND MUCOUS MEMBRANE IRRITATION. CHRONIC: PROLONGED INHALATION MAY CAUSE LUNG DAMAGE. Explanation of Carcinogenicity:NONE LISTED. Effects of Overexposure:DRYING AND IRRITATION. Medical Cond Aggravated by Exposure:ASTHMA.
=======================================
= First Aid Measures ===============
First Aid:SEEK MEDICAL ASSISTANCE FOR FURTHER TREATMENT, OBSERVATION AND SUPPORT IF NECESSARY. EYE: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN: WASH AFFECTED AREA WITH SOAP AND WATER. INHALE: REMOVE TO FRE SH AIR. INGEST: NO ADVERSE EFFECTS EXPECTED.
======================================
Extinguishing Media:WATER IS THE BEST EXTINGUISHING MEDIUM, BUT DRY CHEMICAL, CARBON DIOXIDE AND FOAM CAN BE USED. Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE.
========= Accidental Release Measures ==========
Spill Release Procedures:SWEEP OR VACUUM UP THE SPILLED MATERIAL AND PLACE IN A WASTE DISPOSAL CONTAINER. AVOID RAISING DUST.
=========== Handling and Storage ===========
Handling and Storage Precautions:COVER PROMPTLY TO AVOID BLOWING DUST. WASH AFTER HANDLING.
Other Precautions:KEEP IN SEALED CONTAINER AWAY FROM MOISTURE. CLAY
WILL READILY ADSORB MOISTURE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE NIOSH APPROVED DUST RESPIRATOR. Protective Gloves:LIGHT COTTON GLOVES. Eye Protection:SAFETY GLASSES. Work Hygienic Practices:AVOID RAISING DUST. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:N1 Spec Gravity:2

HCC:N1 Spec Gravity:2 Solubility in Water:NOT SOLUBLE. Appearance a

nd Odor:TAN/GRAY POWDER.
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES NONE. Stability Condition to Avoid:MOISTURE. CLAY WILL ADSORB MOISTURE. Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,
WATER.
======== Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN AN APPROVED LANDFILL ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with th is information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.