

BIOKIT USA, INC. -- 23038010 CMS SURE-VUE RPR 500 TEST LOW POSITIVE CONTROL --
6550-00-159-5011

===== Product Identification =====

Product ID:23038010 CMS SURE-VUE RPR 500 TEST LOW POSITIVE CONTROL

MSDS Date:12/03/1997

FSC:6550

NIIN:00-159-5011

Status Code:A

MSDS Number: CKQXD

=== Responsible Party ===

Company Name:BIOKIT USA, INC.

Address:113 HARTWELL AVENUE

City:LEXINGTON

State:MA

ZIP:02173

Coun

try:US

Info Phone Num:617-861-4064

Emergency Phone Num:800-926-3353

CAGE:TO744

=== Contractor Identification ===

Company Name:BIOKIT USA, INC.

Address:113 HARTWELL AVENUE

Box:City:LEXINGTON

State:MA

ZIP:02173

Country:US

Phone:617-861-4064

CAGE:TO744

Company Name:FISHER SCIENTIFIC CO

Address:9999 VETERAN MEMORIAL DR

Box:1307

City:HOUSTON

State:TX

ZIP:77001

Country:US

Phone:716-691-0010

CAGE:1K925

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM AZIDE

CAS:2

6628-22-8
RTECS #:VY8050000
= Wt:.1
ACGIH STEL:C0.29 MG/M3
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:HUMAN SOURCE MATERIALS

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:CMS SURE-VUE RPR IS INTENDED FOR IN
VITRO DIAGNOSTIC USE ONLY. SODIUM AZIDE IS A STRONG SKIN & MUCOUS
MEMBRANE IRRITANT AND POISON. CONTACT MAY PRODUCE SKIN BURNS.
POISONING FROM INHALATION O
RING ESTION MAY RESULT IN ANESTHETIC
SYMPTOMS SUCH AS HEADACHE, DIZZINESS, FAINTNESS, SOMNOLENCE, AND
UNCONSCIOUSNESS. SERIOUS POISONINGS MAY BE FATAL.
Explanation of Carcinogenicity:NONE

===== First Aid Measures =====

First Aid:IN CASE OF EXPOSURE, OBTAIN MEDICAL ATTENTION IMMEDIATELY.
IF INGESTED, GIVE LARGE QUANTITIES OF WATER AND INDUCE VOMITING.
IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT
LEAST 15 MINUT
ES. REMOVE CONTAMINATED CLOTHING AND SHOES AND CALL
A PHYSICIAN. IF INHALED, REMOVE TO FRESH AIR. IF BREATHING
BECOMES DIFFICULT, CALL A PHYSICIAN. IN CASE OF CONTACT WITH EYES,
FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES.
ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS.
CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Extinguishing Media:SAND, SODIUM CHLORIDE, SODIUM CARBONATE, DRY
CHEMICAL POWD
ER; DO NOT USE WATER.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.
Unusual Fire/Explosion Hazard:CONTAINER EXPLOSION MAY OCCUR UNDER FIRE
CONDITIONS. EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL WITH ABSORBENT MATERIAL AND
PLACE IN APPROPRIATE CONTAINER. WASH AND DISINFECT SPILL SITE
AFTER CLE

AN-UP.

===== Handling and Storage =====

Handling and Storage Precautions:STORE 2-8 DEG C THE POSITIVE AND
NEGATIVE CONTROLS ARE PREPARED FROM HUMAN SOURCE MATERIALS AND
FOUND TO BE NEGATIVE FOR THE PRESENCE OF HIV-1 AND HEPATITIS B
SURFACE ANTIGEN(HBSAG) BY AN FDA APPROVE D METHOD.
Other Precautions:BECAUSE NO TEST METHOD CAN OFFER COMPLETE ASSURANCE
THAT HUMAN T-LYMPHOTROPIC VIRUS TYPE III (HIV), HEPATITIS B VIRUS,
OR OTHER INFECTIOUS AG
ENTS ARE ABSENT, THIS PRODUCT SHOULD BE
HANDLED AT BIOSAFET Y LEVEL 2 AS RECOMMENDED FOR ANY POTENTIAL
INFECTIOUS HUMAN SERUM OR BLOOD SPECIMENT AS OUTLINED BY THE CDC.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:HIGH LEVELS...SUPPLIED-AIR RESPIRATOR WITH A
FULL FACEPIECE, HELMET OR HOOD. SELF-CONTAINED BREATHING APPARATUS
WITH A FULL FACEPIECE.
Ventilation:PROVIDE LOCAL EXHAUST VENTILATION SYSTEM TO MEET
PERMISSIBLE EXPOSUR
E LIMITS.
Protective Gloves:EMPLOYEE MUST WEAR APPROPRIATE PROTECTIVE GLOVES TO
PREVENT CONTACT.
Eye Protection:EMPLOYEE MUST WEAR SPLASH-PROOF OR DUST-RESISTANT SAFETY
GOGGLES & FACESHIELD.
Other Protective Equipment:PROTECTIVE CLOTHING NOT REQUIRED. AVOID
REPEATED OR PROLONGED CONTACT WITH THIS SUBSTANCE.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt.=275.C, 527.F
B.P. Text:DECOMPOSES NAN3
Spec Gravity:1.8 NAN3
Sol
ubility in Water:400 MG/ML NAN3

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO
ACID CHLORIDES, NITROGEN OXIDES, AZIDE REACTS WITH MANY HEAVY METALS
SUCH AS LEAD, COPPER, MERCURY, SILVER AND GOLD TO FORM EXPLOSIVE
COMPOUNDS. COPPER AND LEAD AZIDES ARE MORE SENSITIVE THAN
NITROGLYCERIN. AZIDE REACTS W
Stability Condition to Avoid:AVOID CONTACT WITH METALS AND ACIDS.
EXPLODES WHEN HEATED. MAY BE SHOCK SENSITIVE.
Haz

ardous Decomposition Products:TOXIC FUMES OF NITROGEN OXIDES.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek com
petent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.