

CREST INDUSTRIAL CHEMICAL -- PAINT STRIPPER 7 (MIL-R-81294C) OR B -- 8010-00-926-1488

===== Product Identification =====

Product ID:PAINT STRIPPER 7 (MIL-R-81294C) OR B

MSDS Date:01/02/1988

FSC:8010

NIIN:00-926-1488

Status Code:A

MSDS Number: CKSYR

=== Responsible Party ===

Company Name:CREST INDUSTRIAL CHEMICAL

Address:6341 BEVERLY HILL

City:HOUSTON

State:TX

ZIP:77057

Country:US

Info Phone Num:78

0-1828

Emergency Phone Num:780-1828

CAGE:77513

=== Contractor Identification ===

Company Name:CREST INDUSTRIAL CHEMICALS INC

Address:6341 BEVERLY HILL

Box:42242

City:HOUSTON

State:TX

ZIP:77057-6500

Country:US

Phone:713-780-1828

CAGE:77513

===== Composition/Information on Ingredients =====

Ingred Name:METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000

OSHA PEL:500 PPM/C,1000; Z2

ACGIH TLV:50 PPM, A2; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM C

HROMATE (SARA III)  
CAS:7775-11-3  
RTECS #:GB2955000  
OSHA PEL:0.1 PPM CRO3;CEILING  
ACGIH TLV:0.05 MG CR/M3; 9192  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

Ingred Name:PHENOLIC BODIES  
ACGIH TLV:5 PPM (SKIN)

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION OF NOSE AND EYES, SLIGHT NARCOSIS.

===== First Aid Measures =====

First Aid:SKIN CONTACT: WASH WITH SOAP AND WATER. EYE CONTACT: FLUSH WITH WATER, OBTAIN MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:NONE  
Extinguishing Media:CARBON DIOXIDE OR CHEMICAL FOAM.  
Fire Fighting Procedures:THERMAL DECOMPOSITION WILL PRODUCE TOXIC OXIDES OF CHLORINE WEAR GAS MASKS.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. MOP UP SPILLAGE AND DISPOSE OF I.A.W. LOCAL, STATE AND FEDERAL REGULATIONS.

===== Handling and Storage =====

Handling and Storage Precautions:TRANSPORT AND STORE IN CLOSED CONTAINERS AT TEMPERATURES UP TO 110 F.  
Other Precautions:DO NOT STORE IN DIRECT RAYS OF SUN, OPEN CONTAINERS CAREFULLY TO AVOID SPRUTING.

===== Exposure Controls/Personal Protection =====

Respiratory Protec

tion:FRESH AIR MASK.  
Ventilation:USE LOCAL EXHAUST.  
Protective Gloves:USE PROTECTIVE GLOVES.  
Eye Protection:USE EYE PROTECTION.  
Other Protective Equipment:USE SOLVENT RESISTANT APRONS.  
Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

HCC:T4  
Boiling Pt:B.P. Text:110 F  
Melt/Freeze Pt:M.P/F.P Text:80%  
Vapor Pres:350 MM  
Vapor Density:> 1(AIR=1)  
Spec Gravity:1.10 (H2O=1)  
Evaporation Rate & Reference:>1 (BUTYL ACETATE=1)  
Solubility in Water:A  
PPRECIABLE  
Appearance and Odor:VISCOUS YELLOW LIQUID PHENOLIC ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
AVOID STRONG OXIDIZERS.  
Hazardous Decomposition Products:THERMAL DECOMPOSITION WILL PRODUCE  
TOXIC OXIDES OF CHLORINE.

===== Disposal Considerations =====

Waste Disposal Methods:TREAT FOR PHENOLIC BODIES AND CHROMATE, DISPOSE  
OFI.A.W. LOCAL, STATE AND FEDERAL REGULATIONS.

Dis  
claimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.