

MET-L-CHEK COMPANY -- D-70 DEVELOPER -- 6850-00-145-0255

===== Product Identification =====

Product ID:D-70 DEVELOPER

MSDS Date:01/01/1997

FSC:6850

NIIN:00-145-0255

Status Code:A

Kit Part:Y

MSDS Number: CKTQD

=== Responsible Party ===

Company Name:MET-L-CHEK COMPANY

Address:1639 EUCLID STREET

City:SANTA MONICA

State:CA

ZIP:90404

Country:US

Info Phone Num:310-450-1111

Emergency Phone Num:310-450-1111/800-424-9300(CHEMTREC)

Chemtrec Ind/Phone:(800)424-9300

CAGE:

98733

=== Contractor Identification ===

Company Name:MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA

ZIP:90404

Country:US

Phone:310-450-1111/FAX 310452-4046

Contract Num:SP0450-99-M-C619

CAGE:98733

Company Name:MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA

ZIP:90404

Country:US

Phone:310-450-1111/FAX 310452-4046

Contract Num:SP0450-99-M-C833

CAGE:98733

===== Composition/Information on Ingredients =====

Ingred Name

:ISOPROPYL ALCOHOL (SARA 313)
CAS:67-63-0
RTECS #:NT8050000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM
ACGIH TLV:400 PPM/500STEL;9596

Ingred Name:BUTANE
CAS:106-97-8
RTECS #:EJ4200000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:800 PPM
ACGIH TLV:800 PPM; 9596

Ingred Name:PROPANE
CAS:74-98-6
RTECS #:TX2275000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9596

Ingred Name:ISOBUTANE
CAS:75-28-5
RTECS #:TZ4300000
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALTION: MAY CAUSE MILD IRRITATION.
SKIN: MILDLY IRRITATING. INGESTION: LOW ORDER OF ACUTE TOXICITY.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION OR EYES, SKIN OR NOSE AND
RESPIRATORY TRACT. EARLY TO MODERATE CNS DEPRESSION MAY BE
EVIDENCED BY GIDDINESS, HEADACHE, DIZZINESS, NAUSEA,
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN, EYE AND
RESPIRATORY DISORDERS MAY BE AGGRAVATED.

===== First Aid Measures =====

First Aid:FLUSH EYES OR SKIN WITH WATER. REMOVE VICTIM TO FRESH AIR.
GET MEDICAL ATTENTION. INDUCE VOMITING IF VICTIM HAS INGESTED
MATERIAL AND IS CONSCIOUS.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:=-73.3C, -100.F
FLAMMABLE

AEROSOL

Lower Limits:2%

Upper Limits:12%

Extinguishing Media:USE WATER FOG, "ALCOHOL" FOAM, DRY CHEMICAL OR CARBON DIOXIDE. WARNING FLAMMABLE.

Fire Fighting Procedures:CLEAR FIRE AREA OF UNPROTECTED PERSONNEL. DO NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR.

Unusual Fire/Explosion Hazard:CONTAINERS EXPOSED TO INTENSE HEAT FROM FIRES SHOULD BE COOLED WITH WATER TO PREVENT VAPOR PRESSURE BUILDUP WHICH COULD RESULT IN CONTAINER RUPTURE.

===== Accidental Release Measures =====

Spill Release Procedures:WARNING-FLAMMABLE. ELIMINATE ALL IGNITION SOURCES. HANDLING EQUIPMENT MUST BE GROUNDED TO PREVENT SPARKING. WEAR APPROPRIATE RESPIRATOR AND PROTECTIVE CLOTHING. SOAK UP RESIDUE WITH ABSORBENT CLAY, SAND OR OTHER MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS, AND FLAMES. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING

, OR USING TOILET FACILITIES.

Other Precautions:DO NOT STORE OR HANDLE IN ALUMINUM EQUIPMENT AT TEMPERATURE ABOVE 120F.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE EXCEEDS LIMIT IN INGREDIENTS SECTION, USE NIOSH-APPROVED RESPIRATOR.

Ventilation:LOCAL EXHAUST: TO MAINTAIN TLV. MECHANICAL: TO MAINTAIN TLV. I

Protective Gloves:CHEMICAL RESISTANT.

Eye Protection:GOGGLES IF THERE IS LIKELIHOOD OF CONTACT.

Other Protective Equipment:

AS REQUIRED TO MINIMIZE CONTACT.

Work Hygienic Practices:MINIMIZE CONTACT. EYE WASH FOUNTAINS AND SAFETY SHOWERS SHOULD BE AVAILABLE.

Supplemental Safety and Health

THIS PRODUCT IS A KIT CONSISTING OF THREE PARTS. EACH KIT SHALL CONTAIN THE FOLLOWING AEROSOL CAS: 2 EACH INSPECTION PENETRANT, 4 EACH INSPECTION PENETRANT DEVELOPER, 6 EACH INSPECTION PENETRANT REMOVER; UNIT KIT CONTAINS 12 AEROSOL CANS.

===== Physical/Chemical Properties =====

HCC:V3
NRC/State Lic Num:NOT RELEVANT
Boiling Pt:=82.2C, 180.F
Melt/Freeze Pt:=-88.3C, -127.F
Vapor Pres:33(LIQUID)
Vapor Density:2.1
Spec Gravity:~0.8 LIQUID
Evaporation Rate & Reference:1.4 (BUTYL ACETATE=1)
Solubility in Water:LIQUID IS SOLUBLE
Appearance and Odor:WHITE, MILKY SUSPENSION - MILD ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
DO NOT STORE OR HANDLE IN ALUMINUM EQUIPMENT AT TEMPERATURES ABOVE 120F.

Stability Condition to Avoid:AVOID HEAT, SPARKS, FLAMES AND CONTACT WITH STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products:CARBON MONOXIDE, AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED.

===== Disposal Considerations =====

Waste Disposal Methods:PLACE IN NON-LEAKING CONTAINERS, SEAL AND DISPOSE OF AS IGNITABLE HAZARDOUS WASTE ACCORDING TO LATEST EPA OR STATE REGULATIONS.

===== Regulatory Information =====
=====

State Regulatory Information:CALIFORNIA PROPOSITION 65
NOTICE-DETECTABLE AMOUNTS OF SOME CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS, OR OTHER REPRODUCTIVE HARM MAY BE FOUND IN VARIOUS PRODUCTS YOU PURCHASE FROM MET-L-CHEK, IN THEIR VAPORS OR MAY RESULT FROM THEIR USE. READ & FOLLOW LABEL DIRECTIONS & INFORMATION GIVEN ON THE MATERIAL SAFETY DATA SHEETS, AND USE CARE WHEN HANDLING OR USING ALL NON-DESTRUCTIVE TEST CHEMICAL PRODUCTS. FOR FURTHER INFORMATION, CONTACT THE MET-L-CHEK COMPANY, 1639 EUCLID STREET, SANTA MONICA, CA 90404.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person

utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.