

SUPERIOR FLUX AND MFG CO -- SUPERIOR NO. 11; FLUX, WELDING -- 3439-00-255-4580

===== Product Identification =====

Product ID: SUPERIOR NO. 11; FLUX, WELDING

MSDS Date: 06/01/2000

FSC: 3439

NIIN: 00-255-4580

Status Code: A

MSDS Number: CKTSG

=== Responsible Party ===

Company Name: SUPERIOR FLUX AND MFG CO

Address: 6615 PARKLAND BLVD

City: CLEVELAND

State: OH

ZIP: 44139

Country: US

Info Phone Num: 440-349-3000

Emergency Phone Num: 1-800-424-9300

Chemtrec Ind/Phone: (800) 424-9

300

CAGE: 87618

=== Contractor Identification ===

Company Name: JO-JON INC

Address: 360 FREEPORT BLVD SUITE 1 & 2

Box: UNKNOWN

City: SPARKS

State: NV

ZIP: 89431

Country: US

Phone: 702-356-6988

Contract Num: SP0490-00-D-4064

CAGE: 009J0

Company Name: SUPERIOR FLUX AND MFG CO

Address: 6615 PARKLAND BLVD

City: SOLON (FORMALLY CLEVELAND)

State: OH

ZIP: 44139

Country: US

Phone: 440-349-3000

CAGE: 87618

===== Composition/Information on Ingredients =====

Ingred Name: SODIUM NITRATE

CAS: 7631-99-4

RTECS #

:WC5600000
Minumum % Wt:30.
Maxumum % Wt:60.
OSHA PEL:2.5 PPM

Ingred Name:SODIUM TETRABORATE
CAS:1303-96-4
RTECS #:VZ2275000
Minumum % Wt:15.
Maxumum % Wt:30.
OSHA PEL:2.5 PPM
ACGIH TLV:5 MG/M3

Ingred Name:SODIUM CARBONATE
CAS:497-19-8
RTECS #:VZ4050000
Minumum % Wt:15.
Maxumum % Wt:30.

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:PRIMARY ROUTES OF ENTRY: FUME
INHALATION, ING
ESTION, SKIN, AND EYES.
Explanation of Carcinogenicity:NONE LISTED AS A CARCINOGEN OR POTENTIAL
CARCINOGEN.
Effects of Overexposure:NAUSEA, VOMITING, ABDOMINAL PAIN, MUCOUS
MEMBRANE IRRITATION, REDDENING OF SKIN, RASH, DIARRHEA, AND CENTRAL
NERVOUS SYSTEM SIMULATION.
Medical Cond Aggravated by Exposure:ANY WEAKNESS OF THE CENTRAL NERVOUS
SYSTEM, KIDNEYS, OR LIVER.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 10 MINUTE
S. CALL A PHYSICIAN.
SKIN: WASH THOROUGHLY WITH WATER. INHALATION: REMOVE TO FRESH AIR
OR ADMINISTER OXYGEN. CALL PHYSICIAN. INGESTION: IF PATIENT IS
FULLY CONSCIOUS, GIVE LARGE AMOUNTS WATER. OBTAIN MEDICAL
ATTENTION IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:NONE
Autoignition Temp:Autoignition Temp Text:NONE
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:NOT NEEDED.
Fire Fighting Procedures:NORMAL CAUTION WHEN DEALING W

ITH CHEMICALS.

Unusual Fire/Explosion Hazard:WILL IGNITE ON FRICTION WHEN MIXED WITH ORGANIC MATTER. EXPLODES WHEN MIXED WITH CYANIDES.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP POWDER AND FLUSH REMAINING MATERIAL WITH LOTS OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN PLASTIC CONTAINERS IN COOL AREA. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINERS AWAY FROM EXCESSIVE HEAT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED RESPIRATOR.
Ventilation:MECHANICAL (GENERAL)-YES. LOCAL EXHAUST-YES.
Protective Gloves:RECOMMENDED NIOSH APPROVED.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:RUBBER APRON.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:D1
Melt/Freeze Pt:=700.
C, #####F
Spec Gravity:2.15
Solubility in Water:VERY SOLUBLE.
Appearance and Odor:WHITE ODORLESS POWDER.
Percent Volatiles by Volume:1.0%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
REDUCING MATERIALS AT HIGH TEMPERATURES.
Stability Condition to Avoid:EXCESSIVE HEAT.
Hazardous Decomposition Products:FUMES CONTAINING NITROGEN OXIDES AND BORON OXIDE.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== D

isposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH STATE AND LOCAL
EPA REGULATIONS.

===== MSDS Transport Information =====

Transport Information:D.O.T. PROPER SHIPPING NAME: NON-HAZARDOUS. HMIS
DETERMINED THAT CORRECT PROPER SHIPPING NAME IS: SODIUM NITRATE,
CLASS OXIDIZER. THE CTDF ALSO STATES PSN IS: SODIUM NITRATE, DOT
CLASS: OXIDIZER.

Disclaimer (provided with this information by the compiling
agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.