

DOW CORNING CORPORATION -- DOW CORNING III VALVE LUBRICANT & SEALANT --
6850-00-294-0860

===== Product Identification =====

Product ID:DOW CORNING III VALVE LUBRICANT & SEALANT

MSDS Date:07/24/1997

FSC:6850

NIIN:00-294-0860

Status Code:A

MSDS Number: CKVTQ

=== Responsible Party ===

Company Name:DOW CORNING CORPORATION

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Info Phone Num:517-496-6000/517-496-6315

Emergency Phone

Num:517-496-5900

Resp. Party Other MSDS Num.:MSDS NO: 1889834

Chemtrec Ind/Phone:(800)424-9300

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

===== Composition/Information on Ingredients =====

Ingred Name:SILICA, AMORPHOUS

CAS:7631-86-9

= Wt:9.

OSHA PEL:15MG/M3 TDUST TWA

ACGIH TLV:3MG/M3 R & PARTICUL

=====

Hazards Identification =====

LD50 LC50 Mixture:NONE PROVIDED BY MFR.

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYE: DIRECT EYE CONTACT MAY CAUSE TEMPORARY DISCOMFORT WITH MILD REDNESS & DRYNESS SIMILAR TO WINDBURN. SKIN: A SINGLE PROLONGED EXPOSURE (24 TO 48 HRS) CAUSES NO KNOWN ADVERSE EFFECT. INHALATION: NO IRRITATION TO EYES & RESPIRATORY PASSAGES. NO INJURY IS LIKELY FROM RELATIVELY SHORT EXPOSURES OF LESS

THAN 8 HRS. ORAL: SMALL AMOUNTS TRANSFERRED TO

THE MOUTH BY FINGERS DURING USE, ETC., SHOULD NOT INJURE.

SWALLOWING LARGE AMOUNTS MAY CAUSE DIGESTIVE DISCOMFORT. CHRONIC: NONE KNOWN.

Explanation of Carcinogenicity:NONE KNOWN

Effects of Overexposure:DIRECT EYE CONTACT MAY CAUSE TEMPORARY DISCOMFORT WITH MILD REDNESS & DRYNESS SIMILAR TO WINDBURN.

Medical Condition Aggravated by Exposure:NONE PROVIDED BY MFR.

===== First Aid Measures =====

First

Aid:EYE: IMMEDIATELY FLUSH WITH WATER. SKIN: NO FIRST AID SHOULD BE NEEDED. INHALATION: NO FIRST AID SHOULD BE NEEDED. ORAL: NO FIRST AID SHOULD BE NEEDED. COMMENTS: TREAT SYMPTOMATICALLY.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:>101.1C, 214.F

Autoignition Temp:Autoignition Temp Text:N/D

Lower Limits:NOT DETERMINED

Upper Limits:NOT DETERMINED

Extinguishing Media:CARBON DIOXIDE (CO2), WATER SPRAY, DRY CHEMICAL, FOAM. WATER

CAN BE USED TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING LARGE FIRES INVOLVING CHEMICALS. DETERMINE THE NEED TO EVACUATE OR ISOLATE THE AREA ACCORDING TO YOUR LOCAL EMERGENCY PLAN.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP OR SCRAPE UP & CONTAIN FOR SALVAGE OR DISPOSAL. SLIP HAZARD! FIN

AL CLEANIG OF FLOORS MAY REQUIRE USE OF
STEAM, SOLVENTS OR DETERGENTS. LOCAL AND FEDERAL LAWS MAY APPLY TO
RELEASE & DISPOSAL OF THIS MATERIAL AND TO ITEMS USED FOR CLEAN
UP.

Neutralizing Agent:NONE PROVIDED BY MFR.

===== Handling and Storage =====

Handling and Storage Precautions:HANDLING: USE WITH ADEQUATE
VENTILATION. AVOID EYE CONTACT. STORAGE: NO SPECIAL PRECAUTIONS.
USE REASONABLE CARE & STORE AWAY FROM OXIDIZING MATERIALS.

Other Pr

ecautions:AVOID EYE CONTACT. USE REASONABLE CARE. THESE
PRECAUTIONS ARE FOR ROOM TEMPERATURE HANDLING. USE AT ELEVATED
TEMPERATURE, OR AEROLSOL/SPRAY APPLICATIONS, MAY REQUIRE ADDED
PRECAUTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO RESPIRATORY PROTECTION SHOULD BE NEEDED.
SUITABLE RESPIRATOR: NONE SHOULD BE NEEDED.

Ventilation:GENERAL VENTILATION: RECOMMENDED. LOCAL EXHAUST: NONE
SHOULD BE NEEDED

Protective Gloves:NO

SPECIAL PROTECTION NEEDED

Eye Protection:SAFETY GLASSES AS A MINIMUM

Other Protective Equipment:NONE PROVIDED BY MFR.

Work Hygienic Practices:WASHING AT MEALTIME & END OF SHIFT IS ADEQUATE.

Supplemental Safety and Health

NONE PROVIDED BY MFR.

===== Physical/Chemical Properties =====

HCC:V5

Melt/Freeze Pt:M.P/F.P Text:NOT DETERMINED

Decomp Temp:Decomp Text:NONE PROVIDED BY MFR.

Vapor Density:NOT APPLIC

Spec Gravity:1.10 @ 25 DEG C

Evaporation Rate & Reference:NON

E PROVIDED BY MFR.

Solubility in Water:NOT DETERMINED

Appearance and Odor:GREASE, TRANSULCENT WHITE COLOR, ODORLESS

Percent Volatiles by Volume:NONE PROVIDE

Corrosion Rate:NONE PROVIDED BY MFR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIAL CAN CAUSE A REACTION.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:THERMAL BREAKDOWN OF THIS PRODUCT
DURING FIRE OR VERY HIGH HEAT CONDITIONS MAY EVO

LVE THE FOLLOWING:

SILICON DIOXIDE, CARBON OXIDES & TRACES OF INCOMPLETELY BURNED
CARBON COMPOUNDS, FORMALDEHYDE.

Conditions to Avoid Polymerization:WILL NOT OCCUR

===== Toxicological Information =====

Toxicological Information:COMPLETE INFORMATION NOT YET AVAILABLE.

===== Ecological Information =====

Ecological:COMPLETE INFORMATION NOT YET AVAILABLE.

===== Disposal Considerations =====

W

aste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information:PSN: NOT APPLICABLE.

===== Regulatory Information =====

SARA Title III Information:SEC 302 EXTREMELY HAZARDOUS SUBSTANCE: NONE.

SEC 304 CERCLA HAZ SUBSTANCE: NONE. SECTION 312 HAZARD CLASSES:
ACUTE: N., CHRONIC: N., FIRE: N; REACTIVE: N., SUDDEN RELEASE:N.

S

EC 313 TOXIC CHEM ICALS: NONE PRESENT OR NONE PRESENT IN REQUIRED
QUANTITIES.

Federal Regulatory Information:THE INGREDIENTS OF THIS PRODUCT COMPLY
WITH THE TSCA INVENTORY REPORTING REQUIREMENTS.

State Regulatory Information:CALIFORNIA PROPOSITION 65 - THIS PRODUCT
CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE
CANCER, BIRTH DEFECTS AND OTHER REPRODUCTIVE HARM: NONE KNOWN.
MASSACHUSETTS: 9% SILICA AMORPOUS (CAS 7631869). NEW JERSEY: 83%
POLYDIMETHYLSILOXANE

(CAS 63148629), 7% DIMETHYL SILOXANE,
HYDORXY-TERMINATE (CAS 70131678), 9% SILICA AMORPHOUS FUMED #1655
(CAS 7631869). PENNSYLVANIA: 83% POLYDIMETHYL SILOXANE (CAS
63148629), 7% DIMETHYL SILOXANE, HYDORXY-TERMINATE (CAS 70131678),
9% SILICA AMORPHOUS FUMED #1655 (CAS 7631869)

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatso

ever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.