

CONOCO INC -- HD FLEET MOTOR OIL

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-191-2772
MSDS Date: 06/28/2000
MSDS Num: CKZFJ
Product ID: HD FLEET MOTOR OIL
MFN: 01
Responsible Party
Cage: 5R396
Name: CONOCO INC
Box: 2197
City: HOUSTON TX 77252
Info Phone Number: 713-293-5550PRO
DUCT/ 800-4413637MED
Emergency Phone Number: 800-342-5119/281-493-2767 MEDICAL
Resp. Party Other MSDS No.: MOTC0090
Chemtrec IND/Phone: (800)424-9300
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 5R396
Name: CONOCO INC
Address: 5 GREENWAY PLAZA E
Box: 2197
City: HOUSTON TX 77252
Phone: 713-293-5550PRODUCT/ 800-4413637MED

=====
Item Description Information
=====

Item Manager: S9G
Item Name: LUBRICATING OIL,ENGINE
Specification Number: A-A-52306A
Type/Grade/Class: SAE 30
Unit of Issue: DR
Quantitative Expression: 00000000055GL
UI Container Qty: 1
Type of Container: DRUM

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES

Skin: YES

Effects of Exposure: THE PRODUCT, AS WITH MANY PETROLEUM PRODUCTS, MAY CAUSE MINOR SKIN, EYE, AND LUNG IRRITATION. BUT GOOD HYGIENIC PRACTICES CAN MINIMIZE THESE EFFECTS. NORMAL USE OF THIS PRODUCT DOES NOT RESULT IN GENERATION OF AN OIL MIST. HOWEVER IF AN OILMIST IS GENERATED, OVEREXPOSURE CAN CAUSE MINOR AND RE

VERSIBLE IRRITATION TO THE EYES, SKIN, AND ESPECIALLY THE LUNGS. PROPER PERSONAL PROTECTIVE EQUIPMENT AND SUFFICIENT VENTILATION CAN PROVIDE ADEQUATE PROTECTION. "USED" MOTOR OIL-THERE IS NO EPIDEMIOLOGY STUDIES SHOWING "USED" MOTOR OIL TO BE CARCINOGENIC. HEALTH HAZARDS TO "USED" MOTOR OIL CAN BE MINIMIZED BY AVOIDING PROLONGED SKIN CONTACT.

Explanation Of Carcinogenicity: NONE OF THE COMPONENTS PRESENT IN THIS MATERIAL AT CONCENTRATIONS EQUAL TO OR GREATER THAN 0.1% ARE LISTED BY IARC, NTP, OSHA OR ACGIH AS A CARCINOGEN.

Signs And Symptoms Of Overexposure: THE PRODUCT, AS WITH MANY PETROLEUM PRODUCTS, MAY CAUSE MINOR SKIN, EYE, AND LUNG IRRITATION. BUT GOOD HYGIENIC PRACTICES CAN MINIMIZE THESE EFFECTS. NORMAL USE OF THIS PRODUCT DOES NOT RESULT IN GENERATION OF AN OIL MIST. HOWEVER IF AN OILMIST IS GENERATED, OVEREXPOSURE CAN CAUSE MINOR AND REVERSIBLE IRRITATION TO THE EYES, SKIN, AND ESPECIALLY THE LUNGS. PROPER PERSONAL PROTECTIVE EQUIPMENT AND SUFFICIENT

VENTILATION CAN PROVIDE ADEQUATE PROTECTION. "USED" MOTOR OIL-THERE IS NO EPIDEMIOLOGY STUDIES SHOWING "USED" MOTOR OIL TO BE CARCINOGENIC. HEALTH HAZARDS TO "USED" MOTOR OIL CAN BE MINIMIZED BY AVOIDING PROLONGED SKIN CONTACT.

First Aid: INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN. SKIN: WASH SKIN THOROUGHLY WITH SOAP & WATER. IF IRRITATION DEVELOPS/PERSISTS, CONSULT A PHYSICIAN. E

YE: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN. INGESTION: MATERIAL POSES AN ASPIRATION HAZARD. IF SWALLOWED, DO NOT INDUCE VOMITING. IMMEDIATELY GIVE 2 GLASSES OF WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN. IF VOMITING OCCURS NATURALLY, HAVE VICTIM LEAN FORWARD TO REDUCE THE RISK OF ASPIRATION.

=====
Handling and Disposal
=====

=====

Spill Release Procedures: USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT DURING CLEAN-UP. REMOVE SOURCE OF HEAT, SPARKS, AND FLAME. DIKE SPILL. PREVENT MATERIAL FROM ENTERING SEWERS, WATERWAYS, OR LOW AREAS. RECOVER FREE LIQUID FOR REUSE OR RECLAMATION. SOAK UP WITH SAWDUST, SAND, OIL DRY OR OTHER ABSORBENT MATERIAL.

Waste Disposal Methods: TREATMENT, STORAGE, TRANSPORTATION & DISPOSAL MUST BE I/A/W APPLICABLE FEDERAL, STATE/PROVINCIAL & LOCAL REGULATIONS.

DO NOT

FLUSH TO SURFACE WATER OR SANITARY SEWER SYSTEM.

Handling And Storage Precautions: CLOSE CONTAINER AFTER EACH USE. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, GRIND, OR DRILL ON OR NEAR FULL OR EMPTY CONTAINER. EMPTY CONTAINER RETAINS RESIDUE (LIQUID &/OR VAPOR) AND MAY EXPLODE IN HEAT OF A FIRE. STORE I/A/W NATIONAL FIRE PROTECTION ASSOCIATION RECOMMENDATIONS.

Other Precautions: AVOID BREATHING VAPORS OR MIST. AVOID CONTACT WITH EYES.

AVOID PROLONGED OR REPEATED CONTACT

WITH SKIN. WASH THOROUGHLY AFTER

HANDLING. WASH CONTAMINATED CLOTHING PRIOR TO REUSE. STORE IN A COOL, DRY, WELL-VENTILATED PLACE. STORE AWAY FROM HEAT, SPARKS AND FLAMES, OXIDIZERS.

=====

Fire and Explosion Hazard Information

=====

Extinguishing Media: WATER SPRAY, FOAM, DRY CHEMICAL, CO2.

Fire Fighting Procedures: WATER OR FOAM MAY CAUSE FROTHING. USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL. WATER MAY BE USED TO FLUSH SPILLS AWAY FROM EXPOSURES.

UNUSUAL FIRE/EXPLOSION HAZARD: PRODUCTS OF COMBUSTION MAY CONTAIN CARBON MONOXIDE, CARBON DIOXIDE, AND OTHER TOXIC MATERIALS. DO NOT ENTER ENCLOSED OR CONFINED SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING RESPIRATORY PROTECTION.

UNUSUAL FIRE/EXPLOSION HAZARD: PRODUCTS OF COMBUSTION MAY CONTAIN CARBON MONOXIDE, CARBON DIOXIDE, AND OTHER TOXIC MATERIALS. DO NOT ENTER ENCLOSED OR CONFINED SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING RESPIRATORY PROTECTION.

=====

Control Measures

=====

Respiratory Protection: WHEN CONDITIONS CAUSE EXCESSIVE AIRBORNE LEVELS OF

MISTS/VAPORS: SELECT APPROPRIATE NIOSH-APPROVED RESPIRATORY PROTECTIVE EQUIPMENT WHEN EXPOSED TO SPRAY/MISTS. PROPER RESPIRATOR SELECTION SHOULD BE DETERMINED BY ADEQUATELY TRAINED PERSONNEL & BASED ON THE CONTAMINANT(S), THE DEGREE OF POTENTIAL EXPOSURE & PUBLISHED RESPIRATOR PROTECTION FACTORS.

Ventilation: NORMAL SHOP VENTILATION.

Protective Gloves: NBR OR NEOPRENE RECOMMENDED.

Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS.

Other Protective Equipment: COV

ERALLS WITH LONG SLEEVES IF SPLASHING IS PROBABLE.

Work Hygienic Practices: AVOID ANY PROLONGED OR REPEATED SKIN CONTACT WITH "USED" MOTOR OIL. WASH THOROUGHLY WITH SOAP AND WATER AFTER CONTACT.

Supplemental Safety and Health: NOTE TO PHYSICIAN: ACTIVATED CHARCOAL MIXTURE MAY BE ADMINISTERED. TO PREPARE ACTIVATED CHARCOAL MIXTURE, SUSPEND 50 GRAMS ACTIVATED CHARCOAL IN 400 ML WATER AND MIX THOROUGHLY. ADMINISTER 5 ML/KG, OR 350 ML FOR AN AVERAGE ADULT.

=====
=====

Physical/Chemical Properties

=====

HCC: V6

B.P. Text: NOT AVAILABLE

Vapor Pres: NIL

Vapor Density: >1

Spec Gravity: 0.87 - 0.89@60F(16C)

Evaporation Rate & Reference: NIL

Solubility in Water: INSOLUBLE

Appearance and Odor: AMBER, BROWN (LIGHT) LIQUID; PETROLEUM HYDROCARBON (MILD) ODOR.

Percent Volatiles by Volume: NIL

=====

Reactivity Data

=====

=====

Stability Indicator: YES

Stability Condition To Avoid: HEAT, SPARKS, AND FLAMES.

Materials To Avoid: INCOMPATIBLE OR CAN REACT WITH STRONG OXIDIZERS.

Hazardous Decomposition Products: COMBUSTION FORMS OXIDES OF CARBON AND MAY PRODUCE SMALL QUANTITIES OF OXIDES OF NITROGEN, PHOSPHORUS, SULFUR AND ZINC.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====

Toxicological Information

=====

Toxicological Information: MOUSE SKIN PAINTING STUDIES HAVE SHOWN THAT HIGHLY SOLVENT-REFINED PETROLEUM DISTILLATES SIMILAR TO INGREDIENTS IN THIS PRODUCT HAVE NOT CAUSED SKIN TUMORS. ANIMAL SKIN EXPOSURE STUDIES SHOW HIGH CONCENTRATIONS OF ZINC ORGANIC PHOSPHATES CAUSE TESTICULAR ATROPHY, BUT THIS EFFECT APPEARS RELATED TO STRESS FROM THE CHEMICAL CAUSING SEVERE SKIN IRRITATION. LOW CONCENTRATIONS OF THE ZINC COMPONE

NT, AS OCCURS IN LUBRICANT PRODUCTS, WOULD BE UNLIKELY TO CAUSE TESTICULAR DAMAGE. LABORATORY STUDIES WITH MICE HAVE SHOWN THAT "USED" MOTOR OIL APPLIED REPEATEDLY TO SKIN CAUSED CANCER.

=====
Ecological Information
=====

Ecological: ECOTOXICOLOGICAL INFORMATION: NO SPECIFIC AQUATIC DATA AVAILABLE FOR THIS PRODUCT.

=====
MSDS Transport Information
=====

Transport Information: NOT REGULATED.

=====
Regulatory Information
=====

Sara Title III Information: SARA, TITLE II, 302/304 (40 CFR 355): EXTREMELY HAZARDOUS SUBSTANCE: NONE. SARA, TITLE III, 311/312 (40 CFR 370): ACUTE: NO, CHRONIC: NO, FIRE: NO, REACTIVITY: NO, & PRESSURE: NO. SARA, TITLE III, 313 (40 CFR 372): TH

THIS MATERIAL CONTAINS THE FOLLOWING CHEMICAL(S) AT A LEVEL OF 1.0% OR GREATER (0.1% FOR CARCINOGENS) ON THE LIST OF TOXIC CHEMICALS AND IS SUBJECT TO TOXIC CHEMICAL RELEASE REPORTING REQUIREMENTS: TOXIC CHEMICAL: ZINC COMPOUND.

Federal Regulatory Information: TSCA (40 CFR 710): MATERIAL AND/OR COMPONENTS ARE LISTED IN THE TSCA INVENTORY OF CHEMICAL SUBSTANCES. RCRA (40 CFR 261): THIS MATERIAL HAS BEEN EVALUATED FOR RCRA CHARACTERISTICS & DOESN'T MEET HAZARDOUS WASTE CRITERIA IF DISCARDED IN ITS PURCHASED FORM. BECAUSE OF PRODUCT USE, TRANSFORMATION, MIXING PROCESSING, ETC., WHICH MAY RENDER THE RESULTING MATERIAL HAZARDOUS, IT IS THE PRODUCT USER'S RESPONSIBILITY TO DETERMINE AT THE TIME OF DISPOSAL WHETHER THE MATERIAL MEETS RCRA HAZARDOUS WASTE CRITERIA. (SEE OTHER INFORMATION)

State Regulatory Information: CALIFORNIA "PROP 65" THIS MATERIAL MAY CONTAIN TRACE AMOUNT(S) OF AN INGREDIENT(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR OTHER REPRODUCTIVE HARM. READ & FOLLOW ALL LABEL DIRECTIONS. PENNSYLVANIA WORKER & COMMUNITY RIGHT TO KNOW ACT: THIS MATERIAL MAY CONTAIN THE FOLLOWING INGREDIENT(S) SUBJECT TO THE PENNSYLVANIA WORKER & COMMUNITY RIGHT TO KNOW HAZARDOUS SUBSTANCES LIST. INGREDIENT: ZINC COMPOUND, CATEGORY: ENVIRONMENTAL HAZARDOUS SUBSTANCE.

=====
Other Information
=====

Other Information

: CLEAN WATER ACT (40 CFR 116.4A)- THE MATERIAL CONTAINS THE FOLLOWING INGREDIENT(S) WHICH IS CONSIDERED HAZARDOUS IF SPILLED INTO NAVIGABLE WATERS & THEREFORE REPORTABLE TO THE NATIONAL RESPONSE CENTER (1-800-424-8802). INGREDIENT: PETROLEUM HYDROCARBONS. REPORTABLE QUANTITY: FILM OR SHEEN UPON OR DISCOLORATION OF ANY WATER SURFACE.

=====
Transportation Information
=====

Responsib
le Party Cage: 5R396
Trans ID NO: 156111
Product ID: HD FLEET MOTOR OIL
MSDS Prepared Date: 06/28/2000
Review Date: 02/28/2001
MFN: 1
Multiple KIT Number: 0
Unit Of Issue: DR
Container QTY: 1
Type Of Container: DRUM

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
HAZCOM Label
=====

Product ID: HD FLEET MOTOR OIL
Cage: 5R396
Company Name: CONOCO INC
Street: 5 GREENWAY PLAZA E
PO Box: 2197
City: HOUSTON TX
Zipcode: 77252
Health Emergency Phone: 800-342-5119/281-493-2767 MEDICAL
Label Required IND: Y
Date Of Label Review: 02/28/2001

S

tatus Code: A
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS: N/P. THE PRODUCT MAY CAUSE MINOR SKIN, EYE, AND LUNG IRRITATION. BUT GOOD HYGIENIC PRACTICES CAN MINIMIZE THESE EFFECTS. NORMAL USE OF THIS PRODUCT DOES NOT RESULT IN GENERATION OF AN OIL MIST. HOWEVER IF AN OIL MIST IS GENERATED, OVEREXPOSURE CAN CAUSE MINOR AND REVERSIBLE IRRITATION TO THE EYES, SKIN, & ESPECIALLY THE LUNGS. PROPER PERSONAL PROTECTIVE EQUIPMENT AND SUFFICIENT VENTILATION CAN PROVIDE ADEQUATE PROTECTION. "USED" MOTOR OIL-THERE IS NO EPIDEMIOLOGICAL STUDIES SHOWING "USED" MOTOR OIL TO BE CARCINOGENIC. HEALTH HAZARDS TO "USED" MOTOR OIL CAN BE MINIMIZED BY AVOIDING PROLONGED SKIN CONTACT.

=====

Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.