View NSN Online: https://aerobasegroup.es/nsn/8030-00-079-7202

## 

Product ID:SILVER GOOP MSDS Date:03/01/1992 FSC:8030 NIIN:00-079-7202 Status Code:A MSDS Number: CLBMD === Responsible Party === Company Name: CRAWFORD FITTING CO Address:29500 SOLON ROAD City:SOLON State:OH ZIP:44139-3449 Country:US Info Phone Num:216-248-4600 Emergency Phone Num: (800) 424-9300 Chemtrec Ind/Ph one:(800)424-9300 CAGE:02570 === Contractor Identification === Company Name:SWAGELOK COMPANY Address:29500 SOLON ROAD Box:City:SOLON State:OH ZIP:44139 Country:US Phone:216-248-4600 CAGE:02570

Ingred Name:CASTOR OIL CAS:8001-79-4 RTECS #:FI4100000 Minumum % Wt:50. Maxumum % Wt:60.

Ingred Name:SILVER CAS:7440-22-4 RTECS #:VW3500000 Minumum % Wt:20. Maxumum % Wt:30. OSHA PEL:0.01 MG/M3 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred

Name:TALC CAS:14807-96-6 RTECS #:WW2710000 Minumum % Wt:5. Maxumum % Wt:10. OSHA PEL:2 MG/M3

Ingred Name:ORGANOPHILLE CLAY CAS:71011-27-3 Minumum % Wt:5. Maxumum % Wt:10. OSHA PEL:15 MG/M3

Ingred Name:MAGNESIUM OXIDE CAS:1309-48-4 RTECS #:OM3850000 &It; Wt:5. OSHA PEL:10 MG/M3

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: MAY CAUSE IRRITATION. MAY CAUSE ARGYOSIS CORNEA AND DISTURBANCES IN VISION. SKIN: MAY CAUSE IRRITATION. REPEATED OR PROLONGED EXPOSURE TO SILVER DUSTS MAY CAUSE DEPOSITION OF SILVER IN THE SKIN LIADING TO KIFE LONG DISCOLORATION CALLED LOCAL ARGYRLA (BLUE SKIN). INGESTION: MAY CAUSE IRRITATION. INHALATION: MAY CAUSE IRRITATION. ALLERGIC ASTHMATIC REACTIONS MAY OCCUR IN PERSONS PREVIOUSLY EXP OSED TO CASTOR OIL.

Medical Cond Aggravated by Exposure:

First Aid:EYES: RINSE THROUGHLY WITH WATER FOR 15 MINITUES, SEEK MEDICAL ATTENTION. SKIN: RINSE THROUGHLY WITH SOAP AND WATER. IF IRRITATION DEVELOPS SEEK MEDICAL ATTENTION. INGESTION: SEEK MEDICAL ATTENTION. I NHALATION: IF PERSON IS AFFECTED BY VAPORS REMOVE PERSON TO FRESH AIR, SEEK MEDICAL ATTENTION.

Flash Point Method:COC Flash Point:=285.C, 545.F 545 F

Extinguishing Media:DRY CHEMICAL, FOAM, CO2 OR WATER SPRAY.
======================================
Spill Release Procedures: CLEAN UP ANY SPILLS OR LEAKS WITH ABSORBENT MATERIAL AND A SUITABLE CLEANER. RECOMMENDED PROP PROTECTIVE EQUIPMENT.
======================================
Handling and Storage Precautions: STORE BETWEEN 45F AND 85F.
======================================
Respiratory Protecti on:NONE REQUIRED UNDER ROOM TEMPATURE USE. Ventilation:GENERAL VENTILATION ACCEPTABLE. Protective Gloves:RUBBER OR IMPERVIOUS Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS OR GOGGLES Other Protective Equipment:EYE WASH STATION NEAR WORK AREA. Work Hygienic Practices:DO NOT DRINK, EAT OR SMOKE DURING USE. WASH HANDS AFTER USE OF THIS PRODUCT. Supplemental Safety and Health
======================================
Evaporation Rate & amp; Reference:1.5 Solubility in Water:NEGLIGABLE Appearance and Odor:SILVERY PASTE SLIGHT CASTOR OIL ODOR
======================================
Stability Indicator/Materials to Avoid:YES AVOID STRONG OXIDIZING AGENTS SUCH AS OXYGEN, CHLORINE, FLURINE ATC. AVOID OXIDIZING ACIDS SUCH AS OXALIC, TARTARIC, NITRIC ACIDS ETC. Hazardous Decomposition Products:MAY GOVE OFF CARBON MONOXIDE, CARBON DIOXIDE AND POSSIABLY ACROLEIN.

Waste Disposal Methods:SILVER GOOP CONTAINS SILVER WHICH WHEN DISPOSED MAY MEET CRITERIA FOR EPA TOXICITY. DISPOSE CONTAINER IN A RESPONSIABLE MANNER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizi ng this

===

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.