

AEROSOL SYSTEMS INC -- CINNAMON AIR FRESHENER DEODORIZER -- 6840-01-359-9208

===== Product Identification =====

Product ID:CINNAMON AIR FRESHENER DEODORIZER

MSDS Date:11/20/1998

FSC:6840

NIIN:01-359-9208

Status Code:A

MSDS Number: CLCDQ

==== Responsible Party ===

Company Name:AEROSOL SYSTEMS INC

Address:9150 VALLEY VIEW RD

City:MACEDONIA

State:OH

ZIP:44056-2013

Country:US

Info Phone Num:330-467-419

5 / 330-467-6641

Emergency Phone Num:330-467-4195 / 330-467-6641

CAGE:2F853

==== Contractor Identification ===

Company Name:AEROSOL MAINTENANCE PRODUCTS

Box:City:MACEDONIA

State:OH

ZIP:44056

Country:US

CAGE:0XHP1

Company Name:AEROSOL SYSTEMS

Box:UNKNOW

CAGE:3H965

Company Name:AEROSOL SYSTEMS INC

Address:9150 VALLEY VIEW RD

Box:City:MACEDONIA

State:OH

ZIP:44056-2013

Country:US

Phone:330-467-4195 / 330-467-6641

CAGE:2F853

Company Name:GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SVC

Address:CYSTA

L MALL BLDG 4 1941 JEFFERSON DAVIS

Box:HWY

City:WASHINGTON

State:DC

ZIP:20406

Country:US

CAGE:80244

Company Name:GOURMET INQUE LTD

Address:191 STANLEY ST

Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-1555

Country:US

Phone:847-296-6192/FAX: 800-542-1042

Contract Num:SP0450-01-M-D940

CAGE:0TNN7

===== Composition/Information on Ingredients =====

Ingred Name:DEIONIZED WATER

CAS:7732-18-5

RTECS #:ZC0110000

Minumum % Wt:60.

Maxumum % Wt:70.

Other REC Limits:NONE RECOMMENDED

OSHA PE

L:NA

OSHA STEL:NE

ACGIH TLV:NA

Ingred Name:PROPANE/ISOBUTANE-BUTANE

CAS:74-98-6

RTECS #:TX2275000

Minumum % Wt:10.

Maxumum % Wt:20.

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM

Ingred Name:N-HEXANE

CAS:110-54-3

RTECS #:MN9275000

Minumum % Wt:10.

Maxumum % Wt:20.

Other REC Limits:NONE RECOMMENDED

OSHA PEL:500 PPM

OSHA STEL:NA

ACGIH TLV:50 PPM

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

===== Hazards Identification =====

Routes of Entry: Inhala

tion: YES Skin: YES Ingestion: YES

Health Hazards Acute and Chronic: MAY CAUSE DIZZINESS OR NARCOSIS IN HIGH VAPOR CONCENTRATIONS. WILL CAUSE DEFATTING OF SKIN. EFFECTS ARE REVERSIBLE. LONG TERM EXPOSURE (YEARS) TO HIGH CONCENTRATIONS OF VAPOR MAY CAUSE LUNG, LIVER OR KIDNEY DAMAGE. THE SOLVENTS LISTED HAVE BEEN REPORTED TO AFFECT THE CENTRAL NERVOUS SYSTEM. ASPIRATION HAZARD IF SWALLOWED. EYE AND SKIN IRRITANT. MAY IRRITATE RESPIRATORY TRACT. DELIBERATELY CONCENTRATED

AND INHALING THE

VAPOR OF THE CONTENTS MAY BE HARMFUL OR FATAL. OTHER: N-HEXANE MAY DAMAGE PERIPHERAL NERVE TISSUE. MAY CAUSE CARDIAC ABNORMALITIES.

Effects of Overexposure: INHALATION: DIFFICULTY IN BREATHING. SKIN: REDNESS. INGESTION: VOMITING.

Medical Cond Aggravated by Exposure: HEART DISEASE OR RESPIRATORY DISORDERS.

#### ===== First Aid Measures =====

First Aid: GIVE OXYGEN. DO NOT INDUCE VOMITING. WASH EYES AND SKIN WITH WATER FOR 15 MIN

UTES. GET MEDICAL HELP. NEVER ADMINISTER ADRENALIN FOLLOWING OVEREXPOSURE.

#### ===== Fire Fighting Measures =====

Flash Point Method: TCC

Flash Point: =55.C, 131.F

FLAMMABLE AEROSOL

Lower Limits: 1.8

Upper Limits: 9.5

Extinguishing Media: USE WATER FOG, DRY CHEMICAL, CARBON DIOXIDE, FOAM.

Fire Fighting Procedures: KEEP CONTAINERS COOL. USE EQUIPMENT OR SHIELDING REQUIRED TO PROTECT AGAINST BURSTING OR VENTING CONTAINERS.

Unusual Fire/Explosion Hazard: HEATED CANS MAY BURST.

#### ===== Accidental Release Measures =====

Spill Release Procedures: USE ABSORBENT SWEEPING COMPOUND TO SOAK UP MATERIAL. PUT INTO CONTAINER. DISPOSE AS HAZARDOUS WASTE.

#### ===== Handling and Storage =====

Handling and Storage Precautions: KEEP AWAY FROM HEAT, SPARKS, OR OPEN FLAMES. STORE AT TEMPERATURES BELOW 120F.

Other Precautions: WHEN SPRAYING MORE THAN ONE HALF CAN CONTINUOUSLY OR MORE THAN ONE CAN CONSEC

UTIVELY, USE NIOSH APPROVED RESPIRATOR.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR IF TLV LIMIT IS EXCEEDED.

Ventilation:LOCAL EXHAUST: YES.

Protective Gloves:NONE REQUIRED IF SPRAYING.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:LONG SLEEVES AND LONG PANTS.

Work Hygienic Practices:DO NOT SMOKE WHILE USING. WASH HANDS AFTER USE.

Supplemental Safety and Health

\*CINNAMON AIR FRESHENER DEODORIZER. \*\*CO

NTENTS UNDER PRESSURE. HARMFUL

OR FATAL IF SWALLOWED. EYE AND SKIN IRRITANT.

===== Physical/Chemical Properties =====

HCC:V3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:-9.69F-212F

Vapor Pres:60 @ 70F

Vapor Density:4.0

Spec Gravity:0.8

pH:7.5

Viscosity:NOT KNOWN

Evaporation Rate & Reference: