

SIA ADHESIVES INC -- 3040010, PL 5001-B, TWO PART EPOXY -- 8040-01-302-2693

===== Product Identification =====

Product ID:3040010, PL 5001-B, TWO PART EPOXY

MSDS Date:01/10/2000

FSC:8040

NIIN:01-302-2693

Status Code:A

Kit Part:Y

MSDS Number: CLDYR

=== Responsible Party ===

Company Name:SIA ADHESIVES INC

Address:123 W BARTGES ST

City:AKRON

State:OH

ZIP:44311-1081

Country:US

Info Phone Num:330-374-2

786 / 330-374-2900

Emergency Phone Num:330-374-2900

Preparer's Name:MICHAEL T. EBERHART

Chemtrec Ind/Phone:(800)424-9300

CAGE:1HS43

=== Contractor Identification ===

Company Name:GRACO SUPPLY CO

Address:1001 MILLER AVE

Box:50505

City:FORT WORTH

State:TX

ZIP:76105

Country:US

Phone:817-535-3200

Contract Num:SP0560-01-M-C263

CAGE:52004

Company Name:SIA ADHESIVES INC

Address:123 W BARTGES ST

Box:City:AKRON

State:OH

ZIP:44311-1081

Country:US

Phone:330-374-2786 / 330-374-2900

CAGE:1HS43

=====

Composition/Information on Ingredients =====

Ingred Name:POLYAMIDE SYSTEM  
CAS:68410-23-1  
= Wt:15.

Ingred Name:AROMATIC OIL  
CAS:64742-03-6  
RTECS #:PY8043000  
&lt; Wt:5.

Ingred Name:AMORPHOUS SILICA  
CAS:112945-52-5  
RTECS #:VV7310000  
&lt; Wt:5.

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:YES IARC:YES  
Health Hazards Acute and Chronic:SKIN: PROLONGED OR REPEATED EXPOSURE  
MAY CAUSE MODERATE IRRITATION; MAY CAUSE ALLERGIC REA  
CTION AND  
SENSITIZATION IN SOME INDIVIDUALS. EYES: MODERATE TO SEVERE  
IRRITATION. CHRONIC EXPOSURE MAY CAUSE S OME PEOPLE TO DEVELOP SKIN  
RASH, ALLERGIC REACTION AND/OR SKIN SENSITIZATION.  
Explanation of Carcinogenicity:SUSPECTED CARCINOGEN NTP AND IARC.  
Effects of Overexposure:SKIN: PROLONGED OR REPEATED EXPOSURE MAY CAUSE  
MODERATE IRRITATION; MAY CAUSE ALLERGIC REACTION AND SENSITIZATION  
IN SOME INDIVIDUALS. EYE: MODERATE TO SEVERE IRRITATION. CHRONIC  
EXPOSURE MAY CAUSE  
SO ME PEOPLE TO DEVELOP SKIN RASH, ALLERGIC  
REACTION AND/OR SKIN SENSITIZATION.  
Medical Cond Aggravated by Exposure:SKIN RASHES.

===== First Aid Measures =====

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING; WASH AREA WITH PLENTY OF  
SOAP AND WATER; SEE A PHYSICIAN IF IRRITATION DEVELOPS. EYES: FLUSH  
WITH WATER FOR 10 MIN. SEE A PHYSICIAN IF IRRITATION DEVELOPS.  
INGESTIO N: DO NOT INDUCE VOMITING. CONSULT A PHYSICIAN.  
INHALATION: REMOVE T

O FRESH AIR. GET MEDICAL ATTENTION IF NECESSARY.

===== Fire Fighting Measures =====

Flash Point Method:TOC

Flash Point:=185.C, 365.F

Lower Limits:0.00

Upper Limits:0.00

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures:DO NOT ENTER CONFINED SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID SKIN AND EYE CONTACT, SCRAPE UP AND PLACE IN CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID EYE AND SKIN CONTACT. KEEP OUT OF THE REACH OF CHILDREN. STORE IN A COOL DRY PLACE AWAY FROM HEAT. EMPTY CONTAINERS MAY BE HAZARDOUS AND ALL PRECAUTIONS CITED SHOULD BE OBSERVED.

Other Precautions:COMPLIANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS

REMAINS THE RESPONSIBILITY OF THE USER. IN ADDITION TO ANY LISTED PRECAUTIONS, YOU SHOULD CONSULT YOUR OCCUPATIONAL SAFETY AND HEALTH SPECIALIST TO INSURE THAT THE SUGGESTED HANDLING PROCEDURES WILL BE ADEQUATE AND IN COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE USUALLY NECESSARY UNDER MOST INDUSTRIAL OPERATING CONDITIONS.

Ventilation:GOOD GENERAL VENTILATION USUALLY ADEQUATE

ATE.  
Protective Gloves:IMPERVIOUS  
Eye Protection:CHEMICAL GOGGLES.  
Other Protective Equipment:CLEAN LONG SLEEVES LONG LEG CLOTHING.  
Work Hygienic Practices:AVOID SKIN AND EYE CONTACT

Supplemental Safety and Health  
THIS ENTRY, SERIAL NUMBER CLDYR, DESCRIBES PART B OF A TWO PART KIT.  
SEE THIS SAME NSN FOR SECOND PART OF KIT, SERIAL NUMBER CLDYM, PART  
A, FOR PART A DATA.

===== Physical/Chemical Properties =====

HCC:V5  
Boiling Pt:B.P. Text:NONE  
Vapor Density:NO  
N VOL  
Spec Gravity:3.55222 (29.59 LBS/GAL)  
Evaporation Rate & Reference:N-BUTYL ACETATE  
Appearance and Odor:GRAY PAST, AMINE ODOR.  
Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
EXPOXY RESINS.  
Stability Condition to Avoid:AVOID MIXING WITH LARGE AMOUNTS OF EPOXY  
RESIN. NO MORE THAN TWO POUNDS.  
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,  
AMMONIA, OTHERS POSSIBLE.  
Con  
ditions to Avoid Polymerization:WILL NOT OCCUR.

===== Regulatory Information =====

SARA Title III Information:SECTION 313:THIS PRODUCT CONTAINS THE  
FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF  
SECTION 313 OF THE EMERGENCY PLANNING AND RIGHT TO KNOW ACT OF 1986  
AND OF 40 CFR 372: NONE.  
Federal Regulatory Information:ALL INGREDIENTS IN THIS PRODUCT ARE  
LISTED IN THE T.S.C.A. INVENTORY.  
State Regulatory Information:PRODUCT MA

Y CONTAIN TRACE AMOUNTS OF CALIFORNIA PROPOSITION 65 LISTED CHEMICALS. CALIFORNIA PROP 65 (CARCINOGEN): WARNING: PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER: CHEMICAL NAME : NONE. CALIFORNIA PROP 65 (TERATOGEN): WARNING: PRODUCT CONTAINS A CHEMICAL KNOWN TO STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: CHEMICAL NAME: NONE. CALIFORNIA PROP 65 (BOTH CARCINOGEN AND TERATOGEN) : WARNING: PRODUCT MAY CONTAIN A

CHEMICAL KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER OR BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: CHEMICAL NAME: NONE.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.