

DYNAMOLD, INC. -- MR 502K, CATALYST (SEE SUPPL) -- 6850-01-163-0276

===== Product Identification =====

Product ID:MR 502K, CATALYST (SEE SUPPL)

MSDS Date:05/01/2000

FSC:6850

NIIN:01-163-0276

Kit Part:Y

MSDS Number: CLFBN

=== Responsible Party ===

Company Name:DYNAMOLD, INC.

Address:2905 SHAMROCK AVE

Box:9617

City:FORT WORTH

State:TX

ZIP:76107

Country:US

Info Phone Num:817-335-0862

Emergency Phone Num:800-255-3924 CHEM-TEL

Resp. Party Other MSDS Num.:BASE

Prepa

rer's Name:NOT PROVIDED

CAGE:30256

=== Contractor Identification ===

Company Name:DYNAMOLD SOLVENTS, INC.

Address:2905 SHAMROCK AVE

Box:9617

City:FORT WORTH

State:TX

ZIP:76107

Country:US

Phone:817-335-0862

Contract Num:SP0450-00-M-SF76

CAGE:30256

Company Name:DYNAMOLD SOLVENTS, INC.

Address:2905 SHAMROCK AVE

Box:9617

City:FORT WORTH

State:TX

ZIP:76107

Country:US

Phone:817-335-0862

Contract Num:SP0450-01-M-ZD39

CAGE:30256

===== Composition/Information on Ingredients =====

Ingr

ed Name:DIBUTYLTIN DILAURATE
CAS:77-58-7
RTECS #:WH7000000
< Wt:.5
Other REC Limits:NOT PROVIDED
OSHA PEL:NOT PROVIDED
ACGIH TLV:NOT PROVIDED

Ingred Name:TIN CARBOXYLATE
CAS:301-10-0
< Wt:.5
Other REC Limits:NOT PROVIDED
OSHA PEL:0.1 MG/M3
ACGIH TLV:0.1 MG/M3

===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and
Chronic:EYE OR SKIN CONTACT: SKIN CONTACT IS
NOT KNOWN TO CAUSE IRRITATION, EYE CONTACT MAY CAUSE IRRITATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:EYE CONTACT: MAY CAUSE IRRITATION.
Medical Cond Aggravated by Exposure:NOT PROVIDED

===== First Aid Measures =====

First Aid:INHALATION: IF OVERCOME BY EXPOSURE, REMOVE VICTIM TO FRESH
AIR IMMEDIATELY. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.
OBTAIN EMERGENCY MEDICAL A
ID. PROMPT MEDICAL AID IS ESSENTIAL. EYE
CONTACT : IMMEDIATELY RINSE WITH CLEAN WATER FOR 15-20 MINUTES.
RETRACT EYELIDS OFTEN. IF IRRITATION OCCURS OBTAIN EMERGENCY
MEDICAL AID. SKIN CONTACT: REMOVE CONTAMINATED CLOTHING AS NEEDED.
WASH SKIN THOROU GHLY WITH MILD SOAP AND WATER. IF STICKY, USE
WATERLESS CLEANER FIRST. INGESTION: IF LARGE QUANTITY SWALLOWED,
GIVE LUKE WARM WATER (PINT) IF VICTIM IS COMPLETELY
CONSCIOUS/ALERT. DO NOT INDUCE VOMITI NG. OBTAIN EMERGENCY

MEDICAL
AID.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:=129.4C, 265.F
APPROXIMATELY
Lower Limits:NOT PROVIDED
Upper Limits:NOT PROVIDED
Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY. USE
WATER SPRAY/FOG FOR COOLING. DRY CHEMICAL CARBON DIOXIDE IS
PERMISSIBLE.
Fire Fighting Procedures:DO NOT ENTER FIRE AREA WITHOUT PROPER
PROTECTION. FIGHT FIRE FROM SAFE DISTANCE/PROTECTED LOCATION. MAY
BUILD PRESS
URE AND RUPTURE CLOSED CONTAINERS, SPREADING FIRE,
INCREASING RISK OF BURNS AND INJUR IES. NOTIFY AUTHORITIES IF
LIQUID ENTERS SEWER/PUBLIC WATERS.
Unusual Fire/Explosion Hazard:NONE, AVOID EXTREME HEAT OR FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:UTILIZE PERSONAL PROTECTIVE EQUIPMENT. LIMIT
ACCESS TO QUALIFIED PERSONNEL. SOAK UP SPILL WITH INERT SOLID AND
PLACE IN A LABELED, SEALED CONTAINER. PREVENT FLOW TO SEWERS.

NOTIFY FIRE/ENVIRONMENTAL A UTHORITIES. COVER SLIPPERY SURFACES
WITH GRANULAR SOLID. CONTAIN SPILL TO PREVENT ESCAPE INTO THE
ENVIRONMENT.
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA. STORE ONLY IN
CLOSED CONTAINERS AWAY FROM IGNITION SOURCES. PRACTICE CAUTION,
AVOID SKIN AND EYE CONTACT.
Other Precautions:WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINERS
CLOSED WHE
N NOT IN USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED.
Ventilation:GENERAL .
Protective Gloves:NONE SHOULD BE NEEDED.
Eye Protection:CHEMICAL SPLASH GOGGLES (ANSI Z87.1 1979).
Other Protective Equipment:NONE SHOULD BE NEEDED.
Work Hygienic Practices:NOT PROVIDED
Supplemental Safety and Health
MAGNETIC RUBBER INSPECTION KIT: QUICK CURE FOR NONDESTRUCTIVE
INSPECTION TECHNIQUES; KIT CONSISTS OF 1 CAN OF MAGNETIC RUBBER
MATER

IAL, BASE, (MSDS SERIAL NUMBER: CLFBM) (1 GALLON), 1 BOTTLE OF
CATAL YST (MSDS SERIAL NUMBER: CLFBN) (2 FL OZ) AND 1 BOTTLE OF
CURE STABILIZER (1 FL OZ).

===== Physical/Chemical Properties =====

HCC:V5

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:>148.9C, 300.F

B.P. Text:APPROXIMATELY

Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED

Decomp Temp:Decomp Text:NOT PROVIDED

Vapor Pres:1 @ 20C APPROXIMATELY

Vapor Density:NEG.

Spec Gravity:1.0

Viscosity:NOT PROVIDED

Evaporati

on Rate & Reference: