

MINNESOTA MINING AND MFG CO -- RE-STICKABLE GLUE STICK -- 8040-01-286-7067

===== Product Identification =====

Product ID:RE-STICKABLE GLUE STICK
MSDS Date:08/18/2000
FSC:8040
NIIN:01-286-7067
Status Code:A
MSDS Number: CLGGZ
=== Responsible Party ===
Company Name:MINNESOTA MINING AND MFG CO
Address:3M CENTER
City:SAINT PAUL
State:MN
ZIP:55144-1000
Country:US
Info Phone Num:800-364-3557 / 651-737
-6501(24 HR)
Emergency Phone Num:800-424-9300
Preparer's Name:RYAN MICKELSON
CAGE:76381
=== Contractor Identification ===
Company Name:MINNESOTA MINING AND MFG CO, DBA 3M
Address:3M CENTER BLDG 224-5S-04
Box:City:SAINT PAUL
State:MN
ZIP:55144-1000
Country:US
Phone:866-556 5712 / 612-733-1110
CAGE:76381

===== Composition/Information on Ingredients =====

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Minumum % Wt:38.
Maxumum % Wt:42.

Ingred Name:ACRYLIC POLYMER
Minumum % W

t:37.
Maxumum % Wt:41.

Ingred Name:SODIUM STEARATE
CAS:822-16-2
RTECS #:WI4725000
Minumum % Wt:7.
Maxumum % Wt:10.5

Ingred Name:POLYETHYLENE GLYCOL
CAS:25322-68-3
RTECS #:TQ3500000
Minumum % Wt:2.
Maxumum % Wt:5.

Ingred Name:POLYOXYETHYLENE MONOOCTYLPHENYL ETHER
CAS:9036-19-5
RTECS #:MD0907600
Minumum % Wt:1.
Maxumum % Wt:3.

Ingred Name:N-VINYLPYRROLIDINONE POLYMER
CAS:9003-39-8
RTECS #:TR8160000
Minumum % Wt:.5
Maxumum % Wt:2.5

Ingred Name:2-AMINOISOBUTANOL
CAS:124-68-5
RTECS #:UA5950000
M
inumum % Wt:1.
Maxumum % Wt:2.5

Ingred Name:SODIUM HYDROXIDE
CAS:1310-73-2
RTECS #:WB4900000
Minumum % Wt:0.
Maxumum % Wt:.3
OSHA PEL:2 MG/M3
ACGIH STEL:C2 MG/M3
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Effects of Overexposure:EYE CONTACT: EYE CONTACT IS NOT EXPECTED TO
OCCUR DURING NORMAL USE OF THE PRODUCT. SINGLE EXPOSURE MAY
CAUSE: MILD EYE IRRITATION: SIGNS/SYMPTOMS CAN INCLUDE REDNESS,
SWELLING, PAIN

, AND TEARIN G. SKIN CONTACT: NO ADVERSE HEALTH EFFECTS ARE EXPECTED FROM SKIN CONTACT. CONTACT WITH THE SKIN DURING PRODUCT USE IS NOT EXPECTED TO RESULT IN SIGNIFICANT IRRITATION. INHALATION: NO ADVERSE HEALTH EFFECTS ARE EXPECTED FROM INHALATION EXPOSURE. IF SWALLOWED: NO ADVERSE HEALTH EFFECTS ARE EXPECTED FROM SWALLOWING.

===== First Aid Measures =====

First Aid:EYE CONTACT: IMMEDIATELY FLUSH EYES WITH LARGE AMOUNT OF WATER. CALL A PHYSICIAN. SKIN CONTACT: WASH AFFECTED AREA WITH SOAP AND WATER. INHALATION: NO NEED FOR FIRST AID IS ANTICIPATED. IF SW ALLOWED: NO NEED FOR FIRST AID IS ANTICIPATED. OTHER FIRST AID INFORMATION: NONE

===== Fire Fighting Measures =====

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, FOAM
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING, INCLUDING HELMET, SELF-CONTAINED, POSITIVE PRESSURE OR PRE SSURE DEMAND BREATHING APPARATUS, BUNKER COAT AND PANTS, BANDS AROUND ARMS, WAIST AND LEGS, FACE MASK, AND PROT ECTIVE COVERING FOR EXPOSED AREAS OF THE HEAD.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL PLACE. STORE AWAY FORM ACIDS. STORE AWAY FROM HEAT. STORE OUT OF DIRECT SUNLIGHT. KEEP CONTAINER DRY. KEEP CONTAINER IN WELL VENTILATED AREA.
Other Precautions:KEEP CONTAINER TIGHTLY CLOSED

===== Exposure Controls/Personal Protection =====

Protective Gloves:AVOID SKIN CONTACT
Eye Protection:AVOID EYE CONATACT
Other Protective Equipment:NONE
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Pres:11.000
Spec Gravity:.960
pH:CA 10.70
Solubility in Water:APPREC.
Appearance and Odor:SEMI SOLID STICK IN A PLASTIC CONTAINER, FATTY ACID/ACRYLIC ODOR
Percent Volatiles by Volume:40.0

===== Stability and React

ivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN AN INDUSTRIAL OR COMMERCIAL
FACILITY IN THE PRESENCE OF A COMBUSTIBLE MATERIAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United

States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.