

INTERNATIONAL PAINT INC. INTERNATIONAL -- FORMULA 150 PRIMER (MIL P 24441) CONVERTER
5748 -- 8010-01-302-3607

===== Product Identification =====

Product ID:FORMULA 150 PRIMER (MIL P 24441) CONVERTER 5748

MSDS Date:09/19/1999

FSC:8010

NIIN:01-302-3607

Status Code:A

MSDS Number: CLJHC

=== Responsible Party ===

Company Name:INTERNATIONAL PAINT INC. INTERNATIONAL

Address:6001 ANTOINE DR

City:HOUSTON

S

tate:TX

ZIP:77091

Country:US

Info Phone Num:800-589-1267/800-854-6813

Emergency Phone Num:(800)424-9300

Preparer's Name:HENRY SIMMONS

Chemtrec Ind/Phone:(800)424-9300

CAGE:69827

=== Contractor Identification ===

Company Name:INTERNATIONAL PAINT INC

Address:6001 ANTOINE DRIVE

Box:City:HOUSTON

State:TX

ZIP:77091

Country:US

Phone:713-684-1244

CAGE:028S6

Company Name:INTERNATIONAL PAINT INC. INTERNATIONAL

Address:6001 ANTOINE DR

Box:City:HOUSTON

State:TX

ZIP:77091

Country:US

Phone:800-589-1267/800-8

54-6813
CAGE:69827

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN
CAS:25068-38-6
RTECS #:CE6880000
Minumum % Wt:25.
Maxumum % Wt:50.

Ingred Name:AROMATIC HYDROCARBONS
CAS:64742-95-6
RTECS #:WF3400000
Minumum % Wt:10.
Maxumum % Wt:25.

Ingred Name:TRIMETHYLBENZENE
CAS:25551-13-7
RTECS #:DC3220000
Minumum % Wt:1.
Maxumum % Wt:11.
ACGIH TLV:123 MG/M3;25 PPM

Ingred Name:MAGNESIUM SILICATE HYDRATE
CAS:14807-96-6
RTECS #:WW2710000
Minumum % Wt:1.
Maxum
um % Wt:10.
OSHA PEL:SEE TABLE Z-3
ACGIH TLV:2 MG/M3

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:INHALATION: CAUSES NOSE AND THROAT IRRITATION.
MAY AFFECT THE BRAIN OR NERVOUS SYSTEM CAUSING DIZZINESS, HEADACHE,
OR NAUSEA. EYE CONTACT-CAUSES EYE IRRITATION SKIN CONTACT-CAUSES
SKIN IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION OR SKIN
SENSITIZATION. INGESTION-HARMFUL IF SWAL

LOWED.

===== First Aid Measures =====

First Aid:INHALATION- REMOVE TO FRESH AIR. IF DISCOMFORT IS PRESENT OR BREATHING IS ABSENT GET MEDICAL ATTENTION IMMEDIATELY. EYE CONTACT- FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR 15 MINUTES UNTIL IRRITATION SUBSIDES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER. USE SOAP IF AVAILABLE. REMOVE SEVERELY CONTAMINATED CLOTHING (INCLUDING SHOES) AND WASH BEFORE USE. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INGESTION-IF SWALLOWED, DO NOT INDUCE VOMITING. KEEP AT REST. GET PROMPT MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:=-46.1C, 115.F
Lower Limits:1
Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL.
Unusual Fire/Explosion Hazard:ISOLATE FROM HEAT, SPARKS, ELECTRICAL EQUIPMENT AND OPEN FLAME. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. IN THE ABSENCE OF ELECTRICITY. A WATER SPRAY (A FOG NOZZLE IS PREFERRED) MAY BE USED TO COOL CONTAINERS. DECOMPOSITION AND COMBUSTION PRODUCTS MAY BE TOXIC.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILLED LIQUID WITH SAND OR EARTH. DO NOT USE COMBUSTIBLE MATERIALS SUCH AS SAWDUST. ABSORB SPILL WITH INERT MATERIAL, THEN PLACE IN A CHEMICAL WASH CONTAINER. (E.G., DRY SAND OR EARTH), THEN PLACE IN A CHEMICAL WASTE CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. LOOSEN CLOSURE CAUTIOUSLY BEFORE OPENING. STORE IN A COOL DRY PLACE, WELL VENTILATED PLACE AWAY FROM INCOMPATIBLE MATERIALS. KEEP AWAY FROM HEAT, SPARKS, AND FLAMES. PROTECT MATERIAL FROM DIRECT SUNLIGHT. GROUND AND BOND CONTAINERS WHEN TRANSFERRING MATERIALS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection

ction:DO NOT BREATHE THE VAPORS OR SPRAY MIST. IF YOU EXPERIENCE EYE WATERING, HEADACHE OR DIZZINESS OF IF AIR MONITORING DEMONSTRATES VAPOR/MIST LEVELS ARE ABOVE APPLICABLE LIMITS, WEAR AN APPROPRIATE, PRO PERLY FITTED RESPIRATOR (NIOSH APPROVED) DURING AND AFTER APPLICATION. FOLLOW RESPIRATOR MANUFACTURE'S DIRECTIONS FOR RESPIRATOR USE.

Ventilation:PROVIDE SUFFICIENT VENTILATION IN VOLUME AND PATTERN. TO KEEP THE TLV OF THE HAZARDOUS INGREDIENTS BELOW THE LIMITS SPE

CIFIED IN SECTION TWO.

Protective Gloves:WEAR CHEMICAL RESISTENT GLOVES.

Eye Protection:SAFETY GLASSES, CHEMICAL GOGGLES AND/OR A FACE SHIELD SHOULD BE WORN

Other Protective Equipment:AS NEEDED, USE BODY PROTECTION TO AVOID CONTACT WITH PRODUCT.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:=117.2C, 243.F

Vapor Density:> AIR

Spec Gravity:1.398

Evaporation Rate & Reference:SLOWER/ ETHER

Appearance and Odor:LIQUID

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:MAY PRODUCE HAZARDOUS FUMES WHEN HEATED TO DECOMPOSITION AS IN WELDING. FUMES MAY PRODUCE CARBON DIOXIDE AND CARBON DIOXIDE MONOXIDE.

===== Toxicological Information =====

Toxicological Information:THERE IS NO DATA AVAILABLE ON THE PRODUCT ITSELF. NOTICE: REPORTS HAVE ASOCIATED REPEATED AND PROLONGED

OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAWMAGE. INTENTION AL MISUE BY DELIBERATELY CONCENTRATING THE CONTENTS MAY BE HARMFUL OR FATAL.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE UNOPENED CONTAINERS.

===== Regulatory Information =====

SARA Title III Information:TS

CA - COMPONENTS OF THIS PRODUCT ARE LISTED
ON THE TSCA INVENTORY. CERCLA - WE RECOMMEND YOU LOCAL AUTHORITIES
TO DETERMINE IF THERE MAY BE OTHER LOCAL REPORTING REQUIREMENTS.
SARA TITLE III ? NONE KNOWN UNLESS CHEMICALS ARE SPECIFIED BELOW.
SECTION 302 REPORTABLE INGREDIENTS
State Regulatory Information: CALIFORNIA PROPOSITION 65: NONE KNOWN
UNLESS SPECIFIED BELOW. WARNING: THIS PRODUCT CONTAINS A CHEMICAL
KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

Disclaimer

(provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.