
LORD CORP CHEMICAL PRODUCTS GR -- AEROGLAZE 9947B WASH PRIMER PART B

MSDS Safety Information

_____ FSC: 8030 NIIN: 01-437-7266 MSDS Date: 12/02/1998 MSDS Num: CLJMH Product ID: AEROGLAZE 9947B WASH PRIMER PART B MFN: 02 **Responsible Party** Cage: 0Y5K6 Name: LORD CORP CHEMICAL PRODUCTS GROUP Address: 2000 W GRANDVIEW B LVD City: ERIE PA 16514-5000 Info Phone Number: 814-868-3611/814-763-2345 Emergency Phone Number: 814-763-2345 Preparer's Name: ERNEST CARTER Chemtrec IND/Phone: (800)424-9300 Review Ind: Y Published: Y _____ Contractor Summary ______ Cage: 0Y5K6 Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION Address: 2000 WEST GRANDVIEW BLVD City: ERIE PA 16514 Phone: 814-868-3611/ 814-763-2345 ================= _____ Item Description Information ______ ______ Ingredients _____ Cas: 108-65-6 RTECS #: AI8925000 Name: 1-METHOXY-2-PROPYL ACETATE < Wt: 70. -----Cas: 88917-22-0 Name: DIPROPYLENE GLYCOL MONOMETHYL ETHER ACETATE <: Wt: 15. -----Cas: 64-17-5 **RTECS #: KQ630**

0000 Name: ETHYL ALCOHOL <: Wt: 10. OSHA PEL: 1900 MG/M3;1000 PPM ACGIH TLV: 1880 MG/M3;1000 PPM ACGIH STEL: NOT ESTABLISHED _____ Cas: 7664-38-2 RTECS #: TB6300000 Name: PHOSPHORIC ACID < Wt: 2. OSHA PEL: 1 MG/M3 ACGIH TLV: 1 MG/M3 ACGIH STEL: 3 MG/M3 EPA Rpt Qty: 5000 LBS DOT Rpt Qty: 5000 LBS -----Cas: 78-92-2 RTECS #: EO1750000 Name: SEC-BUTANOL < Wt: 10. OSHA PEL: 450 MG/M3;150 PPM ACGIH TLV: 303 MG/M3;100 PPM ACGIH STEL: NOT ESTABL ISHED _____

Health Hazards Data

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Effects of Exposure: MAY CAUSE LIVER OR KIDNEY DAMAGE. REPEATED OR PROLONGED SOLVENT OVEREXPOSURE MAY CAUSE PERMANENT CENTRAL NERVOUS SYSTEM DAMAGE. CHRONIC SKIN CONTACT MAY CAUSE DERMATITIS.

Signs And Symptions Of Overexposure: EYE CONTACT: MAY CAUSE EYE IRRITATION. SKIN CONTACT: MAY CAUS

E SKIN IRRITATION. INHALATION: POSSIBLE IRRITATION OF

THE RESPIRATORY SYSTEM CAN OCCUR CAUSING A VARIETY OF SYMPTOMS SUCH AS DRYNESS OF TH E THROAT, TIGHTNESS OF THE CHEST, AND SHORTNESS OF BREATH. INGESTION: HARMFUL IF SWALLOWED.

First Aid: EYE CONTACT: FLUSH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES HOLDING EYELIDS OPEN WHILE FLUSHING. GET PROMPT MEDICAL ATTENTION. SKIN CONTACT: FLUSH SKIN WITH LARGE AMOUNTS O F WATER. GET MEDICAL ATTENTION. INHALATION: M OVE PERSON TO FRESH AIR. RESTORE AND SUPPORT CONTINUED BREATHING. GET IMMEDIATE MEDICAL ATTENTION. INGESTION: IF SWALLOWED, DO NOT INDUCE VOMITING. GIVE V ICTIM ONE OR TWO GLASSES OF WATER OR MILK. CALL A PHYSICIAN.

Han	dling	and	Di	sposal
-----	-------	-----	----	--------

Spill Release Procedures: AVOID BREATHING VAPORS. USE SELF CONTAINED BREATHING EUIPMENT. CONTAIN AND REMOVE WITH INERT ABSORBENT MATERIAL AND NONSPARKING

TOOLS. AVOID CONTACT. REMOVE ALL SOURCES OF IGNITION.

Waste Disposal Methods: DISPOSAL SHOULD BE DONE IN ACCORDANCE WITH FEDERAL (40 CFR PART 261), STATE AND LOCAL ENVIRONMENTAL CONTROL REGULATIONS.

Handling And Storage Precautions: AVOID SKIN AND EYE CONTACT. WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING OF VAPOR OR MISTS. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. STORE ONLY IN WELL VENTILATED AREAS. KEEP CONTAINER CLOSED WHEN NOT IN U

SE.

Fire and Explosion Hazard Information

Flash Point Method: SCC Flash Point: =22.8C, 73.F Lower Limits: 1.3% Upper Limits: 19.0% Extinguishing Media: CO2 DRY CHEMICAL FOAM FOG. Fire Fighting Procedures: WEAR FULL FIREFIGHTING PROTECTIVE CLOTHING, INCLUDING SELF CONTAINED BREATHING APPARATUS(SCBA). Unusual Fire/Explosion Hazard: FLAMMABLE LIQUID AND VAPOR. KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, OPEN FLAME, OTHER SOURCES OF IGNITION. CLOSED CONTAINER MAY RUPTURE WHEN EXPOSED TO EXTREME HEAT.

Control Measures

Respiratory Protection: USE A NIOSH/MSHA APPROVED CHEMICAL/MECHANICAL FILTER RESPIRATOR

Ventilation: SUFFICIENT VENTILATION IN PATTERN AND VOLUME SHOULD BE PROVIDED. Protective Gloves: USE NEOPRENE, NITRILE,

OR RUBBER GLOVES. Eye Protection: USE SAFETY GLASSES WITH SIDE SHIELDS AND CHEMICAL GOGGLES. Other Protective Equipment: USE DISPOSABLE OR IMPERVIOUS CLOTHING IF WORK CLOTHING CONTAMINATION IS LIKELY. Work Hygienic Practices: WASH HANDS BEFORE EATING, SMOKING, OR USING TOILET FACILITY. _____ Physical/Chemical Properties _____ B.P. Text: 172-392 F Vapor Density: HEAVIER Spec Gravity: 0.94 VOC Pounds/Gallon: 7.86 Evaporation Rate & amp; Reference: SLOWER THAN ETHER Solubility in Water: INSOLUBLE Appearance and Odor: CLEAR LIQUID SOLVENT Percent Volatiles by Volume: 99.2% _____ Reactivity Data _____ Stability Indicator: YES Stability Condition To Avoid: HIGH TEMPERATURES. SOURCES OF IGNITION. Materials To Avoid: STRONG ACIDS, BASES, AND STRONG OXIDIZERS. Hazardous Decomposition Products : CARBON MONOXIDE, CARBON DIOXIDE. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: WILL NOT OCCUR UNDER NORMAL CONDITIONS. _____ HAZCOM Label _____ Product ID: AEROGLAZE 9947B WASH PRIMER PART B Cage: 0Y5K6 Company Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION Street: 2000 WEST GRANDVIEW BLVD City: ERIE PA Zipcode: 16514 Health Emergency Phone: 814-763-2345 Label Required IND: Y Date Of Label Review: 08/17/2001 Status Code: A Origination Code: G Hazard And Precautions: MAY CAUSE LIVER OR KIDNEY DAMAGE. REPEATED OR PROLONGED SOLVENT OVEREXPOSURE MAY CAUSE PERMANENT CENTRAL NERVOUS SYSTEM DAMAGE. CHRONIC SKIN CONTACT MAY CAUSE DERMATITIS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The

United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek co

mpetent professional advice to verify

and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.