View NSN Online: https://aerobasegroup.es/nsn/6750-01-320-4809

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS -- 846-1949 KODAK EKTACOLOR PRIME SP DEVELOPER REPLENISHER CONC -- 6750-01-320-4809

Product ID:846-1949 KODAK EKTACOLOR PRIME SP DEVELOPER REPLENISHER CONC

MSDS Date:11/24/1999

FSC:6750

NIIN:01-320-4809 Status Code:A

Kit Part:Y

MSDS Number: CLJTP === Responsible Party ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKE

TS CONTRACTS

Address:343 STATE ST City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Info Phone Num:716-722-5151/(800) 242-2424

Emergency Phone Num:716-722-5151

Resp. Party Other MSDS Num.:000002151/F/USA

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Addre

ss:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

======= Composition/Information on Ingredients ========

Ingred Name: DIETHYLENE GLYCOL

CAS:111-46-6

RTECS #:ID5950000

= Wt:48.

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Minumum % Wt:25.

Maxumum % Wt:30.

Ingred Name:POTASSIUM CARBONATE

CAS:584-08-7

M IDE CAS:92-09-1 Minumum % Wt:1. Maxumum % Wt:5.

Ingred Name:N,N-DIETHYLHYDROXYLAMINE

CAS:3710-84-7

RTECS #:NC3500000

Minumum % Wt:1.

Maxumum % Wt:5.

Ingred Name: SODIUM HYDROXIDE

CAS:1310-73-2

RTECS #:WB4900000

Minumum % Wt:1. Maxumum % Wt:5.

OSHA PEL:2 MG/M3

ACGIH STEL:C2 MG/M3

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:TRIETHANOLAMINE

CAS:102-71-6

RTECS #:KL9275000

Minumum % Wt:1.

Maxumum % Wt:5.

ACGIH TLV:5 MG/M3

========== Hazards Identification =========

=======

LD50 LC50 Mixture:NO DATA PROVIDED BY MANUFACTURER

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO


Health Hazards Acute and Chronic:CAUSES SKIN AND EYE BURNS. CAN CAUSE KIDNEY DAMAGE. CAN CAUSE CNS EFFECTS. MAY CAUSE ALLERGIC SKIN

REACTION. POTENTIAL PEROXIDE FORMER. CAN CAUSE LIVER DAMAGE BASED

ON ANIMAL DATA.

Explanation of Carcinogenicity:CARCINOGENICITY CLASSIFICATION

(COMPONENTS PRESENT AT 0.1% OR MORE):



============= Handling and Storage ==========================

Handling and Storage Precautions:DO NOT GET IN EYES, ON SKIN, ON CLOTHING. AVOID PROLONGED OR REPEATED BREATHING OF MIST OR VAPOR. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. STORE AWAY FROM HEAT AND LIGHT. KEEP CO NTAINER TIGHTLY CLOSED. KEEP AWAY FROM INCOMPATIBLE MATERIALS.

Other Precautions: USE WITH ADEQUATE VENTILATION

. KEEP FROM CONTACT WITH OXIDIZING MATERIALS. IF PEROXIDE FORMATIONS IS SUSPECTED, DO NOT OPEN OR MOVE CONTAINER. MINIMIZE EXPOSURE TO AIR.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMITS, AN APPROVED RESPIRATOR MUST BE WORN. RESPIRATOR TYPE: ORGANIC VAPOR. IF RESPIRATORS ARE USED, A PROGR AM SHOULD BE INSTITUTED TO ASSURE COMPLIAN
CE WITH OSHA STANDARD 29 CFR 1910.134.  Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES PER HOUR) SHOULD BE USED.
Protective Gloves:WEAR IMPERVIOUS GLOVES Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES) AND A FACE SHIELD.
Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health
NOTE TO PHYSCIANS: STRONG ALKALIS BIND TISSUE PROTEIN FOLLOWING INITIAL FLUSHING
OF THE EYE WITH WATER, CONTINUE IRRIGATION OF THE EYE WITH SALINE IS RECOMMENDED. TREATMENT SHOULD BE CONTINUED UNTIL PH OF TEARS REACHES NEUTRAL. RELATED MSDS FOR WORKING SOLUTION: CLJTC.
========= Physical/Chemical Properties =========
HCC:B1 Vapor Pres:@ 20 C: 24 MBAR (18 MMHG Vapor Density:0.6 Spec Gravity:1.22 pH:12.1 Solubility in Water:COMPLETE Appearance and Odor:ORANGE, LIQUID, AMINE ODOR Percent Volatiles by Volume:60-65%
========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, ACIDS Stability Condition to Avoid:STABLE, HOWEVER, COMPENT FORMS EXPLOSIVE PEROXIDES ON CONCENTRATION. Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, OXIDES OF NITROGEN. Conditions to Avoid Polymerization:WILL NOT OCCUR.
========== Toxicological Information ============

Toxicological Information: CONTAINS: DIETHYLENE GLYCOL. CAN CAUSE KIDNEY

DAMAGE. CAN CAUSE CNS EFFECTS. CONTAINS:
N-(2-((4-AMINO-3-METHYLPHENYL)ETHYLAMINO)ETHYL-METHANESULFONAMIDE.
MAY CAUSE KIDENY DAMAGE BASED ON ANIMAL DATA. CONTAINS:
TRIETHANOLAMINE. BASED ON ANIMAL DATA, MAY CAUSE ADVERSE EFFECTS ON
THE FOLLOWING ROGANS/SYSTEMS: KIDNEY, LIVER. INHALATION: MIST
IRRITATING. MAY BE HARMFUL IF INHALED. EYES: CAUSES BURNS. S KIN:
CAUSES BURNS. HARMFUL IF ABSORBED THOUGH SKIN. MAY CAUSE ALLERGIC
SKIN REACTION. INGESTION: HARMFUL IF SWALL

OWED. MAY CAUSE BURNS OF

THE GASTROINTESTINAL TRACT IF SWALLOWED. ACUTE TOXICITY DATA: (IN VITRO) SKIN IRRITATION: SEVERE.

	<b>Ecological Informa</b>	tion ===========
--	---------------------------	------------------

Ecological: THIS MATERIAL IS A STRONGLY ALKALINE AQUEOUS SOLUTION, & THIS PROPERTY MAY CAUSE ENVIRONMENTAL EFFECTS. HOWEVER, THE MATERIAL ITSELF, HAS NOT BEEN TESTED FOR ENVIRONMENTAL EFFECTS. IT IS EXPECTED TO HAVE THE FOLLOWING PROPERTIES: A MODERATE BIOLOGICAL OXYGEN DEMA

ND & MAY CAUSE OXYGEN DEPLETION IN AQUEOUS SYSTEMS; A HIGH POTENTIAL TO AFFECT SOME AQUATIC ORGANISMS, A HIGH POTENTIAL TO AFFE CT SECONDARY WASTE TREATMENT MICROBIAL METABOLISM, A LOW POTENTIAL TO BIOCONCENTRATE. AFTER DILUTION, FOLLOWED BY SECONDARY WASTE TREATMENT, THIS MATERIAL IS NOT EXPECTED TO CAUSE ADVERSE ENVIRO NMENTAL EFFECTS.

=======================================	Disposal	Considerations	=======================================
---	----------	----------------	---

Waste Disposal Methods:DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT

TO NATIONAL, STATE, OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS E VEN AFTER CONTAINER IS EMPTIED.

 $\mathbf{N} \mathbf{C} \mathbf{D} \mathbf{C}$	Transast	Information	
 IVIOD	, italisooti	millomiation	

Transport Information:FOR TRANSPORTATION INFORMATION REGARDING THIS PRODUCT CALL KODAK WORLDWIDE TRANSPORTATION HAZMAT HOT LINE: (716) 722-2400 BETWEEN 8 AM AND 5 PM (EASTERN STANDARD TIME), MONDAY THROUGH FRIDAY.

SARA Title III Information:CHEMICAL(S) SUBJET TO THE REPORTING
REQUIREMENTS OF SECTION 313 OR TITLE III ID THE SUPERFUND
AMENMENDTS AND REAUTHORIZATION ACT (SARA) OF 1986 AND 40 CFR PART
372: DIETHYLENE GLYCOL

========= Regulatory Information ================

Federal Regulatory Information:NO DATA PROVIDED BY MANUFACTURER State Regulatory Information:MATERIAL(S) KNOWN TO THE STATE OF CALIFORNAI TO CAUSE CANCER AND/OR ADVERSE REPRODUCTIVE EFFECTS: NONE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.