View NSN Online: https://aerobasegroup.es/nsn/8010-00-935-7073

GRIGGS PAINT -- MIL-L-81352B COMP.L #15102 -- 8010-00-935-7073

Product ID:MIL-L-81352B COMP.L #15102

MSDS Date:11/10/1998

FSC:8010

NIIN:00-935-7073

Status Code:A

MSDS Number: CLLMZ === Responsible Party ===

Company Name: GRIGGS PAINT Address: 3602 S 16TH PLACE

City:PHOENIX

State:AZ ZIP:85040 Country:US

Info Phone Num:602-243-3293

Emergency Phone Num:800-424-9300

Pr

eparer's Name: ERNEST CARTER Chemtrec Ind/Phone: (800)424-9300

CAGE:58963

=== Contractor Identification === Company Name:GRIGGS PAINT Address:3602 S 16TH PLACE

Box:City:PHOENIX

State:AZ ZIP:85040 Country:US

Phone:602-243-3293

CAGE:58963

======= Composition/Information on Ingredients ========

Ingred Name:XYLENE

CAS:1330-20-7

RTECS #:ZE2100000

= Wt:3.

ACGIH TLV:434 MG/M3;100 PPM ACGIH STEL:651 MG/M3;150 PPM

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: DIOCTYL PHTHALATE

CAS:1

17-81-7 RTECS #:TI0350000

= Wt:1.

OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3 ACGIH STEL:10 MG/M3 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name: PROPYLENE GLYCOL MONONETHYL ETHER ACETATE

CAS:108-65-6

Code:F

RTECS #:AI8925000

< Wt:5.

LD50 LC50 Mixture:NONE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:DIRECT CONTACT TO EYES MAY CAUSE

IRRITATION. PROLONGED AND/OR REPEATED CONTACT

MAY CAUSE SKIN

IRRITATION. INHALATION OF HIGH CONCENTRATIONS OF VAPORS MAY LEAD TO LUNG CHANGES, NAUSEA, VOMITING, COUGH, PULMONARY IRRITATION, AND CENTRAL NERVOUS SYSTEM DEPRESSION. INGESTION MAY CAUSE GASTROINTESTINAL DISTURBANCES.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: BREATHING OF HIGH VAPOR
CONCENTRATIONS MAY CAUSE DROWSINESS, DIZZINESS, FATIGUE, FOLLOWED
BY COMA. EYE: DURECT CONTACT AND/OR CONTACT WITH VAPORS MAY CAUSE
IRRITATIO

N. SKIN: PROLONGED AND/ OR REPEATED CONTACT MAY CAUSE IRRITATION AND/OR DERMITITIS. MAY BE ABSORBED THROUGH THE SKIN. SKIN ABSORPTION: PROLONGED OR REPEATED EXPOSURE CAN CAUSE MODERATE IRRITATION, DERFATTING, AND DERMITITIS. INGESTION: ASPIRATION OF THIS PRODUCT INTO THE LUNGS MAY CAUSE PNEUMONTITIS, PULMONARY EDEMA AND HEMORRAGE.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING
DISEASES IN OR HISTORY OF AILMENTS INVOLVING SKIN CENTRAL NERVOUS
SYSTEM

First Aid Massures
======================================
First Aid:EYE CONTACT: IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. SEEK MEDICAL AID. SKIN: WASH THROUGHLY WITH SOAP AND WATER. SEEK MEDICAL AID. INGESTION: IMMEDIATELY SEEK MEDICAL AID. DO NOT INDUCE VOMITING. TO NOT ATTEMPT TO GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
=========== Fire Fighting Measures ============
Flash Point Method:TCC
sh Point:80 DEG F Autoignition Temp:Autoignition Temp Text:NONE Lower Limits:0.3%
Upper Limits:7.0% Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:APPROVED GAS MASK REQUIRED FOR FIRE FIGHTING PERSONEL.WATER MAY BE INEFFECTIVE. WATER MAY BE USED TO COOL CONTAINERS. IF WATER IS USED, FOG NOZZLES ARE PREFERRED. Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE
FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, AND OPEN FLAME. CLOSED CONTAI NERS MAY EXPLODE WHEN EXPOSED TO HEAT.
======== Accidental Release Measures =========
Spill Release Procedures:STOP LEAK IF NO RISK INVOLVED. REMOVE ALL SOURCES OF IGNITION. STAY UPWIND. ABSORB WITH INERT MATERIAL. FLUSH AREA WITH WATER. Neutralizing Agent:NONE
=========== Handling and Storage ============
Handling and Storage Precautions: KEEP CONTAINERS CLOSED AND UPRIGHT TO PREVENT LEAKAGE. AVOID FLAMES, WELDING, OPEN LIGHTS, ETC. AVOID
BREATHING OF VAPOR AND SPRAY MIST AVOID SKIN AND EYE CONTACT. Other Precautions:MAINTAIN GOOD PERSONAL HYGIENE. DO NOT USE IN CONFINED AREAS, TANK OR PIT, WITHOUT ADEQUATE VENTILATION.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW TLV (PEL), USE MSHA/NIOSH APPROVED UNITS. USE UNITS

, LIVER AND KIDNEY.

PER CURRENT 29 CFR 1910.134 AND FOLLOW MANUFACTURERS' INSTRUCTIONS AND WARNINGS. IF WITH

IN OSHA PROTECTION FACTOR, AIR PURIFYING OV/FILTER UNITS OK FOR USE. Ventilation:LOCAL AND MECHANICAL EXHAUST. Protective Gloves: RUBBER GLOVES. Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS OR GOGGLES. Other Protective Equipment: EYE BATH AND SAFETY SHOWER. Work Hygienic Practices: MAINTAIN GOOD PERSONAL HYGIENE. DO NOT USE IN CONFINED AREAS WITHOUT ADEQUATE VENTILATION. Supplemental Safety and Health AS THE CONDITIONS OR METHODS ARE BEYOUND OUR CONTROL, WE DO NOT ASSUME ANY RESPONSI BILITY REGARDING USE OF PRODUCT. WE EXPRESSYL DISCLAIM ANY LIABILITY FORANY USE OF THE MATERIAL. INFORMATION CONTAINE D HEREIN IS BELIEVED TO BE ACCURATE ALL STATEMENTS OR SUGGESTIONS ARE MADE WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED TO. ======== Physical/Chemical Properties =========== Boiling Pt:B.P. Text:280TO724 DEG F Melt/Freeze Pt:M.P/F.P Text:NONE Decomp Temp:Decomp Text:NONE Vapor Density: HEAVIER Spec Gravity:(H2O=1): 0.9 VOC Pounds/Gallon:545 VOC Grams/L iter:4.55 Evaporation Rate & Evaporation R Solubility in Water: ESSENTIALLY NIL. Appearance and Odor: VISCOUS LIQUID WITH STRONG SOLVENT ODOR. ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:FLAMES, SPARKS, SMOKING AND HEAT. Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE. Conditions to Avoid Polymerization: WILL NOT OCCUR. = Disposal Considerations ========== Waste Disposal Methods: USE INERT ABSORBENT MATERIALS ON SPILLS. DISPOSE

OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

============ Other Information ==============================

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever. expressly or implied, warrant

s this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.