Product ID:56022, PAPANICOLAOU, GILL EA-1 MSDS Date:03/30/1998 FSC:6550 NIIN:01-198-2557 Status Code:A **MSDS Number: CLQMQ** === Responsible Party === Company Name: BIOCHEMICAL SCIENCES INC Address:200 COMMODORE DRIVE City:SWEDESBORO State:NJ ZIP:08085 Country:US Info Phone Num:800-524-0294 Emergency Phone Num:800-524-0294 Chemtrec Ind/Phone:(800)424-9 300 CAGE:0B0Y1 === Contractor Identification === Company Name: BIOCHEMICAL SCIENCES INC Address:200 COMMODORE DRIVE Box:City:SWEDESBORO State:NJ ZIP:08085 Country:US Phone:800-524-0294 CAGE:0B0Y1 Ingred Name: PHOSPHOTUNGSTIC ACID; EINECS/ELINCS 235-087-6 CAS:12067-99-1 RTECS #:TH5650000 < Wt:1. Ingred Name: ACETIC ACID; EINECS/ELINCS 200-580-7

CAS:64-19-7 RTECS #:AF1225000 = Wt:2. OSHA PEL:25 MG/M3;10 PPM ACGIH TLV:25 MG/M3; 10 PPM ACGIH STEL:37 MG/M3;15 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ALCOHOL; EINECS/ELINCS 200-659-6 CAS:67-56-1 RTECS #:PC1400000 Fraction by Wt: ~28.5% OSHA PEL:260 MG/M3;200 PPM ACGIH TLV:262 MG/M3;200 PPM ACGIH STEL:328 MG/M3;250 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:WATER; EINECS/ELINCS 231-791-2 CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: BALANCE

Ingred Name:EOSIN Y; EINECS/ELINCS 241-409-6 CAS:17372-87-1 RTECS #:LM5850000 < Wt:1.

I

ngred Name:ETHYL ALCOHOL; EINECS/ELINCS 200-578-6. CAS:64-17-5 RTECS #:KQ6300000 Fraction by Wt: `66.5% OSHA PEL:1900 MG/M3;1000 PPM ACGIH TLV:1880 MG/M3;1000 PPM

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: PRODUCES IRRITATION, MAY CAUSE SENSITIZATION TO LIGHT. SKIN: MAY BE ABSORBED THROUGH THE SKIN. INGESTION: MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED. MAY CAUSE S YSTEMIC TOXICITY WITH ACIDOSIS. MAY CAUSE LIVER AND KIDNEY DAMAGE. MAY CAUSE CENTEAL NERVOUS SYSTEM DEPRESSION. INHALATION: MAY CAUSE LIVER AND KIDNEY DAMAGE. MAY CAUSE VISUAL IMPAIRMENT AND POSSIBLE PERMANENT BLINDNESS. CHRONIC: PR OLONGED OR REPEATED SKIN CONTACT MAY CAUSE DERMATITIS. CHRONIC INHALATION AND INGESTION MAY CAUSE EFFECTS SIMILAR TO THOSE OF ACUTE INHALATION AND INGESTION. Effects of Overexposure:EYE: IRRITATION, BURNING SENSATION, REDNESS, TEARING, INFLA

MATION, AND POSSIBLE CORNEAL INJURY. SKIN: PROLONGED AND/OR REPEATED CONTACT MAY CAUSE IRRITATION AND/OR DERMATITIS. INGESTION: MAY CAUSE CEN TRAL NERVOUS SYSTEM DEPRESSION, CHARACTERIZED BY EXCITEMENT, FOLLOWED BY HEADACHE, DIZZINESS, DROWSINESS, AND NAUSEA. ADVANCED STAGES MAY CAUSE COLLAPSE, UNCONSCIOUSNESS, COMA AND POSSIBLE DEATH DUE T O RESPIRATORY FAILURE. INHALATION: MAY CAUSE DROWSINESS, UNCONSCIOUSNESS, AND CENTRAL NERVOUS SYSTEM DEPRESSION.

\_\_\_\_\_

First Aid:EYES- IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINS, LIFT THE UPPER & LOWER EYELIDS. GET MEDICAL AID IMMEDIATELY. SKIN-GET MEDICAL AID. IMMEDIATELY FLUSH WITH PLENTY OF SOAP & WATER FOR 15 MINS W HILE REMOVING SOILED CLOTHES/SHOES. INGESTION-IF CONSCIOUS & ALERT, GIVE 2-4 CUPFULS OF MILK/WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL AID IMMEDIATELY. INDUCE VOMITING BY GIVING

ONE TSP OF SYRUP OF IPECAC.

INHALATION-REMOVE TO FESH AIR IMMEDIATELY. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS HARD, GIVE OXYGEN. GET MEDICAL AID. NOTE TO PHYSICIAN: T REAT SYMPTOMATICALLY & SUPPORTIVELY.

Extinguishing Media:USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS. IN CASE OF FIRE USE WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, OR CHEMICAL FOAM.

Fire Fighting Procedures:A

S IN ANY FIRE, WEAR A SELF-CONTAINERD

BREATHING APPARATUS IN PRESSURE-DEMAND, MSHA/NIOSH (APPROVED OR EQUIVALENT), AND FULL PROTECTIVE GEAR. COOL CONTAINERS WITH FLOODING QUANTITIES OF WATER UNTIL W ELL AFTER FIRE IS OUT. Unusual Fire/Explosion Hazard:VAPORS MAY FORM AN EXPLOSIVE MIXTURE WITH

AIR. DIRUING A FIRE, IRRITATING AND HIGHLY TOXIC GASES MAY BE GENERATED BY THERMAL DECOMPOSITION OR COMBUSTION . USE WATER SPRAY TO KEEP FIRE-EXPOSED CONTAINE RS COOL. MAY BE IGNITE

## D BY HEAT, SPARKS, AMD FLAME. CONTAINERS MAY EXPLODE WHEN HEATED.

Spill Release Procedures: USE PROPER PERSONAL PROTECTIVE EQUIPMENT. ABSORB SPILL WITH INERT MATERIAL, (E.G., DRY SAND OR EARTH), THEN PLACE INTO A CHEMICAL WASTE CONTAINER. REMOVE ALL SOURCES OF IGNITION. A VAPOR SUPPRESSING F OAM MAY BE USED TO REDUCE VAPORS. WATER SPRAY MAY REDUCE VAPOR BUT MAY NOT PREVENT IGNITION IN CLOSED SPACES.

===

- Handling and Storage Precautions:HANDLING-KEEP AWAY FROM HEAT, SPARK, & FLAME. KEEP AWAY FROM SOURCES OF IGNITION. STORE IN A TIGHTLY CLOSED CONTAINER. STORE IN A COOL, DRY, WELL-VENTILATED AREA AWAY FROM INCOMPATIBLE SUBSTANCES. HAN DLING-GROUND & BOND CONTAINERS WHEN TRANSFERRING MATERIAL. AVOID CONTACT WITH EYES, SKIN & CLOTHING.
- Other Precautions: HANDLING-EMPTY CONTAINERS RETAIN PRODUCT RESIDUE & CAN BE
- DANGEROUS. KEEP CONTAINER TIGHTLY CLOSED. AVOID CONTACT WITH HEAT, SPARKS & FLAME. DO NOT INGEST OR INHALE. DO NOT PRESSURIZE, CUT, WELD, BRAZ E, SOLDER, DRILL, GRIND OR EXPOSE EMPTY CONTAINERS TO HEAT, SPARKS OR OPEN FLAMES.

Respiratory Protection:FOLLOW THE OSHA RESPIRATOR REGULATIONS FOUND IN 29CFR 1910.134 OR EUROPEAN STANDARD EN 149. ALWAYS USE A NIOSH OR EUROPEAN SATANDARD EN 149 APPROVED RESPIRATOR WHEN NECESSARY.

Ventilation: USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP AIRBORNE CONCENTRATIONS BELOW THE PERMISSIBLE EXPOSURE LIMITS.

- Protective Gloves:WEAR APPROPRIATE PROTECTIVE GLOVES TO PREVENT SKIN EXPOSURE.
- Eye Protection:WEAR APPROPIATE PROTECTIVE EYEGLASSES OR CHEMICAL SAFETY GOGGLES.
- Other Protective Equipment:WEAR APPROPRIATE PROTECTIVE CLOTHING TO PREVENT SKIN EXPOSURE.
- Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. USE WITH ADEQUATE VENTIL

ATION. Supplemental Safety and Health NFPA RATING: (ESTIMATED) HEALTH=1; FLAMMABILITY=3; REACTIVITY=0. MSDS NAME: PAPANICOLAOU STAIN, GILL EA-1. CATALO NUMBERS: 23245671, 23245672, 56022. HCC:F2 Appearance and Odor:LIQUID, ALCOHOL-LIKE ODOR. Stability Indicator/Materials to Avoid:YES "SEE OTHER INFORMATION" Stability Condition to Avoid: IGNITION SOUR CES, EXCESS HEAT. Hazardous Decomposition Products: OXIDES OF NITROGEN, OXIDES OF CARBON. Conditions to Avoid Polymerization: WILL NOT OCCUR. Toxicological Information:LD50/LC50: CAS#64-17-5: INHALATION, MOUSE: LC50=39GM/M3/4H. INHALATION, RAT: LC50=20000PPM/10H. ORAL, MOUSE: LD50=3450 MG/KG. ORAL, RABBIT: LD50=6300 MG/KG. ORAL, RAT: LD50=7060 MG/KG. CAS# 67-56-1: I NHALATION, RAT: LC50=64000 PPM/4H. ORAL, MOSUE: LD50=7300 MG/KG. ORAL, RABBIT: LD50=14200 MG/KG. ORAL, RAT: LD50-5628 MG/KG. SKIN, RABBIT: LD50=15800 MG/KG. CAS# 772-18-5: ORAL, RAT: LD50>90ML/KG. CAS # 17372-87-1: ORAL, MOSUE: LD50=2344 MG/KG. CAS# 12067-99-1: ORAL, RAT: LD50=3300 MG/KG. CAS# 64-19-7: INHALATION, MOUSE: LC50=5620 PPM/1H. ORAL, RAT: LD50=3310 MG/KG. SKIN, RABBIT: LD50=1060 MG/KG. 0 OTHER: SEE ACTUAL ENTRY IN RTECS. Ecological:NO INF ORMATION FOUND. Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS. RCRA P SERIES WASTES: NONE OF THE COMPONENTS ARE ON THIS LIST. RCRA U SERIES WASTES: CAS# 67-56-1; WASTE NUMBER U154: (IGNITABLE WA STE). 

Transport Information: US DOT: SHIPPING NAME: ETHANOL SOLUTION. HAZARD CLASS: 3. UN NUMBER: UN1170

. PACKING GROUP: II. CANADIAN TDG: NO INFORMATION FOUND.

SARA Title III Information:SARA REPORTABLE QUNTITIES (RQ): CAS#67-56-1; FINAL RQ=5000 POUNDS (2270 KG). CAS#64-19-7; FINAL RQ=5000 POUNDS (2270 KG). SARA THRESHOLD PLANNING QUANTITIES (TPQ): NONE OF THE COMPONENTS ARE ON THIS L IST. SARA HAZARD CATEGORIES:CAS#64-17-5: ACUTE, CHRONIC, FLAMMABLE, CAS#67-56-1: ACUTE, FLAMMABLE, CAS#17372-87-1: ACUT

E, CAS#12067-99-1: ACUTE, FLAMMABLE, & CAS#64-19-7: ACUTE, CHRONIC, FLAMMABLE. C ERCLA/SARA SECTION 313: THIS MATERIAL CONTAINS METHYL ALCOHOL, WHICH IS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF SARA TITLE III & 40 CFR PART 372.

Federal Regulatory Information:TSCA: CAS#64-17-5, CAS#67-56-1, CAS#7732-18-5, CAS#17372-87-1, CAS#12067-99-1, & CAS#64-19-7 IS LISTED ON THE TSCA INVENTORY. HEALTH & SAFETY REPORTING LIST: NONE OF THE COMPONENTS ARE ON THIS LIST.

C HEMICAL TEST RULE: NONE OF

THE COMPONENTS ARE ON THIS LIST. TSCA SECTION 12B: NONE OF THE COMPONENTS ARE ON THIS LIST. TSCA SIGNIFICANT NEW USE RULE (SNUR): NONE OF THE COMPONENTS ARE ON THIS LIST. CL EAN AIR ACT-CAS#67-56-1 IS LISTED AS A HAZARDOUS AIR POLLUTANT (HAP). CLEAN WATER ACT-CAS# 64-19-7 I S LISTED AS A HAZARDOUS SUBSTANCE UNDER THE CWA. OSHA-HIGHLY HAZARDOUS: NONE OF THE COMPONENTS ARE ON THIS LIST.

State Regulatory Information: ETHYL ALCOHOL CAN BE FOUND O

N THE

FOLLOWING STATE RIGHT-TO-KNOW LISTS: CALIFORNIA, NEW JERSEY, FLORIDA, PENNSYLVANIA, MINNESOTA, MASSACHUSETTS. METHYL ALCOHOL CAN BE FOUND ON THE FOLLOWING STATE RIGHT -TO-KNOW LISTS: CALIFORNIA, NEW JERSEY, FLORIDA, PENNSYLVANIA, MINNESOAT, MASSACHUSETTS. PHOSPHOTINGSTIC ACID CAN BE FOUND ON THE FOLLOWING STATE RIGHT-TO-KNOW LISTS: CALIFORNIA, NEW JERSEY, FLORIDA, PENNSLYVANIA, MINNESOTA, MASSACHUSETTS. ACETIC ACID CAN BE FOUND ON THE FOLLOWING STATE RIGHT-

TO-KNO W LISTS: CALIFORNIA, NEW JERSEY,

FLORIDA, PENNSYLVANIA, MINNESOTA, MASSACHUSETTS. CALIFORNIA: WARNING: THIS PODUCT CONTAINS ETHYL ALCOHOL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate an d disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.