View NSN Online: https://aerobasegroup.es/nsn/6850-01-376-1766

## STATIC CONTROL COMPONENTS INC -- EX OS TONER -- 6850-01-376-1766

Product ID:EX OS TONER MSDS Date:11/16/1999

FSC:6850

NIIN:01-376-1766 Status Code:A

MSDS Number: CLRKY === Responsible Party ===

Company Name: STATIC CONTROL COMPONENTS INC

Address:330 WICKER ST

Box:152

City:SANFORD

State:NC

ZIP:27331-0152

Country:US

Info Phone Num:919-774-3808

Emergency Phone Num:80

0-358-2728

Resp. Party Other MSDS Num.:C-026 Preparer's Name:NOT PROVIDED

CAGE:0GAA9

=== Contractor Identification ===

Company Name: STATIC CONTROL COMPONENTS INC

Address:330 WICKER ST

Box:152

City:SANFORD

State:NC

ZIP:27331-0152

Country:US

Phone:919-774-3808

CAGE:0GAA9

Company Name: UNICOR FEDERAL PRISON INDUSTRIES

Address:3301 LEESTOWN RD

Box:City:LEXINGTON

State:KY

ZIP:40511-8799

Country:US

Phone:800-827-3168

Contract Num:SP0450-02-F-0602

CAGE:54736

====== Composition/Information on In

gredients =======

Ingred Name: STYRENE ACRYLATE

CAS:25586-20-3

< Wt:60.

Other REC Limits:NOT PROVIDED OSHA PEL:15 MG/M3 (TDUST) ACGIH TLV:10 MG/M3 (TDUST)

Ingred Name: STYRENE-ACRYLATE COPOLYMER

CAS:25036-16-2

&lt: Wt:60.

Other REC Limits:NOT PROVIDED OSHA PEL:15 MG/M3 (TDUST) ACGIH TLV:10 MG/M3 (TDUST)

Ingred Name: IRON OXIDE

CAS:1317-61-9

< Wt:50.

Other REC Limits:NOT PROVIDED OSHA PEL:15 MG/M3 (TDUST) ACGIH TLV:10 MG/M3 (TDUST)

Ingred Name: POLYPROPYLENE

CĂS:9003-07-0 RTECS #:UD1

842000 < Wt:5.

Other REC Limits:NOT PROVIDED OSHA PEL:15 MG/M3 (TDUST) ACGIH TLV:10 MG/M3 (TDUST)

========= Hazards Identification ==============

LD50 LC50 Mixture: NOT PROVIDED

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS: NOT APPLICABLE. ACCUTE

EFFECTS: NOT APPLICABLE. INHALATION: SLIGHT IRRITATION OF RESPIRATORY TRACT. EYE: DUST MAY CAUSE IRRITATION BY

## **MECHANICAL**

ABRASION. SKIN: SLIGHT IRRITATION. INGES TION: NONE KNOWN. CHRONIC: IF THESE MATERIALS ARE USED IN A MANNER THAT COULD GENERATE AIRBORNE PARTICLES (DUST), IT IS ARECOMMENDED THAT THE DUST BE TREATED AS A NUISANCE PARTICULTE.

**Explanation of Carcinogenicity:NONE** 

Effects of Overexposure:INHALATION: SLIGHT IRRITATION OF RESPIRATORY TRACT. EYE: DUST MAY CAUSE IRRITATION BY MECHANICAL ABRASION. SKIN: SLIGHT IRRITATION.

Medical Cond Aggravated by Exposure:ACCUMULATIO N OF THE DUST IN THE RESPIRATORY SYSTEM MAY CAUSE CONGESTION.

First Aid:INHALATION: REMOVE TO FRESH AIR. TREAT ANY IRRITATION SYMPTOMATICALLY. CALL A PHYSICIAN IF CONDITION PERSISTS. EYE: IN CASE OF CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF LOW PRESSURE WATER FOR AT LEAST 15 MINUTES. REMOVE ANY CONTACT LENSES TO ENSURE THOROUGH FLUSHING. SKIN: WASH WELL WITH SOAP AND RUNNING WATER. INGESTION: NOT APPLI

CABLE. AFTER FIRST AID, GET APPROPRIATE
IN-PLANT OR COMMUNITY MEDIC AL SUPPORT IF SERIOUS SIGN AND SYMPTOMS PERSIST.

========== Fire Fighting Measures ================

Autoignition Temp: Autoignition Temp Text: N/D

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, CARBON DIOXIDE, OR HALON TYPE EXTINGUISHERS.


Fire Fighting Procedures:DO NOT RELEASE RUNOFF FROM FIRE CONTROL METHODS TO SEWERS OR WATERWAYS. BECAUSE FIRE MAY PRODUCE TOXIC THERMAL DECOMPOSTION

PRODUCTS, WEAR A SELF-CONTAINED BREATHING
APPARATUS (SCBA) WITH FULL FACEPIE CE OPERATED IN PRESSURE-DEMAND
OR POSITIVE-PRESSURE MODE.

Unusual Fire/Explosion Hazard: MAY FORM FLALMMABLE DUST AIR MIXTURE.

======== Accidental Release Measures ==========

Spill Release Procedures:SMALL AND LARGE SPILLS: SCOOP INTO CONTAINER FOR DISPOSAL,, SUCTION UP REMAINING MATERIAL WITH HIGH EFFICENCY VACUUM CLEANER. CONTAINMENT: FOR LARGE SPILLS, AVOID SUSPENDING PARTICLE



RESPIRATORS DO NOT PROTECT WORKERS IN OXYGEN-DI

======== Physical/Chemical Properties ============

HCC:N1

NRC/State Lic Num: NOT RELEVANT

Decomp Temp:Decomp Text:NOT PROVIDED

Vapor Density:>1 Spec Gravity:1.8

Solubility in Water: NEGLIGIBLE

Appearance and Odor:BLACK, FREE FLOWING POWDER, ODORLESS.

Corrosion Rate: NOT PROVID

ED
======== Toxicological Information =========
Toxicological Information:TONER IS REGULATED UNDER OSHA AS PARTICULATE NOT OTHERWISE REGULATED. OSHA PERL: 15MG/M3. ACGIH TWA: 10 MG/3 FOR NUISANCE PARTICULATE.
======= Disposal Considerations ==========
Waste Disposal Methods:WASTE MATERIAL MAY BE INCINERATED OR RECYCLED FOR ITS IRON OXIDE UNDER CONDITIONS WHICH MEET ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.
====== Regulatory Information ============
SARA Title III Information:NOT LISTED Federal Regulatory Information:NOT LISTED State Regulatory Information:CHECK YOUR STATES REGULATIONS THAT MAY SPECIFICALLY LIST COPY MACHINE TONER.

========= Other Information ==============

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of A merica in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.