Product ID: EX OS TONER MSDS Date:11/16/1999 FSC:6850 NIIN:01-376-1766 Status Code:A MSDS Number: CLRKY === Responsible Party === Company Name: STATIC CONTROL COMPONENTS INC Address:330 WICKER ST Box:152 City:SANFORD State:NC ZIP:27331-0152 Country:US Info Phone Num:919-774-3808 Emergency Phone Num:800-358-2728 Resp. Party Other MSDS Num.:C-026 Preparer's Name:NOT PROVIDED CAGE:0GAA9 === Contractor Identification === Company Name: STATIC CONTROL COMPONENTS INC Address:330 WICKER ST Box:152 City:SANFORD State:NC ZIP:27331-0152 Country:US Phone:919-774-3808 CAGE:0GAA9 Company Name: UNICOR FEDERAL PRISON INDUSTRIES Address:3301 LEESTOWN RD Box:City:LEXINGTON State:KY ZIP:40511-8799 Country:US Phone:800-827-3168 Contract Num:SP0450-02-F-0602 CAGE:54736

Ingred Name:STYRENE ACRYLATE CAS:25586

-20-3 < Wt:60. Other REC Limits:NOT PROVIDED OSHA PEL:15 MG/M3 (TDUST) ACGIH TLV:10 MG/M3 (TDUST)

Ingred Name:STYRENE-ACRYLATE COPOLYMER CAS:25036-16-2 &It; Wt:60. Other REC Limits:NOT PROVIDED OSHA PEL:15 MG/M3 (TDUST) ACGIH TLV:10 MG/M3 (TDUST)

Ingred Name:IRON OXIDE CAS:1317-61-9 &It; Wt:50. Other REC Limits:NOT PROVIDED OSHA PEL:15 MG/M3 (TDUST) ACGIH TLV:10 MG/M3 (TDUST)

Ingred Name:POLYPROPYLENE CAS:9003-07-0 RTECS #:UD1842000 &It; Wt:5. Other REC Limits:NOT PROVIDED OSHA PEL:15 MG/M 3 (TDUST) ACGIH TLV:10 MG/M3 (TDUST)

LD50 LC50 Mixture:NOT PROVIDED

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS: NOT APPLICABLE. ACCUTE EFFECTS: NOT APPLICABLE. INHALATION: SLIGHT IRRITATION OF RESPIRATORY TRACT. EYE: DUST MAY CAUSE IRRITATION BY MECHANICAL ABRASION. SKIN: SLIGHT IRRITATION. INGES TION: N ONE KNOWN. CHRONIC: IF THESE MATERIALS ARE USED IN A MANNER THAT COULD GENERATE

IF THESE MATERIALS ARE USED IN A MANNER THAT COULD GENERATE AIRBORNE PARTICLES (DUST), IT IS ARECOMMENDED THAT THE DUST BE TREATED AS A NUISANCE PARTICULTE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: SLIGHT IRRITATION OF RESPIRATORY TRACT. EYE: DUST MAY CAUSE IRRITATION BY MECHANICAL ABRASION. SKIN: SLIGHT IRRITATION.

Medical Cond Aggravated by Exposure: ACCUMULATION OF THE DUST IN THE RESPIRATORY SYSTEM MAY CAUSE CONGESTION

======================================	es ====================================
--	---

First Aid:INHALATION: REMOVE TO FRESH AIR. TREAT ANY IRRITATION SYMPTOMATICALLY. CALL A PHYSICIAN IF CONDITION PERSISTS. EYE: IN CASE OF CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF LOW PRESSURE WATER FOR AT LEAST 15 MINUTES. REMOVE ANY CONTACT LENSES TO ENSURE THOROUGH FLUSHING. SKIN: WASH WELL WITH SOAP AND RUNNING WATER. INGESTION: NOT APPLICABLE. AFTER FIRST AID, GET APPROPRIATE IN-PLANT OR COMMUNIT

Y MEDIC AL SUPPORT IF SERIOUS SIGN AND SYMPTOMS PERSIST.

Autoignition Temp:Autoignition Temp Text:N/D

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, CARBON DIOXIDE, OR HALON TYPE EXTINGUISHERS.

Fire Fighting Procedures:DO NOT RELEASE RUNOFF FROM FIRE CONTROL METHODS TO SEWERS OR WATERWAYS. BECAUSE FIRE MAY PRODUCE TOXIC THERMAL DECOMPOSTION PRODUCTS, WEAR A SELF-CONTAINED BREATHING APPARATUS (SCBA) W

ITH FULL FACEPIE CE OPERATED IN PRESSURE-DEMAND OR POSITIVE-PRESSURE MODE.

Unusual Fire/Explosion Hazard:MAY FORM FLALMMABLE DUST AIR MIXTURE.

Spill Release Procedures:SMALL AND LARGE SPILLS: SCOOP INTO CONTAINER FOR DISPOSAL,, SUCTION UP REMAINING MATERIAL WITH HIGH EFFICENCY VACUUM CLEANER. CONTAINMENT: FOR LARGE SPILLS, AVOID SUSPENDING PARTICLES, COLLECT FOR LAT ER DISPOSAL. DO NOT RELEASE INTO SEWERS O

R WATERWAYS. FOLLOW APPLICABLE OSHA REGULATION 20 CFR 1910.120. Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions: KEEP CONTIANERS CLOSED AT ALL TIMES. AVOID CREATING DUST. KEEP AWAY FROM IGNITION SOURCES. STORE IN A COOL, DRY LOCATION.

Other Precautions:NOT PROVIDED

====== Exposure Controls/Personal Protection ==========

Respiratory Protection: SEEK PROFESSIONAL ADVISE PRIOR TO RESPIRATORY

SELECTION AND USE. FOLLOW OSHA RESPIRATOR REGULATIONS (29CFR 1910.134) AND, IF NECESSARY, WEAR A NIOSH-APPROVED RESPIRATOR. SELECT RESPRIATOR BASED ON ITS SUITABILITY TO PROVIDE ADEQUATE WORKER PROTECTION AGAINST AIRBORNE CONTAMINATION. Ventilation: PROVIDE GENERAL OR LOCAL EXHAUST VENITLATION SYSTEMS TO MAINTAIN AIRBORNE CONCENTRATIONS BELOW OSHA PELS. Protective Gloves: CHEMICALLY PROTECTIVE GLOVES. Eye Protection: PROTECTIVE EYEGLASSES OR CHEMICAL SAFETY GOGGLES. Other Protec tive Equipment: CHEMICALLY PROTECTIVE BOOTS, APRONS AND GAUNTLETS TO PREVENT PROLONGED OR REPEATED SKIN CONTACT. MAKE EMERGENCY EYEWASH STATIONS AND WASHING FACILITIES AVAILABLE IN WORK AREA. Work Hygienic Practices: NEVER EAT DRINK OR SMOKE IN WORK AREA. PRACTICE GOOD PERSONAL HYGIENE AFTER USING THIS MATERIAL, ESPECIALLY BEFORE EATING, DRINKING, USING THE TOILET OR APPLYING COSMETICS. Supplemental Safety and Health FOR EMERGENCY OR NONROUTINE OPERATION (CLEANING SPILLS, REACT OR VESSELS, OR STORAGE TANKS), WEAR A SCBA. WARNING! AIR-PURIFIED RESPIRATORS DO NOT PROTECT WORKERS IN OXYGEN-DEFICIENT ATMOSPHERES. HCC:N1 NRC/State Lic Num:NOT RELEVANT Decomp Temp:Decomp Text:NOT PROVIDED Vapor Density:>1 Spec Gravity:1.8 Solubility in Water:NEGLIGIBLE Appearance and Odor:BLACK, FREE FLOWING POWDER, ODORLESS. Corrosion Rate:NOT PROVIDED ===== Toxicological Information: TONER IS REGULATED UNDER OSHA AS PARTICULATE NOT OTHERWISE REGULATED. OSHA PERL: 15MG/M3. ACGIH TWA: 10 MG/3 FOR NUISANCE PARTICULATE. Waste Disposal Methods: WASTE MATERIAL MAY BE INCINERATED OR RECYCLED FOR ITS IRON OXIDE UNDER CONDITIONS WHICH MEET ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

SA

RA Title III Information:NOT LISTED Federal Regulatory Information:NOT LISTED State Regulatory Information:CHECK YOUR STATES REGULATIONS THAT MAY SPECIFICALLY LIST COPY MACHINE TONER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.