

PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY -- PR-1770 B-2, PART A  
ACCELERATOR -- 8030-00-485-3237

=====  
Product Identification  
=====

Product ID:PR-1770 B-2, PART A ACCELERATOR

MSDS Date:10/04/2000

FSC:8030

NIIN:00-485-3237

Status Code:A

MSDS Number: CLRRK

=== Responsible Party ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818

-240-2060

Emergency Phone Num:800-228-5635

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MANGANESE DIOXIDE

CAS:1313-13-9

RTECS #:OP0350000

Minimum % Wt:30.

Maximum % Wt:60.

O

SHA PEL:C5 MG/M3  
ACGIH TLV:5 MG/M3

Ingred Name:HYDROGENATED TERPHENYL  
CAS:61788-32-7  
RTECS #:WZ6535000  
Minumum % Wt:10.  
Maxumum % Wt:30.  
ACGIH TLV:4.9 MG/M3;0.5 PPM

Ingred Name:TERPHENYL  
CAS:26140-60-3  
RTECS #:WZ6450000  
&lt; Wt:5.  
OSHA PEL:C9 MG/M3;C1 PPM  
ACGIH STEL:C5 MG/M3;C0.53 PPM

Ingred Name:CARBON BLACK  
CAS:1333-86-4  
RTECS #:FF5800000  
&lt; Wt:5.  
OSHA PEL:3.5 MG/M3  
ACGIH TLV:3.5 MG/M3

Ingred Name:TALC  
CAS:14807-96-6  
RTECS #:WW2710000  
&lt; Wt:5.  
OSHA PEL:SEE TABLE Z-3  
ACGIH TLV:2 MG/M3

Ingred Name:1,3-DIPHENYLGUANIDINE  
CAS:102-06-7  
RTECS #:MF0875000  
&lt; Wt:5.

=====  
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO  
Effects of Overexposure:INHALATION: VAPOR OR FUME WILL IRRITATE THE  
NOSE AND HTROAT. EYE CONTACT: VAPOR OR FUME CAN IRRITATE THE EYES.  
SKIN CONTACT: SUBSTANCE CAN CAUSE MODERATE IRRITATION. INGESTION:  
INGESTION CAN CAUSE IRR ITATION OF GASTROINTESTINAL TRACT.

=====

First Aid Measures =====

First Aid:INHALATION: IF INHALED, REMOVE FROM AREA TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. GET IMMEDIATE MEDICAL ATTENTION. EYE CONTACT: IMMEDIATELY FLUSH EYES FOR AT LEAST 15 MINUTES WITH RUNNING WATER. HOLD EYELIDS APART TO ENSURE RINSING OF THE ENTIRE EYE SURFACE AND LIDS WITH WATER. GET IMMEDIATE MEDICAL ATTENTION. SKIN CONTACT: WIPE EXCESS MATERIAL WITH DRY TOWEL. THEN WASH EXPOSED AREAS WITH PLENTY OF WATER, AND SOAP IF AVAILABLE, FOR SEVERAL MINUTES. GET MEDICAL ATTENTION. INGESTION: IF SWALLOWED DILUTE BY GIVING TWO(2) GLASSES OF WATER TO DRINK. GET IMMEDIATE MEDICAL ATTENTI ON. NEVER GIVE ANYTHING BY MOUTH TO AN

===== Fire Fighting Measures =====

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.  
Fire Fighting Procedures:USE COMPLETE PERSONAL PROTECTION. USE WATER TO COOL HEAT EXPOSED CONTAINERS.  
Unusual Fire/Explosion  
Hazard:DECOMPOSITION AND COMBUSTION PRODUCTS MAY BE HAZARDOUS. NO UNUSUAL HAZARDS KNOWN.

===== Accidental Release Measures =====

Spill Release Procedures:COVER WITH ABSORBENT MATERIAL IF NECESSARY. SCOOP INTO CONTAINERS. CLEAN UP RESIDUE WITH A SUITABLE CLEANING SOLVENT. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. STORE IN A DRY LOCATION. WEAR PROPER PERSONAL PROTECTIVE EQUIPMENT (SEE SECTION VIII). WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED.  
Ventilation:GOOD GENERAL MECHANICAL VENTILATION.  
Protective Gloves:CHEMICALLY RESISTANT GLOVES.  
Eye Protection:SAFETY GLASSES.  
Other Protective Equipment:SAFETY SHOWER, EYE WASH STATION AND WASHING FACILITIES SHOULD BE AVAI

TABLE. WHEN USING IN CIRCUMSTANCES WHERE SKIN CONTACT IS LIKELY, USE COMPLETE PROTECTIVE GARMENTS.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Spec Gravity:1.88  
Appearance and Odor:BLACK PASTE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
EASILY OXIDIZABLE MATERIALS.  
Stability Condition to Avoid:EASILY OXIDIZABLE MATERIALS.  
Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN,  
MANGANESE COMPOUNDS.  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:WHEN DISPOSING OF THIS MATERIAL, ENSURE THAT IT IS PACKAGED, STORED, TRANSPORTED, AND OTHERWISE HANDLED IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

===== Regulatory Information =====

SARA Title III Information:SECTION 313 TOXIC CHEMICAL LIST(TCL): THIS PRODUCT DOES NOT CONTAIN A TOXIC CHEMICAL FOR ROUTINE ANNUAL "TOXIC CHEMICAL RELEASE REPORTING" UNDER SECTION 313 (40 CFR 372). SECTION 302 CERCLA: THIS PRODUCT CONTAINS NO CHEMICAL REGULATED UNDER SECTION 302 AS EXTREMELY HAZARDOUS CHEMICALS FOR EMERGENCY RELEASE NOTIFICATION (CERCLA LIST).

Federal Regulatory Information:TSCA SECTION 8(B) INVENTORY STATUS: ALL INGREDIENTS IN THIS PRODUCT ARE LISTED IN THE TSCA INVENTORY OR ARE EXEMPT FROM LISTING.

State Regulatory

Information:CALIFORNIA PROPOSITION 65 REPORTABLE INGREDIENTS: CHEMICALS KNOWN BY THE STATE OF CA TO CAUSE CANCER: THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS CURRENTLY ON THE CALIFORNIA LIST OF KNOWN CARCINOGENS. CHEMICALS KNOWN BY THE STATE OF CA TO CAUSE REPRODUCTIVE TOXICITY: THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS CURRENTLY ON THE CALIFORNIA LIST OF KNOWN REPRODUCTIVE TOXINS.

Disclaimer (provided with this information by the compiling agencies):

This informat

ion is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.