

CHEMICAL COMMODITIES AGENCY, INC. -- PAINT REMOVER -- 8010-00-160-5798

===== Product Identification =====

Product ID:PAINT REMOVER

MSDS Date:01/01/1987

FSC:8010

NIIN:00-160-5798

MSDS Number: BDDHJ

=== Responsible Party ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Info Phone Num:909-864-2310/FAX 6220 D. ANGELO

Emerg

ency Phone Num:909-864-2310

CAGE:60777

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

===== Composition/Information on Ingredients =====

Ingred Name:PARAFFINS (INCLUDING NAPHTHENES) AROMATICS

Ingred Name:BENZENE (SARA III)

CAS:71-43-2

RTECS #:CY1400000

OSHA PEL:1PPM/5STEL;1910.1028

ACGIH TLV:10 PPM; A2; 9192

EPA Rpt Qty:10 LBS

DOT

Rpt Qty:10 LBS

===== Hazards Identification =====

Effects of Overexposure:MAY CAUS SKIN IRRIT UPON PRLNG USE/REPEAT
CONTCT.INGEST CAN RESULT IN ASPIRAT OF LGHT HYDROCARBN(SUP

===== First Aid Measures =====

First Aid:IF SWALLOW,DO NOT INDUC VOMITING.CALL DR.WASH EYES WITH FRESH
WATER F/15 MIN.IF IRRIT CONTINUES,SEE DR.WASH THOROUGHLY W/SOAP &
WATR AFTR SKN CONTCT.LAUNDER CONTAM CLOTHING.IF INHAL,REMOV TO

FRESH AIR .IF BREATHNG STOPPED,APPLY ARTIFIC RESPIR.CALL DR.

===== Fire Fighting Measures =====

Flash Point:105F TCC 41C
Extinguishing Media:CO*2, DRY CHEM, FOAM, WATER SPRAY
Fire Fighting Procedures:DONOT ENTER CONFINED AREA W/O PRPR EQPMT.USE
SELF-CONTND(SUP
Unusual Fire/Explosion Hazard:DO NOT STORE NEAR FIRE,HEAT OR OPEN
FLAMES.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB SPILLS W/ABSORBENT
CLAY, DIATOMATEOUS
EARTH. A FIRE OR VAP HAZ MAY EXIST SINCE THESE MATERIALS WILL ONLY
ABSORB LIQUID, NOT VAPOR

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FR PILOT LGHTS,WELDING
EQUIPMT, ELECTRICAL SWITCHES.FIRE HAZARD IS GREATER AS LIQUID
TEMPERATURE RISES ABOVE 85F.
Other Precautions:HARMFUL OR FATAL IF SWALLOWED, KEEP OUT OF REACH OF
CHILDREN.

===== Exposure Controls/Personal Protection =====

=====

Respiratory Protection:WR APPRVD ORGANIC VAP CARTRIDG RESPIRAT UNLS
VENT IS ADEQ.
Ventilation:MECH-RECOMMENDED
Protective Gloves:RUBBER
Eye Protection:SAFETY GOGGLES
Other Protective Equipment:IMPERVIOUS PROTECTVE CLOTHING.
Supplemental Safety and Health
SPEC.FIRE FIGHT PROCED:BREATHING APPARATUS.EFFECTS OF OVEREXPOS:LIQUID
WHICH CAN CAUSE PNEUMONTITIS.

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:314-387F
Vapor Pres:5MM
Vapor
Density:4.9
Spec Gravity:.79
Evaporation Rate & Reference:BU AC 0.13
Solubility in Water:INSOLUBLE
Appearance and Odor:COLORLESS LIQUID
Percent Volatiles by Volume:99.+

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING MATERIALS
Hazardous Decomposition Products:NORMAL COMBUSTION FORMS CO*2 & WATER
VAP,INCOMP COMBUS-CO

===== Disposal Considerations =====

Waste Disposal Method
s:PLACE CONTAMINATED MATERIAL IN DISPOSABLE
CONTAINERS & BURY IN APPRVD DUMPING AREA.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.