

HOFFMAN-LA ROCHE INC -- DALMANE -- 6505-00-117-8749

=====  
Product Identification  
=====

Product ID:DALMANE  
MSDS Date:10/31/1985  
FSC:6505  
NIIN:00-117-8749  
MSDS Number: BTHSR  
=== Responsible Party ===  
Company Name:HOFFMAN-LA ROCHE INC  
Address:340 KINGSLAND ST  
City:NUTLEY  
State:NJ  
ZIP:07110-1141  
Country:US  
Info Phone Num:201-236-2323  
Emergency Phone Num:201-236-2323  
CAGE:04493  
=== Contractor Identific  
ation ===  
Company Name:HOFFMAN-LA ROCHE INC  
Address:340 KINGSLAND ST  
City:NUTLEY  
State:NJ  
ZIP:07110-1141  
Country:US  
Phone:201-235-2323  
CAGE:04493

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NON HAZARDOUS INGREDIENT  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:TLV: NONE ESTABLISHED  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO

OSHA:NO

Health Hazards Acute and Chronic:INDUSTRIAL EXPOSURE: SKIN CONTACT: POSSIBLE RASH. INGESTION OR INHALATION: IT IS ADVISIBLE TO ANTICIPATE THAT SIGNS OF CNS DEPRESSION ASSOCIATED WITH ITS ORAL CLINICAL ADMINISTRATION MIGHT MANIFEST IN THE EVNT OF INDUSTRIAL OVEREXPOSURE.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure:THESE SIGNS INCLUDE DIZZINESS, DROWSINESS, LIGHTHEADEDNESS, TENDENCY TO FALL, IRRITABILITY, APPREHENSION, WEAKNESS, GENERSL

IZED PAIN, HEADACHE, POSSIBLE FLUSHING, PERSPIRING, HYPERSALIVATION, LOSS OF APPETITE, MOOD CHANGES, VISUAL EFFECTS,HALLUCINATIONS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYE CONTACT-IRRIGATE SUTFACES WITH WATER FOR 15 MINUTES. SKIN CONTACT-FLUSH AREA WITH SOAP & WATER FOR 15 MINUTES. INGESTION-CALL PHYSICIAN IMMEDIATELY. SUPPORTIVE MEASURES SHOULD BE EMPLOYED INCLUD

IN G IMMEDIATE GASTRIC LAVAGE. INTRAVENOUSFLUIDS SHOULD BE ADMINISTERED AND AN ADEQUATE AIRWAY MAINTAINED.

===== Fire Fighting Measures =====

Flash Point:NONE KNOWN

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE OR FOAM, AS APPROPRIATE FOR SURROUNDING FIRE AND MATERIAL.

Fire Fighting Procedures:EVACUSTE PERSONNEL TO AN AREA OF UPWIND DIRECTION AND REMOVE UNEEDED MATERIAL; KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER SPRAY, & WEAR SCBA.

Unusual Fire/Explosion Hazard:NONE KNOWN. IT MAY BE ADVISIBLE, HOWEVER, TO GROUND EQUIPMENT IN CONTACT WITH DRY MATERIAL.

===== Accidental Release Measures =====

Spill Release Procedures:TRANSFER TO SUITABLY LABELED VESSELS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY, COOL AREA WITHIN WELL-CLOSED, LIGHT-RESISTANT CONTAINERS. USE SPECIFICATIONS ISSUED BY SECURITY.

Other Precaut

ions:MONITOR CAREFULLY WORKERS WITH IMPAIRED LIVER OR  
KIDNEY FUNCTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED FILTER DUST MASK.  
Ventilation:LOCAL EXHUAST PREFERRED.  
Protective Gloves:RUBBER.  
Eye Protection:SAFETY GLASSES.  
Other Protective Equipment:DISPOSABLE COVERALLS WITH HOOD.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
FOR CLINICAL USE ONLY. CONTROLLED SUBSTANCE.

=====  
===== Physical/Chemical Properties =====

HCC:N1  
Melt/Freeze Pt:M.P/F.P Text:208-218C  
Solubility in Water:SOLUBLE  
Appearance and Odor:OFF-WHITE TO YELLOW CRYSTALLINE POWDER; SLIGHT ODOR  
OR ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ACIDS AND BASES IN SOLUTION (CAUSE HYDROLYSIS TO BENZOPHENONE).  
Stability Condition to Avoid:LIGHT; PH>7 OR