

VANSON HOLLAND INK CORPORATION OF AMERICA -- V2082 VAN SON EASY STREET --
6850-01-293-7736

===== Product Identification =====

Product ID:V2082 VAN SON EASY STREET

MSDS Date:09/09/1995

FSC:6850

NIIN:01-293-7736

MSDS Number: BVXDH

=== Responsible Party ===

Company Name:VANSON HOLLAND INK CORPORATION OF AMERICA

Address:92 UNION STREET

City:MINEOLA

State:NY

ZIP:11501-3428

Country:US

Info Phone Num:516

-294-8811

Emergency Phone Num:516-294-8811(CHEMTREC 800-424-9300)

Preparer's Name:GUS LINDQUIST

CAGE:EO322

=== Contractor Identification ===

Company Name:UNIJAX INC

Address:2401 DABNEY RD

Box:6207

City:RICHMOND

State:VA

ZIP:23230-2514

Country:US

CAGE:8C984

Company Name:VAN SON HOLLAND INK CORP

Address:92 UNION STREET

City:MINEOLA

State:NY

ZIP:11501-3428

Country:US

Phone:516-294-8811

CAGE:55269

Company Name:VANSON HOLLAND INK CORPORATION OF AMERICA(DISTRIBO

Address:92 UNION STREET

City:MINEOLA

St

ate:NY
ZIP:11501-3428
Country:US
Phone:516-294-8811
CAGE:EO322
Company Name:YOUNG PHILIPS SALES CO
Address:5120 GLEN ALDEN DRIVE
Box:City:RICHMOND
State:VA
ZIP:23231
Country:US
Phone:804-226-1212
CAGE:4L136

===== Composition/Information on Ingredients =====

Ingred Name:DIETHYL PHTHALATE (SARA 313) (CERCLA)
CAS:84-66-2
RTECS #:TI1050000
Fraction by Wt: 40-55%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3; 9596
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:CERESIN WAX (DESCRIBED BY MFR AS "OZOKERITE WAX")
CAS:8001-75-0
Fraction by Wt: 5%
Other REC Limits:NONE SPECIFIED

Ingred Name:ROSIN ESTER
CAS:65997-13-9
Fraction by Wt: 40-55%
Other REC Limits:NONE SPECIFIED

Ingred Name:2-HYDROXYETHYL STEARATE (ETHYLENE GLYCOL STEARATE)
CAS:111-60-4
RTECS #:WI4100000
Fraction by Wt: 2%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Report

s of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:DIRECT CONTACT WITH EYES MAY CAUSE IRRITATION. PROLONGED SKIN CONTACT MAY CAUSE IRRITATION. INHALATION MAY CAUSE RESPIRATORY IRRITATION. INGESTION MAY CAUSE GI TRACT IRRITATION.
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:EYE-IRRITATION. SKIN-IRRITATION.
INHALED-IRRITATION OF NASAL & RESPIRATORY PASSAGES, DIZZINESS, NAUSEA. INGESTED-GI TRACT IRRITATION.
Medical Cond Aggravated by Exposure:PERSONS WITH DERMATITIS SHOULD AVOID SKIN CONTACT.

===== First Aid Measures =====

First Aid:EYES-FLUSH WITH WATER FOR 15 MINUTES. SEE DOCTOR IF IRRITATION PERSISTS. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP & WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALED-REMOVE TO FRESH AIR. INGESTED-DO NOT INDUCE VOMITING! CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:>310F,>154C
Lower Limits:1.1
Upper Limits:6.0
Extinguishing Media:FOAM, CARBON DIOXIDE, WATER FOG
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS RECOMMENDED. COOL FIRE EXPOSED CONTAINERS WITH WATER.
Unusual Fire/Explosion Hazard:DENSE SMOKE MAY BE GENERATED WHEN BURNING. CARBON MONOXIDE AND CARBON DIOXIDE GENERATED AS COMBUSTION PRODUCTS.

==

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP. DISPOSE OF WIPES IN APPROVED WASTE CONTAINER. IF PETROLEUM H
Neutralizing Agent:NO INFORMATION GIVEN BY MFR ON MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID STORAGE ABOVE 90F. KEEP CONTAINERS CLOSED WHEN NOT IN USE.
Other Precautions:NONE REQUIRED.

===== Exposure Controls/Personal Protection =====

Res

piratory Protection:NONE REQUIRED.
Ventilation:USE SUFFICIENT VENTILATION.
Protective Gloves:GLOVES RECOMMENDED
Eye Protection:GOGGLES RECOMMENDED
Other Protective Equipment:NONE REQUIRED
Work Hygienic Practices:MFR: ? HMIS:USE GOOD INDUSTRIAL HYGIENE
PRACTICE. AVOID UNNECESSARY EXPOSURE. WASH THOROUGHLY BEFORE EATING
OR DRINKING
Supplemental Safety and Health
MSDS #8-3

===== Physical/Chemical Properties =====

HCC:N1
NRC/State Lic Num:NONE
Boiling Pt:B.P. Te
xt:560F,293C
Vapor Density:>1
Spec Gravity:1.08
Evaporation Rate & Reference: